

IMPACT OF FERTILIZERS ON HUMAN HEALTH AND ENVIRONMENT

Dr. Anil Kumar Gupta^{1*}

¹Lecturer, Department of Agronomy, S.C.R.S Govt. College, Sawaimadhopur, Rajasthan

Received: 26-12-2017 / Revised: 14-01-2018 / Accepted: 27-01-2018

Corresponding author: Dr. Anil Kumar Gupta

Conflict of interest: Nil

Abstract

One of the biggest issues on the planet right now is pollution. To meet the demand for agricultural products and to feed the expanding population, farmers use a variety of chemical fertilisers to boost production and control weeds and insect pests. Overuse of synthetic pesticides and fertilisers has had a detrimental effect on both the environment and human health. The increasing destruction of environmental resources is therefore the biggest threat to humanity on the globe. The rapidly rising population in emerging countries intensified the mismatch between human wants and resource sustainability. Chemical fertilisers have increased agricultural output while causing severe environmental and health problems. Chemical fertilisers' phosphates and nitrates are the main contributors to water pollution.

Keywords: Chemical fertilizers, farmer, Environmental pollution, Human health.

This is an Open Access article that uses a funding model which does not charge readers or their institutions for access and distributed under the terms of the Creative Commons Attribution License (<http://creativecommons.org/licenses/by/4.0>) and the Budapest Open Access Initiative (<http://www.budapestopenaccessinitiative.org/read>), which permit unrestricted use, distribution, and reproduction in any medium, provided original work is properly credited.

Introduction

Chemical fertilizers have increased agricultural output, which has been a boon for farmers all over the world. Today, more than 300 million tons of various chemical poisons in the form of fertilizers and pesticides are produced under different brand names (Tomkins & Bird, 2002). Despite having a much lower average pesticide consumption than many other affluent nations, India has a serious pesticide residue problem (Abhilash and Singh, 2008). The negligent use and management of pesticides in agriculture has caused significant problems with human health in many developing countries during the past three decades (Dasgupta et al. 2007). The new market economy and globalisation have a significant impact on how fertilizers are used in agriculture.

Fertilizers improve soil productivity to produce better-quality agricultural output. The exponential rise in fertilizer use in recent years has had a negative impact on the environment. By increasing the production of food and other agricultural items through the use of high-yielding seed types, altering farm equipment, and greatly increasing the use of fertilizers, developing nations like India helped the Green Revolution put an end to continuous food scarcity. Fertilizers can be made of natural or synthetic materials. In contrast to artificial or chemical fertilizers, natural fertilizers are organic in nature. Animal dung and other naturally occurring materials are used in organic fertilizers, whilst inorganic fertilizers are made of synthetic components. They typically have

more nutrients. Fertilizers either restore the chemical elements that previous crops removed from the soil or increase the land's inherent fertility. In order to create mixed fertilizers, separate substances can be chemically combined and used as a binding agent. Alternatively, straight fertilisers can be mechanically combined.

Manufacturing facilities for multiple products make up the fertilizer sector. Farmers now must use chemical pesticides and fertilizers to increase agricultural productivity to the highest possible levels in order to feed the world's population. However, using these fertilizers excessively has negative impacts on both population and environmental health. Infertility issues in soil are caused by excessive fertilization, increased salinity, heavy metal buildup, and nitrate accumulation. Through the soil and its interactions with other organisms in the food chain, plants absorb chemical fertilizers. Use of excessive amounts of chemical fertilizers in the soil has the potential to contaminate groundwater and possibly the surface water of rivers and lakes. In order to produce enormous quantities of agricultural products, modern farming is based on a commercial approach in which farmers use a great deal of artificial fertilizers and pesticides. Both organic and inorganic fertilizers contain the chemical elements that aid in the growth and increased production of plants. The main components of non-organic fertilizers are potassium, ammonium, phosphate, and nitrate salts. Natural radionuclides like ^{238}U and ^{232}Th as well as heavy metals including Hg, Cd, As, Pb, Cu, Ni, and Cu are thought to be found in the fertiliser industry. When used as pesticides and fertilizers in agricultural farms, these chemical components have catastrophic effects on the environment and human

health. The negative effects of these synthetic chemicals on human health and the environment can only be diminished or eliminated by switching to new agricultural technological practises, such as abandoning chemical intensive agriculture and using organic inputs like manure, biofertilizers, biopesticides, slow-release fertilizer, and nanofertilizers, etc.

Environmental Pollution through Chemical Fertilizers

Any substance that harms people or other living things is referred to as pollution. In order to supply the soil with the essential nutrients for plant growth, fertilizers are chemicals, either manufactured or natural. In the form of fertilizers and pesticides, a sizable amount of chemicals, primarily heavy metals including Hg, Cd, As, Pb, Cu, Ni, and Cu in the soil, are administered to agriculture every year (Atafar et al. 2010). Inappropriate use of these pesticides and fertilizers causes a variety of environmental problems, such as soil, water, and air pollution.

These pesticides are causing an increase in water contamination, and even in low quantities, they pose a serious threat to the ecosystem (Agrawal et al. 2010). Chemicals, especially nitrates found in chemical fertilizers, are the main culprits behind water poisoning. Irrigation practises have increased recently in India's semi-arid and dry regions, which has caused more nitrate to accumulate in the soil. Nitrate is the main ingredient in fertilizer and a key marker of water pollution. Nitrate is the most typical form of dissolved nitrogen in groundwater. Drinking water contains nitrate, which the gut absorbs and affects the excretory system.

In addition to nitrates, chemical fertilizers also include other elements including phosphates, arsenic, and chloride that

contaminate water. There is a high concentration of nitrogen and phosphorus compounds in the water as a result of the decline in water quality and an increase in pollution from the growth of aquatic plants and algae. Due to their interactions with atmospheric water, sulphur dioxide and nitrogen oxide pollutants also significantly contribute to pollution by causing acid rain. The ecosystem and creatures that are not the intended targets are seriously threatened by the pollution caused by chemical fertilizers.

Chemical Fertilizers and human health

In order to increase agricultural productivity, agrochemicals are seen as a potent weapon in developing nations (Bhandari, 2014). As a result of continued chemical fertilizer use, pests become resistant and more challenging to control. The artificial fertilizer ingredients nitrate and phosphate run off into nearby bodies of water or are released there, contributing to eutrophication. Higher levels of nitrates in drinking water induce blood disorders in people, which result in the production of abnormal amounts of methemoglobin that cannot adequately release oxygen from the body. Groundwater with high sodium nitrate concentrations has been linked to testicular and stomach cancer.

The harmful compounds in fertilizers are mixed together and absorbed by plants, where they cause major health problems by entering the food chain through vegetables, cereals, and water. Numerous pesticides induce neuron disorders, some have an impact on embryo development, and others are human cancer-causing, according to a study analysis of the last two decades about the exposure to chemical fertilizers and health of humans. Fertilizers have been

found to include heavy metals like Mercury, Lead, Cadmium, and Uranium, which can disrupt the kidneys, lungs, and liver and cause cancer (WHO, 1990). Chemical fertilizers used for an extended period of time also inhibit microbial activity and unbalance the pH of the soil. Some ingredients in the fertilizers are toxic to the dermal and respiratory system. Use of excessive quantity of chemical fertilizers damages the vegetation and reduces soil fertility.

Other health issues caused by ammonium nitrate include eye and skin irritation, which gives a burning feeling. It can cause irritation of the nose, throat, and lungs when inhaled, among other health issues. In addition to these, using it can cause headaches, anxiousness, nausea, vomiting, flushing of the face and neck, fainting, and collapse. Methaemoglobinemia, a disease that affects infants, is brought on by plants accumulating too much nitrogen. Amines produced from nitrogenous fertilizer are responsible for human cancer. Potassium chloride interferes with the function of nerve impulses and other bodily processes, mostly affecting the heart. It can result in nausea, vomiting, bloody diarrhoea, convulsions, headaches, mental impairments, and redness or itching of the eyelids, among other symptoms. Cadmium eventually makes its way into human tissues and causes conditions including trachea-bronchitis, pneumonitis, pulmonary edoema, renal failure, osteoporosis, and many more. High levels of aluminium cause birth abnormalities, asthma, alzheimers, and bone conditions. Developmental and neurological toxicity, growth retardation, cognitive impairment, kidney, nerve, and immune system damage are all consequences of calcium toxicity.

Only at high concentrations does cobalt cause lung injury. Boron impairs sperm production and irritates the eyes, nose, and throat. The respiratory, reproductive, and gastro-intestinal systems are thought to be harmed by manganese. Lindane is a neurotoxin and can cause breast cancer. It is a known carcinogen that also has an impact on the reproductive system. Chloropyrifos can result in respiratory failure, pneumonia, muscle paralysis, and starvation in foetuses. If malathion enters the body, it can harm the nervous system. DDT is the cause of numerous cancer types, acute and chronic neurological system injuries, lung damage, injury to the reproductive organs, immunological and endocrine system malfunction, and birth defects in humans (Thuy, 2015). DDT, a typical insecticide, has neurological side effects. Compared to women without breast cancer, those who had breast cancer had a six to nine times higher likelihood of having the pesticides DDT or hexa chlorobenzene in their bloodstreams. Breast cancer and exposure to chemical pesticides are strongly correlated. 2014 (K. Anitha et al.). Organophosphate pesticides used on vegetables slowly accumulate in people's bodies and have a connection to cancer.




Fig 1.Environment Impact of Fertilizers

CONCLUSION

Today, there is a lot of concern about toxic agricultural chemical residues getting into human food. The use of fertilisers and technology in agriculture is crucial in the current global environment of a rapidly expanding economy to meet the demand for food from a population that is both growing quickly and becoming a significant source of income, but excessive use of chemical fertilisers in agriculture causes numerous environmental and health issues. Future conditions are under jeopardy due to environmental degradation brought on by pesticides (Sitaramaraju et al. 2014). According to data collected over the past few decades about pesticide exposure and human health, chemical pesticides can have a wide range of harmful effects on human health, including effects on the skin, digestive system, nervous system, respiratory system, reproductive system, and endocrine system (Osman, 2011; Weisenburger, 1993; Mnif et al., 2011). This review's objectives are to identify environmental and health issues brought on by poor fertilisation practises and offer suggestions for how to address them.

Reviewing the literature has led researchers to the conclusion that using too much synthetic fertilisers is bad for people's health. It has a negative impact on human health either directly or indirectly by contaminating the air, soil, and surface water. Some diseases may be brought on by chemical fertiliser with high nitrate and nitrite concentrations. High radioactive concentrations and heavy metals like cadmium and chromium in some fertilisers can induce respiratory and excretory problems. Ingesting too much cadmium can cause cadmium poisoning, which can harm

the kidneys, bones, and lungs (WHO, 1992). To achieve this, fertiliser management is crucial, and reducing or replacing the use of hazardous fertilisers requires planning.

The present study carried out by opting organic farming will create a healthy natural environment and Human health for the present as well as future generation. Development means not only economic growth, but it should be sustainable, to solve such problems everyone should have the knowledge of environment and environmental ethics. Through opting organic farming, we can create a healthy natural environment and human health.

References

1. Abhilash, P.C. and Singh, N., 2008. Pesticide use and application: An Indian scenario. *Journal of Hazardous Materials*, 165: 1-12..
2. Agrawal, A., Pandey, R.S. and Sharma, B. 2010. Water pollution with special reference to pesticide contamination in India. *Journal of Water Resource Protection*. 2(5): 432–448.
3. Anitha Kumari, K., K.N. Raja Kumar, Narasimha Rao, (2014). *Journal of Chemical and Pharmaceutical Sciences*, p 150-151.
4. Bhandari, G. 2014. An Overview of Agrochemicals and Their Effects on Environment in Nepal. *Applied Ecology and Environmental Sciences*, 2(2): 66-73.
5. Dasgupta, S., Meisner, C., Wheeler, D., Xuyen, K. and Lam, N.T. 2007. Pesticide Poisoning of farm workers-implications of blood test result from Vietnam. *International Journal of Hygiene Environment Health*, 210: 121-132.
6. Miah, S.J., Hoque, A., Paul, A. and Rahman, A. 2014. Unsafe Use of Pesticide and Its Impact on Health of Farmers: A Case Study in BurichongUpazila, Bangladesh. *Journal of Environmental Science, Toxicology and Food Technology*, 8(1): 57-67.
7. Mnif W, Hassine AIH, Bouaziz A, Bartegi A, Thomas O, Roig B., 2011. Effect of endocrine disruptor pesticides: a review. *Int J Environ Res Public Health*, 8:2265–2203.
8. Osman KA. 2011., “Pesticides and human health”. In: Stoytcheva M, editor. *Pesticides in the Modern World – Effects of Pesticides Exposure*. InTech; p. 206–30.
9. Sitaramaraju, S., Prasad, N.V.V.S.D., Chenga Reddy, V and Narayana, E. 2014. Impact of Pesticides Used for Crop Production on the Environment. *Journal of Chemical and Pharmaceutical Sciences*, 3: 75-79.
10. Thuy, T.T. 2015. Effects of DDT on Environment and Human Health. *Journal of Education and Social Sciences*, 2: 108-114.
11. Tomkins, P. & Bird, C.2002. Chemicals, plants and man: The organic farming residue, In: *Secret Life of Plants*; p:240-258 .
12. Weisenburger D.D., 1993. “Human health effects of agrichemical use”. *Hum Pathol* (1993) 24:571–6.
13. World Health Organization. *Environmental Health Criteria 134: Cadmium*; World Health Organization: Geneva, Switzerland, 1992.
14. World Health Organization. *Public health Impact of pesticides Used in Agriculture*. England: World Health Organization (1990).