REVIEW ARTICLE

Innovating Pharmaceuticals: The Rise of 3D printing in Drug Delivery

Harpritkaur Bagga, Aliunui Aime, Gunjan Chaudhari, Ujwal Vyas*

Datta Meghe College of Pharmacy, Datta Meghe Institute of Higher Education & Research (DMIHER), Deemed to be University, Wardha, Maharashtra, India

Received: 05th August, 2024; Revised: 17th August, 2024; Accepted: 26th August, 2024; Available Online: 25th September, 2024

ABSTRACT

Additionally known as three-dimensional (3D) printing, additive manufacturing has made major advancements possible in the fields of engineering, business, the arts, education, and medical. Thanks to recent developments, it is now possible to print three-dimensional to create complex, useful living tissues, biocompatible substances, cells, and supporting structures are combined. Regenerative medicine is utilizing 3D bioprinting. Additive manufacturing technology, or 3D printing, has been labelled the "next big thing" and is predicted to overtake cell phones in popularity. 3D printers use digital templates to produce actual, three-dimensional items. Adding layers to a print, commonly referred to as additive manufacturing, allows for the use of more than a hundred different materials, including nylon, metal, and plastic. Applications for 3D printing can be found in many different industries, such as industrial design, manufacturing, dental, automotive, aerospace, civil engineering, education, jewellery, footwear, and geographic information systems. It has shown to be a simple and affordable solution for a variety of use cases. Using computer-aided design tools and programming, three-dimensional printing is a sophisticated technique that adds material to a base surface to create three-dimensional things. Additive layer manufacturing, also referred to as 3D printing, is the technique of creating three-dimensional things by depositing or solidifying material one layer at a time. Using a computer-aided design module, pharmaceutical components are organized in a three-dimensional pattern. Afterwards, the constituents are converted into a machine-readable format resembling the surface of a three-dimensional dosage form. 3D printing has been used for jewelry, shoe-making, architecture, engineering & construction, the automotive industry as well as the aerospace field, dentistry and medicine, plus geographic information systems (GIS), civil engineering and education. After that stage of the process is completed, the surface transferred to the machine is then printed in different layers. Bioprinting is an interdisciplinary domain that integrates additive manufacturing with biology and material sciences to manufacture three-dimensional structures representative of living organisms. The ability to create biological tissues and organs has attracted considerable attention in biomedical research owing to the rising demand for personalized medicine. This scenario propelled bioprinting forward which received much interest thus triggering comprehensive research efforts by various players such as companies, universities as well as research institutes. The goal of this book is to provide a thorough analysis of the complex and rapidly evolving field of bioprinting by critically analyzing and evaluating the existing scientific literature.

Keywords: 3D printing, Personalized medicine, Precision medicine, Regulatory challenges.

International Journal of Drug Delivery Technology (2024); DOI: 10.25258/ijddt.14.3.76

How to cite this article: Bagga H, Aime A, Chaudhari G, Vyas U. Innovating Pharmaceuticals: The Rise of 3D printing in Drug Delivery. International Journal of Drug Delivery Technology. 2024;14(3):1791-1800.

Source of support: Nil.

Conflict of interest: None

INTRODUCTION

The advent of woodblock printing in the 15th century and the subsequent printing industry changed the pace and ability to work with text and images to print and present information. The invention of the printing press led to changes in education, politics, religion and language around the world. Printing technology has undergone significant changes in the last few years, moving from two-dimensional (2D) printing to the additive process of building objects in three dimensions (3D) by building them up in layers.[1,2] Complex 3D printing is used to produce household items such as jewelry, bicycle parts and electronics. It is also used to increase productivity and efficiency in many industries. In addition to its applications in manufacturing and consumer goods, 3D printing is also revolutionizing research and education. For example, anthropologists and archaeologists are creating replicas of rare objects or fossils that are easy to transport, share, and distribute. It is also referred to as a psychoneurotic disorder, and its symptoms include cognitive and practical hopelessness, depression, and emotional distress technology. Other symptoms include trouble understanding, loss of focus, eating disorders, fatigue, and feelings of desperation,

*Author for Correspondence: ujwal.pharmacy@dmiher.edu.in

depression, and suicidal thoughts.[3] It is a common condition that happens frequently and has a high frequency and severity.[4] Just as Watson and Crick used lump-and-sum models to explain the structure of DNA, 3D printing is now being used to create self-diagnostic devices and simulate complex molecular and protein interactions.[5-7] With 3D printing, students can now create, visualize, manipulate, and test their ideas in a real-world environment[8]. In 1986, Charles W. Hull published the first report on 3D printing. Using a process he called "stereolithography," three-dimensional objects are created by printing a thin layer of UV-curable material[9]. This method is then used to make sacrificial resin molds and create three-dimensional scaffolds containing biological materials. Biomaterials (with or without testicles) can be printed directly onto three-dimensional scaffolds for transplantation, and a technology that does not require water-based solvents has been developed[10]. Interestingly, as technology advances, 3D printers[11] are becoming increasingly popular. Average prices and domestic demand for 3D printers are increasing. However, the knowledge required to print 3D objects is insufficient. In fact, both printed and digital documents require skilled workers. In addition, there has been an increase in the commercial use of 3D printers in the automotive industry and aerospace engineering, as well as in other industries. For example, relocation of production sites in the aerospace and automotive sectors increases economies of scale. 3D printing, which uses computer-aided design techniques and programming, is a unique technology that creates three-dimensional objects by depositing material onto a substrate.[12] The majority of authorized pharmaceutical goods are produced and sold with traditional manufacturing techniques, sometimes referred to as subtractive manufacturing techniques.[13] These technological advancements comprise the production of medication in large quantities with restricted several fixed strengths, making it unsuitable for customized medical care.[14] Three-dimensional (3D) printing technology Urine has been used to create different types of drug delivery systems, such as rapid-acting tablets, oral contraceptives, pellets, microchips, implants, and multiphase-release doses.[15]

Approaches in 3D Bioprinting

Building blocks for the three are mini-tissue, autonomous self-assembly, and biomimicry, the main strategies that form the foundation of 3D bioprinting.

Biological Modelling

Numerous technical issues, such as those involving air travel,[16] materials science,[17] cell culture,[18] and nanotechnology, have been addressed by biologically inspired engineering. It can be applied to 3D bioprinting to produce vascular tree branching patterns, medically precise replicas of the extracellular and cellular components of tissue or organ,[19] and biomaterial kinds and gradients. For this technique to work, biological tissues must be able to be replicated on a microscale. Therefore, it is essential to comprehend the microenvironment. Understanding the exact structure of supporting and functional. To do this, a variety of factors, including cell types, gradients of soluble and insoluble materials, the makeup of the extracellular matrix (ECM), and the characteristics of the biological forces that inhabit it, are required. Basic research in the domains of engineering, imaging, biomaterials, cell biology, biophysics, and medicine can be used to create this knowledge foundation will be essential to the plan's success.

Self-governing Assembly

Observing how organs develop in embryos is another way to simulate organic tissues to achieve the ideal biological micro-architecture and function. The early cellular components of a developing tissue produce their own extracellular matrix (ECM) components, suitable cell signalling, and autonomous organization, and patterning.[20,21] This method also exists in a "scaffold-free" form that fuses and organizes cells cellularly to mimic growing tissues using self-assembling cellular spheroids. The cell, the principal initiator of histogenesis, controls the structure, content, location, and functional characteristics of the tissue—all essential for autonomous self-assembly.[22,23] One must be able to control the surrounding environment and possess a thorough understanding of the developmental mechanisms underlying the genesis and organogenesis of embryonic tissues in order to activate embryonic processes in tissues used in bioprinters.

Small Tissues

Both of the above 3D bioprinting technologies make use of the notion of mini-tissues. Mini-tissues are the minuscule, functional building pieces that makeup organs and tissues.[24,25] One can use rational design, self-assembly, or both techniques to develop and assemble mini-tissues into a bigger construct. There are primarily two approaches: Originally, a microtissue is created by self-assembling cell spheres that mimic miniature tissues and are constructed using a structure and design influenced by biology. Second, following precise and highly resolved replication, a tissue unit is permitted to self-assemble into a functioning microtissue. Among these methods is the development of "organs-on-a-chip," which are employed in drug and vaccine screening as well as in vitro disease models. These microfluidic networks sustain and connect the "organs on a chip." This is achieved by using 3D bioprinting to accurately replicate functional tissue units. Another example of these methods is the self-assembly of vascular building blocks to form branched vascular networks[26,27]. The Benefits and drawbacks of pharmaceutical 3D bioprinting are mentioned in Table 1.

3D Printing Applications

There are numerous industries where technology for 3D printing is being applied. Figure 1 illustrates the many applications of 3D printing, including research, creative works, demonstration models, spare parts, and working models.

Construction

Ten one-story homes may be constructed in a single day in China, a procedure that can take several weeks or months to

Table 1: Benefits and drawbacks of pharmaceutical 3D bioprinting

S. No	*Benefits*	*Drawbacks*
1.	Drug Formulation and Delivery	Complexity and technical challenges
2.	High-throughput screening	Cost and scalability
3.	Disease modeling	Biocompatibility and safety
4.	Personalized medicine	Regulatory hurdles
5.	Reduced animal testing	Ethical considerations
6.	Combination therapies	Limited understanding of biological processes
7.	Drug repurposing	Standardization and reproducibility
8.	Regulatory compliance	Long-term stability and functionality



Figure 1: 3D printing applications

finish. Therefore, compared to more conventional building methods, 3D printing offers a faster, safer, and more affordable solution. A quartet of enormous 3D printers produced Shanghai mansions are used by WinSun Decoration Design Engineering. Cement and construction waste were mixed together and applied layer by layer to construct the walls. The dwellings measure 10 meters in width and 6.6 meters in height[28].

Medicinal Purpose

Hearing aids

Hearing aids are manufactured with the aid of technology for 3D printing.

Bio-printers

Some organs and body parts that are printed are being utilized as implants for real human parts. A few examples of printed body parts are plastic tracheal splints, titanium jaws, and titanium pelvic implants. To be used in drug testing, human tissue, including maybe entire organs and bones, can really be printed using modern bio printers[29].

Digital dentistry

People are able to get customized teeth thanks to 3D printing[30]. The process is getting quicker and easier with the development of dental implants for the general public. These days, individuals of the same age may have varying tooth sizes, which is problematic for people who wear poorly fitting artificial teeth. Thanks to customized implants, customers may now, at last, have teeth that are tailored to them, which is a great relief.

Prosthetics

Teeth are being customized for individuals using 3D printing30. The process is becoming quicker and easier with the mass manufacture of dental implants. People today may have varying tooth sizes even though they are the same age. Prosthetics have been extremely beneficial to those with impairments; Oscar Pistorius, the Paralympic champion, is only one well-known example. Oscar Pistorius kept running despite having his legs amputated when he was a toddler, especially during the Olympics.

Bionics

Researchers at Princeton and John Hopkins have developed a three-dimensional bionic ear. Electronics are used to conduct the hearing. This development in hearing may help the deaf.

Synthetic organs

The production of stem cells using additive manufacturing has created new opportunities for the printing of artificial organs, even though a large portion of the research is still in the experimental stage. Heriot-Watt University researchers, for instance, used 3D printing to produce clusters of embryonic stem cells. Our cosmos fills with possibilities, one of which is the ability to build real, working artificial organs.[31]

Manufacturing

A period of quick production has been ushered in by 3D printing. It is now possible to get directly to the final product and bypass the prototyping stage. Parts for vehicles and aircraft are produced using 3D printing technology. The value chain is benefiting greatly from the quick and efficient printing of parts.[32]

Use in the home

At-home 3D printers can be used to create tiny, decorative items like necklaces and rings. Additionally, you can create tiny plastic toys at home. Goods will be printable at home for consumers, without having to depend on retail places in the future.[33]

Academia

Now incorporated within the program is 3D printing. Printed molecular models and plastic gears[34] are examples of

applications. The opportunity for students to print own three-dimensional prototype models helps them learn. Students learn more effectively when concepts are demonstrated practically.

Benefits

The benefits of 3D printing include the following:

Time

Unlike traditional manufacturing, when the final product has to be assembled from various parts, a 3D item can be printed directly. Businesses can produce working models with three-dimensional printing in a couple of hours as opposed to days or weeks.[35,36]

Lower cost

In China, ten one-story houses may be constructed for less than $5,000 apiece. The cost of building a comparable house would be far more than planned.

Efficiency

Prototyping is now far quicker and easier thanks to 3D printing technology.

Reliable

The 3D models can be made with a variety of materials. Prototypes and creating models for a range of projects across a wide range of sectors are made easier as a result.

Durable products produced

The objects have a longer lifespan because they don't deform or absorb moisture over time.

Quality

Superior surface-finish products are generated.

Functional models

Working with paper or digital models is not as efficient as producing real-time, functional models. There is a production of more realistic goods.

Challenges in 3D printing Systems

- Despite medication delivery, however promise is still in its infancy.
- Flexibility, selecting the right excipient, and post-treatment techniques are only a few of the obstacles that must be overcome in order to help enhance 3D printed products and expand the use of cutting-edge medication delivery technologies.
- The inherent flexibility and safety risk of 3D printing may be one of the primary advantages of redesigning with this technology.
- The primary parameters, including printing layer lengths, printing rate, passes, and print head line velocity, nozzles, and powder layer distance, must be adjusted in order to improve the quality of 3D printing.

Risk assessments during 3D printing process

Evaluating the risk is the most crucial phase in 3D printing technology. The approach's primary goal was to prevent mistakes in quality assurance procedures like assay, consistency of composition, and appearance. To preserve the quality of the products produced in industries, risk considerations are taken into consideration in addition to process and process variables.

The following conditions are examined for risk factors

- If a certain printer is unable to print a specific design, software controls ought to be used.
- Monitoring Controlling layer thickness fluctuation requires monitoring layer thickness in real time.
- Incorrect layering resulted from adjusting the temperature and moisture content of the production site; this was mostly the result of fluctuating meteorological conditions.
- Print head height and speed monitoring can aid in avoiding inappropriate installation within the printer, which may result in wrong positioning when printing.
- Monitoring the water content and the distribution of powder molecule sizes will aid in preventing uneven layers.
- By monitoring inkjet flow and making sure the particle size distribution is maintained, print head obstruction can be reduced or eliminated entirely.
- Inconsistent agglomeration is brought on by changes in the surface tension or viscosity of the binder.

Methods for 3D Printing:

To create free geometries, 3D printinguses multiple manufacturing processes based on the layer-by-layer build-up of digitally ordered materials.

Thermal Printing using Inkjet

In thermal inkjet printing, heat causes the aqueous ink solution to evaporate, expanding to propel an ink drop out of a nozzle.[37] It is used to make coatings for microelectrode array patterning, drug-eluting stents, drug-loaded liposomes, and drug-loaded biodegradable microspheres.[38,39]

Additionally, it is a useful and efficient method of producing biological film without sacrificing protein activity.

Inkjet Printing

The "mask-less" or "tool-less" method of the movement of the substrate or the inkjet nozzle[40] is primarily responsible for the precise and reliable construction of structures in inkjet printing. This method applies ink to a substrate by means of continuous or drop-on-demand inkjet printing. It thus provides printing that is of outstanding quality. It is reasonably priced, prints slowly, and generates minimal trash. It processes material over large regions with minimal contamination and offers 'direct-write' CAD information[41,42].

Combined Deposition Modelling

Fused deposition modeling (FDM) is a common technique in 3D printing that uses thermal melting or softening of materials to create objects.[43] 3D printing of fused deposition modeling also enables customized drug dosage and delayed-release outputs without the need for another enteric layer. Drug release is slow and often ineffective; drugs remain in the polymer material, and there is no suitable polymer.[44] Miscalculation of chemicals and miscibility of polymers and additives are just some of the limitations of 3D printing.

3D Printing by Extrusion

With this method, since the material is extruded directly into the material from the nozzle that is automated, no additional support material is needed. It is exclusively utilized in the production of expectorant-containing guaifenesin tablets. Polymers that are molten, pastes, suspensions, and semisolids can all be extruded.[45,46]

Zip Dose

The first and only 3D printing approved by the FDA for use in clinical practice is currently commercially available, zip dose. It is used in high-dose, rapidly disintegrating tablet formulations and features a unique digitally coded stacking and zero-compression approach. Therefore, it will help reduce dysphagia.[47] Aprecia Pharmaceuticals markets the anti-rabies drug Spritam-R, a tablet matrix containing active ingredients, excipients and a binder[48]. The tablet is dispersible oral, and utilizes powder bed fusion and layer-by-layer manufacturing methods.

The 3D Printing History

The initiation of 3D printing

Hideo Kodama of the Nagoya Industrial Research Center in Japan was one of the first to develop a rapid prototyping process using lasers[49]. He filed a patent for the concept in 1980, but the Japanese patent system never pursued it. His work on developing techniques for creating three-dimensional models on their own with photosensitive resin and UV light, controlling the UV source's exposure with a mask, was documented in articles. He described thin photopolymer layer[50] sequential hardening processes, which are important stages in the development of technology that would later be referred to as stereolithography (SLA). Charles Hull created stereolithography in 1984. In 1986, he received a stereolithography patent that included instructions on how to use UV light to harden liquid polymers and produce 3D model cross-sections[51]. This technique created each layer on top of the other by using digital data and a laser beam that was controlled by a computer. Subsequently, Hull established 3D Systems, which subsequently manufactured and distributed stereolithography apparatus. In 1988,[52,53] 3D Systems created the first SLA printer for commercial use. University of Texas undergraduate student Carl Deckard developed selective laser sintering (SLS) technology around the same time that Hull filed for his SLA patent SLS's[54] primary technology was the laser-assisted selective solidification of powder.

Deckard later founded a company called Desktop Manufacturing Corporation (DTM Corp), which began manufacturing SLS printers in 1992. According to a patent application, Fused deposition modeling (FDM) rapid prototyping technology involves heating plastic or metal and expelling it through a nozzle. Stratasys was founded in 1989 by Lisa Crump of S. Scott Computer, using pre-designed systems to manage deposits. Each layer is kept at a specific temperature to demonstrate the interaction between the layers. Stratasys is the ultimate manufacturer of printing machines and equipment for 3D printing.

Later in 1989, Hans Langer established Electro Optical Systems (EOS) in Germany, focusing on the production of three-dimensional components directly from computer design models through the technique of direct metal laser sintering. The metal powder was exposed to selective laser irradiation using this liquid phase sintering technique[55]. EOS is renowned for its industrial prototyping and sold its first stereo system in 1994. EOS acquired ownership of all DTM patents related to laser sintering in 2004[56]. Several more 3D printing methods were being researched in the early 1990s. William Masters invented a process called "Ballistic Particle Manufacturing," which projected molten wax microdroplets from a jet traveling in a XeY plane to create thin sections across. To enable the addition of each layer of the three-dimensional object, the fixed platform moved in the Z-axis.[57] In 1995, Michael Feygin submitted a patent application for the manufacturing of laminated items. The procedure involved using a computerized 3D model as a guide to automatically cut cross-sectional slices out of sheet material. After that, the slices were joined and piled to create a solid piece. But Feygin's business, Helisys Inc., failed quickly as a result of money problems[58]. Itzchak Pomerantz pioneered solid ground curing, which selectively exposed photocurable resin layers using an optical mask method. After that, the remaining liquid was drained and replenished with ground wax, which created a flat surface for layer.[59]

The business application of 3D printing

Statasys's patent on FDM technology expired in or around 2005. As a result, two open-source 3D printer projects were launched: Fab@Home and the RepRap Movement. Both projects aimed to create and manufacture 3D printer designs that were within the means of a larger group of customers. Senior mechanical engineering lecturer Adrian Bowyer founded the RepRap movement and launched an open-source project to construct a 3D printer using fused deposition modeling (FDM) technology. Bowyer created the schematics needed to create a quick, autonomous prototype. He invited individuals to share their enhanced versions of these designs online. Darwin, the first printer, was introduced in 2007, and Mandel, the second, in 2009. The plastic parts for the printer might be made by anyone who gets these files, and any hardware shop should ideally provide the essential metal parts. These early printers weren't always dependable and were challenging to assemble. After Czech inventor Josef Prusa debuted his own creation, the Prusa Mendel, in 2010, faster printer versions could be made. Eventually, the objective shifted to developing extensive yet user-friendly printer packages. Dr. Hod Lipson, a Cornell University assistant professor of mechanical and aeronautical engineering, and PhD candidate Evan Malone founded Fab@Home.[60] Its straightforward, inexpensive design was based on solid free-form manufacturing, and it printed numerous materials at once using a deposition method based on multiple syringes.[61] They created an online user forum to facilitate user discussions and an online website featuring downloadable software and detailed instructions to foster community expansion. In the first six months of its launch,

the website received over 4.3 million requests for pages from more than 150,000 servers. Among many other things, this technique made it possible to print cheese, chocolate, batteries, and conductive wires. To enable elementary schools to use 3D printers and build products like play-doh[62], one such project was developed, called Fab@School. 2012 saw the conclusion of the Fab@Home initiative as its goal was reached and 3D printers were widely available to the public.

Transformation process and material used

The process of creating the specific model modifies the materials' uniformity when utilized in 3D printing. This process, called "cure," can be completed in one of three ways: by powder solidification, by liquid solidification to develop the structure, or by melting a stiff filament, the material deforms to give the model the correct shape. In lattice systems, filler or support material is required for all of these procedures in order to prevent model distortion during the curing process. While it is possible to manually remove the support material with a cutting tool, there is a possibility that this will leave surface impressions that will require additional polishing in order to yield a high-quality print. There is an extremely high probability of damaging the model[63], violating the geometry, or missing features. The choice of 3D printing technique, printer, and model parameters are all intimately tied to the proper selection of materials. In the realm of medical applications, distinct anatomical aspects necessitate diverse mechanical characteristics of the materials to meet the printed product's critical performance requirements.[64] The easiest biological tissue to create in 3D printing is bone tissue because most materials utilized in this process are rigid. Examples of materials used to create bone models Materials used in 3D printing include acrylonitrile butadiene styrene (ABS), hydroquinone, and gypsum powder.[65] More research is needed in tissue engineering to bridge the gap between human models and 3D-published anatomical representation. Most 3D printing materials cannot mimic human tissue. After finishing, the printed pattern must be treated to make it softer. Some examples include cartilage the, valve replacement surgeries, and hepatic section, hearts, arteries used in. The creation of 3D-printed brain aneurysms is an interesting example. This is thanks to the transfer of TangoPlusTM photopolymer, which is also a useful tool in tissue surgery to treat heart diseases. Furthermore, polyurethane and rubber-like materials combined with brittle photopolymers can simulate arterial formation due to the Shore effect and physiologically similar elastic properties. There is no product on the market as of now that can produce tissue and living tissue, there seems to be a future for multi-materials for 3D printing of the same human tissue. The ability of biomaterials to act as artificial components of human tissue can be used to create composite materials. Mechanical testing can be an important tool to evaluate biomechanical response and to use artificial devices. The possibility of replacing plant material with 3D printing is important, but further research is needed to compare the material and its structure with normal production, especially regarding fatigue.

Other applications of 3D printing in pharmacy[66-69]

Nanotechnology integration

One of the most interesting new directions in 3D printing is the application of nanotechnology to pharmaceuticals. By incorporating nanoparticles into 3D-printed dosage forms, researchers can enhance medication solubility, improve bioavailability, and facilitate targeted drug administration to specific areas inside the body. Nanoparticles are of small size and large surface area that can exploit their special properties for example, improved cellular absorption, decrease in systemic toxicity and delay in release kinetics. This allowed using 3D printing techniques to develop personalized manufacturing processes for the drug delivery systems whereby exact control is put on how and when nanoparticles are liberated from dosage forms. For transdermal drug delivery, researchers for example, have successfully made up 3D-printed microneedle patches with drug-loaded nanoparticles implanted in them.

Innovations in combination therapy

Although 3D printing is rather new to some pharmaceutical companies, it has already been applied in various ways such as for producing combination therapy packages. It accomplishes this by allowing for the mixing of drugs into a single dosage form, thus improving patient compliance with these medications, thereby enhancing their adherence as well as reducing the resistance developed by some parasites at different points across the body systems or types of diseases. Additionally, it can be employed for manufacturing complex dosage units that have drug compartments or layers that release their contents at different rates or are triggered upon demand. With this technique, a dose can be precisely repeated over time and drug administration can be tailored to suit the needs of an individual. Furthermore, 3D printing enables various formulations of the same drug to exist in one single dosage form, including those with delayed release properties, modified release properties, and immediate release properties, among others. This feature has led to the development of personalized combination therapy products that effectively manage infections, neoplasms and other non-communicable diseases.

Bioprinting for personalized medicine

3D bioprinting technology, which uses bioinks formed of cells and biomaterials in the production of bioartificial structures, has made great strides in the last few years. Although still young, bioprinting has shown many applications in tissue engineering, regenerative medicine and drug screening in personalized medicine. Pharmaceutical scientists are now looking into a time when pharmaceutical companies will rely on these printed tissues to do their clinical testing rather than predict their effectiveness or toxicity through cell cultures like they currently do. There are also custom-made grafts that can be produced through bioprinting for transplantation purposes, targeted medicine tests and disease modeling. It should be noted lastly that advanced drug delivery technologies sprung from the combination of bio-printed tissues with

regular pharmaceutical forms, accurately reproducing the physiological complexities existing within human body systems. Scaffolds or three-dimensional printed drug matrices that bear bio-printed tissues make it possible to model real anatomy that would allow one to analyze processes such as the distribution, absorption or metabolism of drugs as well as the elimination of medicines from an organism altogether.

On demand production of medicines by using 3D printing

One reason why traditional pharmaceutical manufacturing relies heavily on mass production is because of mass production often leads to wasteful output, excess stock and inefficiency in the supply chain. In contrast, pharmacists using 3D printing can be able to synthesize drugs exactly when they are required. As a result, this minimizes the chances of shortages in medication, minimizes needs for storage space; and also makes it more sustainable than before.

Flexibility and customization

The manufacturing of pharmaceuticals in a conventional manner comprises the production of basic medicines on a large scale which consequently produces extra stocks and reduces the variations in dosages. On-demand synthesis through 3D printing enables the pharmacist to customize drugs based on patient's unique needs by varying their compositions, shapes, and doses instantly. Such customization allows for personalized approaches toward treatment, taking into consideration various factors, including age, weight, health status and any drug sensitivities that an individual may have.

Reduce waste and overstock

Usually, the production in bulk leads to more than enough stocks, drug expiry and garbage as a result of alteration in the patient's prescriptions or treatment plans. So as to avoid such inefficiencies and reduce the chance of overstocking or obsolescence, medicines are produced only when they are needed. Therefore, medication management is made easier for pharmacies, which consequently reduces their costs and increases profit margins.

Improved supply chain resilience

Disruptions in regular pharmaceutical supply chains, like global television delays, climate catastrophes, or erratic geopolitical situations, could threaten drug shortages and patient care. A decentralizing manufacturing system calls for on-demand production, which reduces the need for centralized production plants and transportation over long distances. This distributed approach fortifies the distribution chain and guarantees that essential medicines are available all the time, particularly in times of emergencies or any other crises.

Enhanced medication accessibility

On-demand manufacturing offers a lifeline in impoverished or distant areas with limited access to pharmacies and medical facilities by bringing medicine manufacturing closer to patients. With the use of 3D printers, mobile pharmacies and community health centers can generate essential pharmaceuticals on-site, eliminating the logistical challenges associated with traditional distribution systems. This localized strategy improves drug accessibility and fosters health equity by addressing gaps in healthcare access.

Patient specific medication forms

Adhering to medication schedules is one of the main problems being faced by the healthcare industry at this time. Patients may accept and stick to their prescriptions through 3D printing by producing forms that are personalized in accordance with individual preferences for them. In order to meet the distinct demands of their patients, pharmacists can use 3D printing to create different types of dosage forms like chewable or orally dissolving drugs or change the size, shape or taste of pills.

Dose adjustment

The amount of medication needed by an individual is generally different and varies from one patient to another. For instance, as a result of differences in body size, children prefer much smaller doses than their parents but older people or those suffering from kidney disorders need variation in dosages based on biological factors. Through the use of 3D printing techniques, pharmacists may precisely adjust the amount of medicines to be administered to patients resulting in more desirable therapeutic impact and reduced chances of overdosing or underdosing pills.

Rapid prototyping in 3D printing

Repetitive Creation: Through expediting the iterative design procedure, 3D printing permits swift testing of models on medicine and medical devices. This way, researchers can go through designs quickly, make trials of prototypes, and give them to stakeholders who will provide their comments that can enhance performance and further develop the product ideas in terms of technological functionality.

Cost effective validation

The traditional methods of prototyping, including CNC machining or injection molding, are frequently both costly and time-consuming. Functional prototypes can be manufactured at lower costs and faster with reduced development outlays by using 3D printing technology. The price is especially suitable for small-scale research projects that have limited funding or start-ups in their early stages.

Functional testing

By using 3D-printed prototypes, they are able to test the real-life performance and efficiency of these devices. With the help of realistic use cases, researchers can eliminate design weaknesses, enhance product functionalities and ensure adherence to rules before they move into the mass production phase.

Collaborative innovations

Three-dimensional printing encourages cooperative manufacturing because it allows for quick prototyping of ideas and remote sharing of digital design files. By enabling researchers, physicians, and industrial partners across regions to collaborate easily, the pharmaceutical and medical device sectors will gain from faster innovation and knowledge transfer.

Customized paediatric dosage form

Usually it is hard for children to take medicines because of few available appropriate dosage forms. Pharmacies can offer personalized dispensing functionalities for pediatric patients using 3D printing, which takes into consideration factors such as taste preference, dosage strength and ease of use. These formulations for children enhance medication acceptance and adherence leading to improved health results among young ones.

3D printed surgical tools and drug delivery system

Pharmaceutical formulations are not the only area where pharmacy organizations can apply 3D printing technology for developing customized surgical equipment and drug delivery systems. They can produce highly individualized products that improve patient outcomes in many therapeutic situations, lead to less tissue damage and enhance accuracy through 3D printing processes. Some examples of such products include patient-specific surgical guides and implantable drug-eluting devices.

DISCUSSION

Drug production and personalized medicines are a few of the applications of three-dimensional printing technology that excite healthcare professionals. Previously, we only concentrated on manufacturing drugs in bulk. This meant there was no allowance for variations in mode of action or drug manufacturing methods as well as drug distribution channels. 3-D printing changes that by enabling a rapid release of drugs or dose adjustments that are important when precision is a matter of life and death, for instance, in cancer treatment. In addition, advanced delivery systems that were previously too complicated or impossible to make can now be produced with ease. Isn't that amazing? Additionally, 3D printers enable one to design medications having distinct shapes and arrangements thus allowing their movement to specific sites within the body without any hindrance. The flexibility implies this technology will allow for the birth of new ways of creating and administering these agents. We could have things like implants, tiny particles, or even combinations of drugs all in one piece. In addition, there is more. Furthermore, 3D printing has been found to be beneficial even in Research & Development (R&D) initiatives geared towards pharmaceuticals aside from being advantageous to patients. It enables rapid testing by researchers without anyone realizing it; therefore, experiments become more intense and reveal more accurate findings than ever before.

CONCLUSION

3D printing in pharmacy is undeniably fascinating, it is like a leap forward in the way we view drugs. This incredible technology helps create complex drug delivery systems. Such systems could not only help patients recover from illness but also aid patient adherence to medication regimens. Medications can even be tailored to individual patients; it's just so amazing, and however, there are still some rough patches along the way. Issues such as standardization and regulation remain unresolved. But fret not; researchers are tirelessly working on it. In the future, we will likely see more frequent occurrences of 3D printing being utilized in pharmaceutical production processes. The advantages are enormous-improved outcomes, lower costs and increased accessibility for all. Therefore, this technology has great significance for health care in the coming years.

REFERENCES

1. Kruth, JP. Material incress manufacturing by rapid prototyping techniques. CIRP Annals-Manufacturing Technology 40, 603–614 (1991)DOI: 10.1016/S0007-8506(07)61136-6.
2. Heller TB, Hill RM, Saggal AF, inventors; Quadrax Corp, assignee. Apparatus for forming a solid three-dimensional article from a liquid medium. United States patent US 5,071,337. 1991.
3. Keller MB, Lavori PW, Rice J, Coryell W, Hirschfeld RM. The persistent risk of chronicity in recurrent episodes of nonbipolar major depressive disorder: a prospective follow-up. The American journal of psychiatry. 1986;143(1):24-28. DOI: 10.1176/ajp.143.1.24
4. Leventhal AM, Rehm LP. The empirical status of melancholia: Implications for psychology. Clinical Psychology Review. 2005 ;25(1):25-44.DOI: 10.1016/j.cpr.2004.09.001
5. Shimizu TS, Le Novère N, Levin MD, Beavil AJ, Sutton BJ, Bray D. Molecular model of a lattice of signalling proteins involved in bacterial chemotaxis. Nature cell biology. 2000;2(11):792-796. https://doi.org/10.1038/35041030.
6. Bailey MJ, Schulten K, Johnson JE. The use of solid physical models for the study of macromolecular assembly. Current Opinion in Structural Biology. 1998; 8(2):202-8. DOI: 10.1016/S0959-440X(98)80039-0
7. Symes MD, Kitson PJ, Yan J, Richmond CJ, Cooper GJ, Bowman RW, Vilbrandt T, Cronin L. Integrated 3D-printed reactionware for chemical synthesis and analysis. Nature chemistry. 2012; 4(5):349-354. https://doi.org/10.1038/nchem.1313
8. Gonzalez-Gomez J, Valero-Gomez A, Prieto-Moreno A, Abderrahim M. A new open source 3d-printable mobile robotic platform for education. InAdvances in Autonomous Mini Robots: Proceedings of the 6-th AMiRE Symposium 2012;49-62. Springer Berlin Heidelberg. https://doi.org/10.1007/978-3-642-27482-4_8
9. Hull CW. Apparatus for production of three-dimensional objects by stereolithography. United States Patent, Appl., No. 638905, Filed. 1984.
10. Nakamura M, Iwanaga S, Henmi C, Arai K, Nishiyama Y. Biomatrices and biomaterials for future developments of bioprinting and biofabrication. Biofabrication. 2010 ;2(1):014110. DOI: 10.1088/1758-5082/2/1/014110
11. Thryft AR. Report: 3D printing will (eventually) transform manufacturing. Design news. com. 2013.
12. Ursan ID, Chiu L, Pierce A. Three-dimensional drug printing: a structured review. Journal of the American Pharmacists Association. 2013; 53(2):136-144. DOI: 10.1331/JAPhA.2013.12217
13. Rouf S, Malik A, Singh N, Raina A, Naveed N, Siddiqui MI, Haq MI. Additive manufacturing technologies: Industrial and medical applications. Sustainable Operations and Computers. 2022; 3:258-74. DOI: 10.1016/j.susoc.2022.05.001
14. Vaz VM, Kumar L. 3D printing as a promising tool in personalized medicine. Aaps Pharmscitech. 2021:1-20.

15. Katstra WE, Palazzolo RD, Rowe CW, Giritlioglu B, Teung P, Cima MJ. Oral dosage forms fabricated by Three Dimensional Printing™. Journal of controlled release. 2000; 66(1):1-9. DOI: 10.1016/S0168-3659(99)00225-4
16. Michelson RC. Novel approaches to miniature flight platforms. Proceedings of the Institution of Mechanical Engineers, Part G: Journal of Aerospace Engineering. 2004; 218(6):363-373. DOI: 10.1243/0954410042794911
17. Reed EJ, Klumb L, Koobatian M, Viney C. Biomimicry as a route to new materials: what kinds of lessons are useful?. Philosophical Transactions of the Royal Society A: Mathematical, Physical and Engineering Sciences. 2009; 367(1893):1571-1585. DOI: 10.1098/rsta.2009.0010
18. Huh D, Torisawa YS, Hamilton GA, Kim HJ, Ingber DE. Microengineered physiological biomimicry: organs-on-chips. Lab on a Chip. 2012;12(12):2156-2164. DOI: 10.1039/C2LC40089H
19. Ingber DE, Mow VC, Butler D, Niklason L, Huard J, Mao J, Yannas I, Kaplan D, Vunjak-Novakovic G. Tissue engineering and developmental biology: going biomimetic. Tissue engineering. 2006; 12(12):3265-3283. DOI: 10.1089/ten.2006.12.3265
20. Marga F, Neagu A, Kosztin I, Forgacs G. Developmental biology and tissue engineering. Birth Defects Research Part C: Embryo Today: Reviews. 2007 ;81(4):320-328. DOI: 10.1002/bdrc.20109
21. Steer DL, Nigam SK. Developmental approaches to kidney tissue engineering. American Journal of Physiology-Renal Physiology. 2004. DOI: 10.1152/ajprenal.00167.2003
22. Derby B. Printing and prototyping of tissues and scaffolds. science. 2012; 338(6109):921-926. DOI: 10.1126/science.1226340
23. Kasza KE, Rowat AC, Liu J, Angelini TE, Brangwynne CP, Koenderink GH, Weitz DA. The cell as a material. Current opinion in cell biology. 2007; 19(1):101-107. DOI: 10.1016/j.ceb.2006.12.002
24. Mironov V, Visconti RP, Kasyanov V, Forgacs G, Drake CJ, Markwald RR. Organ printing: tissue spheroids as building blocks. Biomaterials. 2009; 30(12):2164-2174. DOI: 10.1016/j.biomaterials.2008.12.084
25. Kelm JM, Lorber V, Snedeker JG, Schmidt D, Broggini-Tenzer A, Weisstanner M, Odermatt B, Mol A, Zünd G, Hoerstrup SP. A novel concept for scaffold-free vessel tissue engineering: self-assembly of microtissue building blocks. Journal of biotechnology. 2010; 148(1):46-55. DOI: 10.1016/j.jbiotec.2010.03.002
26. Kamei M, Brian Saunders W, Bayless KJ, Dye L, Davis GE, Weinstein BM. Endothelial tubes assemble from intracellular vacuoles in vivo. Nature. 2006; 442(7101):453-456.
27. Alajati A, Laib AM, Weber H, Boos AM, Bartol A, Ikenberg K, Korff T, Zentgraf H, Obodozie C, Graeser R, Christian S. Spheroid-based engineering of a human vasculature in mice. Nature methods. 2008; 5(5):439-445.
28. Goldin ME. Chinese company builds houses quickly with 3d printing. mashable. com,2014;29.
29. Pande S, Shaikh F, Panchal A, Mateen A. The development, application and benefits of 3-d printing technology. International Journal of Technical Research and Applications. 2016;109-113
30. Tshabalala NV. Manufacturing of a resin-coated chromite sand for rapid sand-casting applications (Doctoral dissertation, University of Johannesburg).
31. Öpik R, Hunt A, Ristolainen A, Aubin PM, Kruusmaa M. Development of high fidelity liver and kidney phantom organs for use with robotic surgical systems. In2012 4th IEEE RAS & EMBS international conference on biomedical robotics and biomechatronics (BioRob) 2012;425-430. IEEE. DOI: 10.1109/BioRob.2012.6290831
32. Naeem S, Azhar M. A review on 3d printing of polymeric nanocomposite materials utilizing stereolithography. Pakistan Science Bulletin, 1(1): 15-63
33. Goodrich M. MTU Study: 3D Printing Will Reach The Home Soon. detroit. cbslocal. com. 2013.
34. Hidalgo J. The future of higher education: Reshaping universities through 3D printing. engadget. com, October. 2012.
35. Fleming M. What is 3D printing? An overview. 3D printing rinter. net. 2014.
36. McPherson J, Alsuwaida A. Course Title: Competitive Strategy in Technology Management Course Number: ETM 527 Instructor: Dr. Charles Webber Term: Winter. 2015.
37. Meléndez PA, Kane KM, Ashvar CS, Albrecht M, Smith PA. Thermal inkjet application in the preparation of oral dosage forms: dispensing of prednisolone solutions and polymorphic characterization by solid-state spectroscopic techniques. Journal of pharmaceutical sciences. 2008; 97(7):2619-2636. DOI: 10.1002/jps.21189
38. Li TH, Stachowiak JC, Fletcher DA. Mixing solutions in inkjet formed vesicles. Methods in enzymology. 2009; 465:75-94. DOI: 10.1016/S0076-6879(09)65004-7
39. Tarcha PJ, Verlee D, Hui HW, Setesak J, Antohe B, Radulescu D, Wallace D. The application of inkjet technology for the coating and loading of drug-eluting stents. Annals of biomedical engineering. 2007; 35:1791-1799. DOI: 10.1007/s10439-007-9354-2
40. Elahpour N, Pahlevanzadeh F, Kharaziha M, Bakhsheshi-Rad HR, Ramakrishna S, Berto F. 3D printed microneedles for transdermal drug delivery: A brief review of two decades. International journal of pharmaceutics. 2021; 597:120301. DOI: 10.1016/j.ijpharm.2021.120301
41. Maulvi FA, Shah MJ, Solanki BS, Patel AS, Soni TG, Shah DO. Application of 3D printing technology in the development of novel drug delivery systems. International Journal of Drug Development and Research. 2017;9(1):44-49.
42. Singh M, Haverinen HM, Dhagat P, Jabbour GE. Inkjet printing—process and its applications. Advanced materials. 2010; 22(6):673-685. DOI: 10.1002/adma.200901141
43. Ponni RT, Swamivelmanickam M, Sivakrishnan S. 3D printing in pharmaceutical technology–a review. International Journal of Pharmaceutical Investigation. 2020; 10:8-12. DOI: 10.5530/ijpi.2020.1.2
44. Goyanes A, Fina F, Martorana A, Sedough D, Gaisford S, Basit AW. Development of modified release 3D printed tablets (printlets) with pharmaceutical excipients using additive manufacturing. International journal of pharmaceutics. 2017; 527(1-2):21-30. DOI: 10.1016/j.ijpharm.2017.05.021
45. Lim SH, Chia SM, Kang L, Yap KY. Three-dimensional printing of carbamazepine sustained-release scaffold. Journal of pharmaceutical sciences. 2016; 105(7):2155-2163. DOI: 10.1016/j.xphs.2016.04.031
46. Bansal M, Sharma V, Singh G, Harikumar SL. 3D printing for the future of pharmaceuticals dosages forms. International Journal of Applied Pharmaceutics. 2018;10(3):1-7.
47. Bala R, Madaan R, Kaur A, Mahajan K, Singh NM, Sohal NA. 3D printing: basic role in pharmacy. European Journal of Biomedical

and Pharmaceutical Sciences. 2017; 4:242-7.
48. Ponni RT, Swamivelmanickam M, Sivakrishnan S. 3D printing in pharmaceutical technology–a review. International Journal of Pharmaceutical Investigation. 2020; 10:8-12. DOI: 10.5530/ijpi.2020.1.2
49. Beaman JJ, Barlow JW, Bourell DL, Crawford RH, Marcus HL, McAlea KP. Solid freeform fabrication: a new direction in manufacturing. Boston, MA: Kluwer Academic Publishers; 1997.
50. Kodama H. Automatic method for fabricating a three-dimensional plastic model with photo-hardening polymer. Review of scientific instruments. 1981; 52(11):1770-1773. https://doi.org/10.1063/1.1136492
51. Hull CW. Apparatus for production of three-dimensional objects by stereolithography. United States Patent, Appl., No. 638905, Filed. 1984.
52. Beaman JJ, Barlow JW, Bourell DL, Crawford RH, Marcus HL, McAlea KP. Solid freeform fabrication: a new direction in manufacturing. Boston, MA: Kluwer Academic Publishers; 1997.
53. Tabatabaei B, Huang R, Choi JW. 3D Printing and Additive Manufacturing,". Smart Manufacturing: The Lean Six Sigma Way. 2022: 267.
54. Min JK, Mosadegh B, Dunham S, Al'Aref SJ, editors. 3D Printing applications in cardiovascular medicine. Academic Press; 2018.
55. Khaing MW, Fuh JY, Lu L. Direct metal laser sintering for rapid tooling: processing and characterisation of EOS parts. Journal of Materials Processing Technology. 2001; 113(1-3):269-272. DOI: 10.1016/S0924-0136(01)00584-2
56. Santos EC, Shiomi M, Osakada K, Laoui T. Rapid manufacturing of metal components by laser forming. International Journal of Machine Tools and Manufacture. 2006; 46(12-13):1459-1468. DOI: 10.1016/j.ijmachtools.2005.09.005
57. Cooper K. Rapid prototyping technology: selection and application. CRC press; 2001.
58. Chua CK, Leong KF, Lim CS. Rapid prototyping: principles and applications. World scientific; 2010.
59. Min JK, Mosadegh B, Dunham S, Al'Aref SJ, editors. 3D Printing applications in cardiovascular medicine. Academic Press; 2018.
60. Malone E, Lipson H. Fab@ Home: the personal desktop fabricator kit. Rapid Prototyping Journal. 2007; 13(4):245-255. DOI: 10.1108/13552540710776197
61. Lipson H, Kurman M. Fabricated: The new world of 3D printing. John Wiley & Sons; 2013.
62. Min JK, Mosadegh B, Dunham S, Al'Aref SJ, editors. 3D Printing applications in cardiovascular medicine. Academic Press; 2018.
63. Helguero CG, Mustahsan VM, Parmar S, Pentyala S, Pfail JL, Kao I, Komatsu DE, Pentyala S. Biomechanical properties of 3D-printed bone scaffolds are improved by treatment with CRFP. Journal of orthopaedic surgery and research. 2017; 12:1-9. DOI: 10.1186/s13018-017-0700-2
64. Garcia J, Yang Z, Mongrain R, Leask RL, Lachapelle K. 3D printing materials and their use in medical education: a review of current technology and trends for the future. BMJ simulation & technology enhanced learning. 2018;4(1):27-40. DOI: 10.1136/bmjstel-2017-000234
65. Asadi-Eydivand M, Solati-Hashjin M, Farzad A, Osman NA. Effect of technical parameters on porous structure and strength of 3D printed calcium sulfate prototypes. Robotics and Computer-Integrated Manufacturing. 2016;37:57-67. DOI: 10.1016/j.rcim.2015.06.005
66. Korni RD, Majji A, Bora T, Chelikani B, Gandi DK. A Comprehensive Review on 3D Printing of Pharmaceuticals. International Journal of Drug Delivery Technology. 2024;14(1):481-486. DOI: 10.25258/ijddt.14.1.67
67. Sharma S, Saxena V. 3D Printing: An Emerging Technology in Pharmaceuticals. International Journal of Pharmaceutical Quality Assurance 2018; 9(3); 267-270. http://doi.org/10.25258/ijpqa.v9i3.13658
68. Ingale MH, Shinde V, Jharandikar A, Tayade M, Mahajan GD. Practice on Antibiotic Use: Analysis of Overall Practice Score in Indian Set-up. International Journal of Pharmaceutical Quality Assurance. 2023;14(4):1206-1210. DOI: 10.25258/ijpqa.14.4.59
69. Malgave A, Malayandi R, Joseph A, Akbar S, Gaikwad V, Natesan S, Ravichandiran V. A Novel Process for Improving the Drug Loading of Highly Water-Soluble High-Dose Drug in FDM 3D Printed Tablets. International Journal of Drug Delivery Technology. 2024;14(2):737-743. DOI: 10.25258/ijddt.14.2.22