

Formulation and Evaluation of Polyherbal Hair Oil for Premature Grey Hair

Dhasmana Kamal*, Verma Shalu, Jakhmola Vikash

Department of Uttarakhand Institute of Pharmaceutical Sciences, Uttarakhand University, Dehradun (Arcadia Grant, P.O. Chandanwari, Premnagar, Dehradun, Uttarakhand-248007)

Received: 22th May 22; Revised 18th July, 22, Accepted: 20th August, 22; Available Online: 25th September, 22

ABSTRACT

Premature graying of hair will lower confidence and satisfaction in one self and might have an Adverse impact on the looks, hallowness, and social-cultural acceptance of a personal. Graying of hair is recognized as a symbol of maturity and loss of health. It's not unusual for patients to complain and is a source of significant psychological and physical distress. Hereditary, stress, diet, pollution, oxidative stress harsh chemicals are the most important factors responsible for premature greying of hairs of an individual. Herbal products within the form of natural formulations are available inside the marketplace and are used as hair tonics, hair conditioners, hair-cleansing agent, anti-dandruff, as well as for the treatment of alopecia, dandruff, fungus, lice infection and premature greying of hair. A number of natural, synthetics, or semi synthetics products had been acclaimed as the best hair care product. In our observation, we have located that the following ingredients can somehow overcome the present hair problems with their unique properties Withania somnifera, Asparagus racemosus, Permalia perlata, Nardostachys jatamansi, Cyperus scariosus, Nigella sativa, Sesamum indicum, Cocos nucifera The present study, undertaken to increase a formulation containing oil-based extracts of these herbal ingredients in the form of natural hair oils in various ratios & concentrations and evaluating the formulated oils for his or her hair wariness, so our overall conclusion is that if we use this oil as on daily bases with good nutrition diet than the problem of premature greying of hair can be cured more effectively.

Keywords: withania somnifera, Premature grey hair, hair oil, formulation

INTRODUCTION

Premature grey hair

Hair and skin are considered as beautiful tools of the nature of beauty. Healthy hair is an indication of a state of being healthy and happy youth also contributes to a very great extent in the nonverbal communication of humans. Hair length, color, and style play a very significant role in the alluring physical appearance of a person and his/her self-image¹. Premature graying of hair will lower confidence and satisfaction in oneself and may have an Adverse effect on the looks, vanity, and social-cultural acceptance of a personal. Graying of hair is recognized as a symbol of adulthood and loss of health..

Early graying of hair

Graying of hair is primarily influenced by genetics and some external factors including diet, exercise, stress, and smoking^[21]

Worldwide data on hair graying

Graying of hair is considered premature before the age of 20 years in Caucasians (white) and before 25 years in Asians and before 30 years in Africans (black)¹ have been reported in numerous studies based on geographical origin, pigmentation, and greying of human hair. But worldwide data on epidemiological descriptions of hairs is deficient in quantity. The analysis was organized on the natural hair color of 4192

healthy male and feminine volunteers and was judged employing a legislator professional analysis. The hair color of volunteers was studied in step with geographical origin age gender and comparison of every volunteer's hair with a typical sample piece the result obtained signifies that men harbored a lot of gray hair than ladies. And seventy four percent of individuals were laid low with gray hair with a mean intensity of twenty seven percent between the age of forty five to sixty five years older. Concerning fifty percent of the population shows a minimum of fifty percent of grey hair by the age of fifty was expressed by the 50% rules of thumb.⁷ But all prototypes don't show premature grey hair at identical age.

Causes of premature graying of hairs

Lack of yoga or meditation techniques, the type of genes a person inherits from their parents, and factors such as stress level in life led to the premature aging which can be identified by the change in a person's facial structure⁹

There are various known causes of pgh:

- Hereditary-hereditary is one of the most important factors responsible for premature greying of hairs of an individual. And once what has already happened, no remedy or precaution can cure it.⁹

- Lack of nutrition and vitamin deficiency: Any deficiencies of vitamin B-1,2, B-6, vitamin D-3, biotin, or vitamin E can affect pigmentation and contribute to premature greying¹⁰
- Stress-stress can affect an individual both physically and emotionally stress can promote the development of diseases, including whitening of hair and sagging of skin.
- Certain medical conditions-(ALOPECIA AREATA)
- A research published in 2008 showed that an autoimmune disease can cause hair loss on the scalp and other parts of the body and due to deficiency of melanin it turns white when grown back.¹⁰
- Smoking-a 2013 study in the journal of Italian Dermatology reported that smokers are more likely to start PGH before age of 30 than non-smokers.¹⁰
- Many cosmetic hair products like shampoo conditioner, and oil can contribute to premature hair greying.

PREVENTION

If hereditary is the problem, nothing can cure or reverse the process. However, proper diet and medical conditions can reverse the problem or stop it from worsening. A diet rich in vitamins and antioxidants can prevent premature greying. Mostly used or well-known natural remedies such as curry leaves (slow premature greying), bhringaraj (darken hair) Indian gooseberry or amla (reverse premature greying by promoting pigmentation) black tea (darken, shiner, and soften hair) copper, ridge gourd, coconut oil, onion, and lemon juice, mustard oil, henna, egg and much more slow down hair-whitening without harming the body or hair.⁸ same such kind of natural product we are using in this research that can be followed as withania somnifera, Asparagus racemosus, Permalia perlata, Nardostachys jatamansi, Cyperus scariosus, Nigella sativa, Sesamum indicum, Cocos nucifera as Vehicle.

Effects on an individual

Premature greying of hair has an adverse effect on the sociological cultural spheres of life and the self-esteem of an individual. The person looked older than their actual age which results in anxiety mood fluctuation, and not being able to concentrate at work and in interpersonal relationships.

Herbal Hair Oil Constituents

API

Ashwagandha (withania somnifera)

family-solanaceae²²

applied topically to the scalp ashwagandha is thought to resource blood glide and fortify hair, inside the even as lowering dandruff. It additionally seems to stimulate the manufacturing of melanin, the pigment accountable for the colour of hair so, it could virtually reverse graying of hair¹⁸

Shatavari (asparagus racemosus)

Family-Liliaceae²²

Plant medicine promotes general wellbeing by increasing cellular vitality and resistance, associate

degreed has been used extensively as an adaptogenic drug to extend the non-specific resistance of organisms against a range of stresses¹²

Chadila (Permalia perlata)

Purified glycoside and purified alkaloid fractions of Lichen (Parmelia perlata) have been examined for antibacterial interest in opposition to Gram-positive and Gram-negative microorganisms consisting of, Escherichia coli, Klebsiella pneumonia, and Pseudomonas aeruginosa, in addition to antifungal activity against Aspergillus spp¹³

Kalonji (Nigella sativa)

Family: Ranunculaceae²²

This compound can assist human who confronts the going bald issues and premature turning gray according to Kalonji, the regular utilization of Nigella sativa oil to the hair scalp and rehash for a multi-week, the deficiency of hair will forestall absolutely. It moreover quits falling of hair, and offers another life to dry, harm, stupid unmanageable hairs and prevent premature turning gray of hair.¹⁴

Nagarmotha (Cyperus rotundus)

It's far a primary weed of cultivated vegetation and gardens, however simplest a minor weed someplace else. It is advocated utilizing frequent cultivation and grows fine in moist fertile soils; component Used: Rhizome.¹⁶

Jatamansi (Nardostachys jatamansi)

Family: Valerianaceae

Common name: Musk root

Part used: Dried Rhizomes²²

A study over that jatamansi became responsible to provide the darkest coloring impact on hair and thus the darkening of hair by natural. Natural hair colorants became entirely rely on the presence of jatamansi it additionally studies are additionally dead for isolation of pigments for added economical hair coloring¹⁹. It is employed in hair tonics for sensational hair loss and greying of hair¹⁴

Til oil (sesamum indicum)

Family: Pedaliaceae

Sesame oil is rich with matter additives like lignans taking into consideration more shelf lifestyles of meals and enhancing their flavor and flavor, any to its use as associate matter, the oil contains AN outsized amount of linoleate in macromolecule kind that selectively inhibits skin cancer increase²⁰

Coconut oil (Cocos nucifera)

Coconut oil is the medium-chain fatty acid in VCO capable of defending hair follicles from heat, restoring hair's status, and different hurt. Virgin oil became extracted from a clean and mature kernel without the utilization of warmth and put together without gift methodology chemical refinement. Hydrophobicity homes of oil reduce the water penetration into the fiber which gives useful results by presenting a lubricating film on the hair.¹⁵

MATERIALS AND METHODS

Preparation of Raw Material

All the ingredients and collected from a well-known local shop namely "Bhai Shambhu Dayal" ayurvedic and Unani store Saharanpur Uttar Pradesh-247001 in the raw form and then made pulvilio of all the ingredients separately with the help of iron mortar and pistol and power full mixer grinder.²

PROCEDURE

1. Here we going to use simple boiling method, take around 104 ml of sesame oil.
2. Weight different ingredients powder in a weight machine.
3. Weigh Ashwagandha, Nagarmotha, Black Seed, Chadila, Jatamansi, Shatavari take 7.5mg., 7.5mg, 5mg, 5mg, 7.5mg, 5mg respectively, and pour it into the round bottom flask.
4. Switch on the heating mantle and put the round bottom flask on it and heat it for a further 15 min.
5. Wait for the solution to be cold down and then filtrate it using muslin cloth up to 2 to 3 times.
6. After this pour coconut oil for volume make up purposes up to 100ml or desired quantity²

Evaluation of Herbal Hair Oil

The formulated herbal oil was evaluated for parameters like pH scale, acid value, viscosity, organoleptic parameters, etc.²

Acid value:

- Take 10ml of oil in a very conic flask additional with 25ml of ethyl alcohol and 25ml of ether.
- Add a pair of drops of phenolphthalein was additional because the indicator and titrated with 0.5M potassium hydroxide resolution²

Saponification value:

- Take 1g of oil and transfer it to the 250ml spherical bottom flask was within which 10 milliliter ethyl alcohol and 5 milliliter ether (2:1 respectively) and 25 milliliters zero. 5 KOH (alcoholic)
- further, poached underneath reflux in a very water bath for 45mins. Phenolphthalein was additional because the indicator and titrated against 0.5M HCl ('s'ml) in like manner blank was performed ('ns'ml) in the absence of the sample.²

pH:

The pH scale of the flavoring oil was detected employing a digital pH scale meter.

Viscosity was obtained with the help of Brookfield viscometer.

- Spindle no.= RV-6
- Temperature= 25-degree Celsius
- RPM=100
- Viscosity= 1130 cp
- Time= 5min.

Specific gravity: The relative density of the ready oil was resolute using a pyknometer or specific gravity bottle.²

Organoleptic property: Colour, odor, and skin irritation were obtained interactively. Oil was applied to the wrist and put under the direct rays of the sun for up to 20 mins to check for any dermatitis.²

RESULTS AND DISCUSSION

The above composition of hair oil using a particular ingredient was evaluated for the following parameters and the results are tabulated²

S.No	Parameters	Observation
1	Colour	Brownish black
2	Odour	Idiosyncratic
3	Specific gravity	1.09
4	Viscosity	1130cp
5	Acid value	4.01
6	Saponification value	234
7	Irritation test	No irritation occurs
9	pH Value	6.4

DISCUSSION

All the variable confirmed that they're within the limits and considering the fact that all of the substances delivered have many benefits, this oil will assist in retaining suitable care of hair, save you untimely greying of hair, protects from dandruff and effects in shining hair.

ACKNOWLEDGEMENT

It is a great concession and honor for me to have the contingency to go through this Project work "Formulation And Evaluation of Poly-Herbal Hair Oil For Premature Grey Hair". I got the opportunity to learn about various aspects and the detailed study of these ingredient. I learned about the different properties of plants their activity. The project work helped to enhance my practical and theoretical knowledge.I owe deep

gratitude to Ms Shalu Verma (assistant professor) for her valuable guidance, consistence encouragement and support to haul out the success of Project and other preparation. I am greatly indebted to prof. (Dr.) Vikash Jakhmola (Dean) of Uttaranchal Institute Of Pharmaceutical Sciences, Uttaranchal University, Dehradun Uttarakhand and all respected faculty who supported and made us worthy of all this knowledge of pharmacy. Knowledge has no boundaries and there is no end to it. This is what came to my mind while doing this project work.

REFERENCE

1. Pandhi D, Khanna D. Premature Graying Of Hair.Indian J Dermatol Venereol Leprol 2013;79:641-653.

2. Sapna Gautam, Sumeet Dwivedi, Kushagra Dubey And Hemant Joshi Formulation and Evaluation of Herbal Hair Oil, sadguru Publication. 2011; 2-4.
3. K. Leela, C. Anchana Devi. Isolation, Purification and Application of Secondary Metabolites from Lichen *Parmelia Perlata*, Biosciences, Biotechnology Research Asia, 2017.
4. Konstantinos Anastassakis. Chapter 8 The Effects of Aging on The Hair Follicle, Springer Science and Business Media Llc, 2022.
5. Ramit Singla, Rajbir Kaur, Saroj Arora, Vikas Jaitak. In-vitro Anti-mutagenic Activity of *Asparagus Racemosus*: An Ayurvedic Medicinal Plant, American Journal of Drug Discovery and Development, 2013.
6. Bopana N. *Asparagus Racemosus*-Ethnopharmacological Evaluation and Conservation Needs, Journal of Ethnopharmacology, 2007 ; 0301.
7. S.Panhard I., Lozano G., Loussouarn. Greying of The Human Hair: A Worldwide Survey, Revisiting The '50' Rule of Thumb, Br J Dermatol. 2012 Oct; 167(4):865-73.
8. Soldano-ferrone, Hironobu-ihn Mina Haghghi Abyaneh, Journal of Clinical and Experimental Dermatology Research 2022 ; Volume 13.(Www.longdom.org)
9. What Causes Premature Greying of Hair Jan 13, 2022 ; 08:00 IST bytimesofindia.com
10. Zayed A.A., Shahait A.D., Ayoub M.N. & Yousef A. Smokers' Hair: Does Smoking Cause Premature Hair Graying? Indian Dermatology Online Journal, 2013, April-June ; 4(2),90-92
11. Sudhanshu Kumar Meher, G.C. Bhuyan, Mruthyumjaya Rao Meda. uses Of *Withania Somnifera* (Linn) Dunal (*Ashwagandha*) In Ayurveda And Its Pharmacological Evidences. Research Journal Of Pharmacology And Pharmacodynamics· January 2016; 26.
12. Jaya Bharati, Satish Kumar, Shatavari (*Asparagus Racemosus*), publication Researchgate, January 2019 ; 4.
13. Goyal Parveen Kumar, Verma Santosh Kumar Sharma Anil Kumar Pharmacological And Phytochemical Aspect of Lichen *Parmelia Perlata*: A Review, Publication House Moksha. Page 4.
14. Seema Rani, Iqra Unani, Jalgaon, management Of Greying Of Hairs (Sheeb) And Use Of Hair Dyes (Khizaab) In Unani Medicine, 2018 ;8:7
15. Henzilenah Kinjuit And Noumie Surugau Formulation and Evaluation of Hair Shampoo Containing Tea Tree (*Melaleuca Alternifolia*) Oil and Virgin Coconut (*Cocos Nucifera*) Oil. Journal of Physics: Conference Series. 2019; 3.
16. Pushpendra Kumar Jain, Debajyoti Das, Puneet Jain, Evaluating Hair Growth Activity Of Herbal Hair Oil International Journal Of Pharmtech Research. 2016 ;9:3.
17. Swarnlata Saraf, Manjusha Jharaniya1, Anshita Gupta1, Vishal Jain, Shailendra Saraf, herbal Hair Cosmetics: Advancements And Recent Findings, World Journal Of Pharmaceutical Research. 2016 ; 3(4): 321-327.
18. Swarnlata Saraf, Manjusha Jharaniya, Anshita Gupta, Vishal Jain, Shailendra Saraf, herbal Hair Cosmetics: Advancements And Recent Findings, World Journal Of Pharmaceutical Research. 3 ; 4.
19. Yogesh S Kolekar, Firoj A Tamboli, Harinath N More, Sajid A Mulani, Nitin P Mali Review Article Medicinal plants used in cosmetics for skin and hair care International Journal of Pharmaceutical Chemistry and Analysis 2021; 8(2):38.
20. Singh V, Ali M, Upadhyay S. Study of colouring effect of herbal hair formulations on graying hair. Phcog Res 2015;7:259-62.
21. H.M.A. Mohamed I.I., Awatif. The use of sesame oil unsaponifiable matter as a natural antioxidant, Food Chemistry, 1998 ; 62(3): 269-276.
22. Defining Chronological And Biological Age (Verywellhealth.com) By: Sharon basarada.
23. S.S. Agrawal, M Paridhavi, Herbal Drug Technology Second Editon, Published by Universities press date 30 may 2013.