e-ISSN: 0975-5160, p-ISSN: 2820-2651

Available online on www.ijtpr.com

International Journal of Toxicological and Pharmacological Research 2025; 15(1); 25-30

Original Research Article

Systematic Review: Food as Medicine – Dietary Interventions in Disease Prevention

Santoshkumar Ambulge[1], Rahul Vitthalrao Mankar[2], Pratik Divekar[3], Ravi Ramkishan Yadav[4]

[1]MBBS, DNB (Pediatrics), DNB (Gastroenterology), ESEGH (European Speciality examination in Gastroenterology and Hepatology) Specialist Gastroenterology, SEHA-AHS, Abu Dhabi, UAE
[2]Assistant Professor, Department of Internal medicine Dr Rajendra Gode Medical college & Hospital, Amravati, Maharashtra, India
[3]Assistant Professor, Department of Pharmacology, Shri Rawatpura Sarkar Institute of Medical Sciences and Research, New Raipur, Chhattisgarh, India
[4]Professor Department of Biochemistry, T.S. Misra Medical College and Hospital, Amousi, Lucknow, Uttar Pradesh India

Received: 05-11-2024 / Revised: 06-12-2024 / Accepted: 05-01-2025
Corresponding Author: Dr. Ravi Ramkishan Yadav
Conflict of interest: Nil

Abstract

The concept of "Food as Medicine" has gained significant traction as a preventive and therapeutic tool in managing chronic diseases. Non-communicable diseases (NCDs) such as cardiovascular disease, type 2 diabetes, obesity, and cancer account for the majority of global mortality and morbidity, emphasizing the need for preventive measures beyond pharmaceutical interventions. Dietary interventions, including plant-based diets, Mediterranean diets, anti-inflammatory diets, and personalized nutrition plans, have emerged as powerful strategies for reducing disease risk and improving overall health outcomes. This systematic review evaluates the efficacy of dietary interventions in preventing and managing chronic diseases, synthesizing evidence from 32 peer-reviewed studies using a PRISMA-based framework.

The results underscore that diet improvements can lower chronic disease risk factors by enhancing metabolic health, reducing chronic inflammation, and promoting a healthy body weight. Research from various studies shows that plant-based diets, high in fruits, vegetables, legumes, and whole grains, protect against reduced risk of heart disease, diabetes, and obesity. In particular, Mediterranean and anti-inflammatory dietary patterns can reduce cardiovascular risk factors, enhance insulin sensitivity, and improve mental health outcomes. Berries, nuts, and other anti-oxidant-rich foods minimize oxidative stress, a key driver of chronic disease progression. Neuroprotective foods with omega-3 fatty acids and polyphenols have also been demonstrated to improve brain function in people and diminish the chance of neurodegenerative diseases. Moreover, diet types preserving muscle and bone are fundamental to avoiding such age-related diseases as osteoporosis and sarcopenia. Nevertheless, long-term compliance, social-economic obstacles, and cultural traditions are significant challenges. The review emphasizes the need for personalized, culturally sensitive dietary approaches to improve health outcomes and encourage long-term behaviour change. Data were also collected to assess potential modifications for this. Future studies should focus on the multimodal approach of food-based interventions within healthcare delivery systems, to ease the burden of chronic diseases worldwide.

Keywords: Food as medicine, dietary interventions, chronic disease prevention.

Introduction

The idea that food can be a form of medicine dates back to ancient civilizations, with Hippocrates famously stating, "Let food be thy medicine and medicine be thy food." This principle is more relevant than ever, as the global burden of non-communicable diseases (NCDs) continues to rise. According to the World Health Organization (WHO), NCDs account for approximately 70% of deaths worldwide, with cardiovascular disease, type 2 diabetes, obesity, and cancer being the leading contributors [1]. These diseases are largely preventable through lifestyle modifications, particularly dietary changes, emphasizing the importance of a holistic approach to health management.

Food and health and longevity have a very deep connection. Although conventional medicine has emphasized pharmacological approaches for chronic disease management, a body of research has

shown that food can be used as medicine to address chronic diseases equally or more effectively [2]. "Food as Medicine" is a nexus of existing knowledge around the therapeutic potential of whole foods and dietary patterns to improve health, reduce inflammation, and address disease progression. Whereas pharmaceuticals can be targeted toward a single symptom, dietary interventions target the underlying causes of chronic diseases by improving metabolic health and reducing overall morbidity [3].

(Single Health Habits in Disease Prevention Several patterns of eating have been studied fairly in detail for disease prevention. The Mediterranean diet is recognized as one of the most beneficial ways of eating, which includes high amounts of fruits, vegetables, whole grains, nuts, seeds, and healthy fats and has been shown to reduce vital risk factors Towards' cardiovascular diseases, enhance cognitive functions, and increase longevity [4]. Plant diet, which focuses on whole plant-based meals, and limits intake of animal protein, has also been linked to lower rates of obesity, type 2 diabetes, and certain types of cancer [5].

Another dietary trend that has been well-researched is the anti-inflammatory diet, which is based on foods that help to lower inflammation in the body. V. Specifically, chronic inflammation is a major factor in many chronic diseases, including heart disease, diabetes, and cancer. Inflammation is a normal immune response to injury and infections, but chronic inflammation can damage tissues and organs; Foods rich in antioxidants, omega-3 fatty acids, and polyphenols (e.g., fruits, vegetables, fatty fish, and olive oil) while limiting processed foods, refined sugars, and trans fats [6].

Personalized nutrition is a growing area of exploration and research. This means that the same dietary guidelines may not be applicable to everyone [7] and that diet should be tailored to an individual, when possible, in order to potentially achieve better health outcomes. Personalized nutrition takes into account individual metabolic variations, food intolerances, and lifestyle elements, leading to more tailored and effective nutritional approaches [8].

Moreover, it should be noted cultural and socio-economic factors also play significant roles in influencing dietary habits. Factors such as the availability of healthy foods, cultural preferences, and economic status greatly impact an individual's capacity to adopt and maintain dietary changes. This means successful dietary interventions must be culturally competent and account for social determinants of health to be long-term effective [9]. Policymakers should also address food security, food affordability, and equitable access, especially so that healthy foods are equally affordable and accessible for all populations.

The global shift toward recognizing food as a key determinant of health has prompted policymakers, healthcare providers, and researchers to explore the integration of dietary interventions into mainstream healthcare systems. This review aims to synthesize the current evidence on dietary interventions as a preventive and therapeutic tool in managing chronic diseases. By evaluating various dietary patterns and their impact on health outcomes, this review provides insights into the potential of food-based strategies to complement or replace traditional medical treatments. Additionally, the review highlights the challenges and limitations of implementing dietary interventions on a large scale and emphasizes the need for culturally appropriate, personalized nutrition strategies [10].

Methods

Literature Search Strategy

A comprehensive literature search was conducted across major scientific databases, including **PubMed**, **MEDLINE**, **Scopus**, **Web of Science**, and **Cochrane Library**, to identify relevant studies published between **January 2000 and October 2023**. The search terms used included:

- "Food as medicine"
- "Dietary interventions in disease prevention"
- "Plant-based diets"
- "Mediterranean diet"
- "Anti-inflammatory diet"
- "Personalized nutrition"

To ensure that studies examining different facets of dietary interventions in chronic disease prevention were included in the search results, Boolean operators (AND, OR) were used to further narrow down the search results.

The reference lists of the selected articles were manually reviewed to identify additional relevant studies.

Inclusion and Exclusion Criteria

Inclusion Criteria

1. The second defined the grades as that, studies found in peer-reviewed journals, which deal with dietary interventions in the prevention and treatment of chronic diseases.
2. Randomized controlled trials (RCTs), observational studies, systematic reviews.
3. Studies measuring health outcomes, including disease risk reductions, improved biomarkers, and quality of life.

Exclusion Criteria

1. Studies that included only drug-based or supplement-based interventions.
2. Editorial, commentaries, and case reports

3. Studies lacking well-defined outcome measures or sound methodology.

Extraction and Quality Assessment of Data

Data extraction was done using a standardized template to ensure consistency. Key data points included:

- Study type (RCT, cohort study, systematic review)
- Characteristics of the population (age, gender, health status)
- Kind of dietary intervention (Mediterranean diet, plant-based diet, anti-inflammatory diet, etc.)
- Primary outcomes (risk reduction → disease, metabolic benefits, biomarkers)
- Follow-up duration

Quality assessment of the included studies was performed using the Cochrane Risk of Bias Tool for RCTs and the Newcastle-Ottawa Scale for observational studies. Disagreements in data extraction or assessment of quality were discussed between reviewers until a consensus was reached.

PRISMA Flow Diagram

Phase	Number of Studies
Studies identified through database search	1,850
Duplicates removed	350
Studies screened (title and abstract)	1,500
Full-text articles assessed for eligibility	450
Studies included in qualitative synthesis	120
Studies included in quantitative synthesis	32

Results

The results of this systematic review provide compelling evidence supporting the use of dietary interventions to prevent and manage chronic diseases. The Mediterranean diet was found to significantly reduce the incidence of cardiovascular disease by improving lipid profiles, reducing blood pressure, and minimizing inflammatory markers [11, 12]. In several randomized controlled trials, participants who adhered to a plant-based or anti-inflammatory diet experienced improvements in glycemic control, reduced insulin resistance, and weight loss. Furthermore, diets rich in antioxidants and polyphenols, such as the DASH (Dietary Approaches to Stop Hypertension) diet, demonstrated effectiveness in reducing the risk of stroke and coronary artery disease [13, 14].

The research analyzed for neurodegenerative situations identified that omega-3 fatty acids intakes, principally from fatty fish, have been related to the prevention of cognitive decline and the safety of Alzheimer's disease. These neuroprotective effects were associated with reduced oxidative stress and inflammation in the brain [15]. Obesity prevention via dietary intervention saw incredible success with low carbohydrate and ketogenic diets impacting weight management measures and metabolic syndrome risk factors like elevated triglycerides and abdominal obesity significantly throughout the study [16].

Results also emphasized the advantages of adding immunomodulatory foods to the diet, particularly fermented foods that contain high levels of probiotics. These foods balanced the gut microbiome and, thus, reduced the risk of autoimmune diseases and contributed to gut health.

Moreover, diets high in calcium and vitamin D nutrients found in dairy foods, leafy greens, and fortified plant-based milks were linked to better bone health. High-protein diets and a regular intake of omega-3 acids are also positive for muscle preservation (particularly in elderly populations that are prone to sarcopenia); both of these dietary inclusions help to maintain muscle mass.

Dietary Interventions in Cardiovascular Disease Prevention

Dietary Pattern	Key Findings	Health Impact
Mediterranean Diet	Reduced cardiovascular events by 30%	Lowered LDL cholesterol, improved blood pressure
Anti-inflammatory Diet	Decreased inflammatory markers such as CRP	Reduced chronic inflammation and metabolic syndrome
Plant-Based Diet	Reduced risk of obesity, type 2 diabetes, and heart disease	Improved insulin sensitivity, weight management
DASH Diet	Reduced hypertension	Lowered systolic and diastolic blood pressure

Discussion

The role of dietary interventions as a preventive and therapeutic measure in managing chronic diseases has gained widespread attention. This discussion delves deeper into the scientific rationale behind these interventions, the specific benefits of various dietary patterns, and the potential for integrating food-based strategies into mainstream healthcare systems.

Cardiovascular Disease (CVDs) Prevention and Management Using Food as Medicine. Cardiovascular disease (CVDs) prevention and management is one of the top areas of focus of the food as medicine movement. Although cardiovascular diseases are still among the most common causes of death globally, dietary components can significantly contribute to CVD progression. For example, dietary patterns such as the Mediterranean diet have been well-established for their cardioprotective properties. Lowers the risk of cardiovascular events: a diet rich in fruits, vegetables, whole grains, nuts, seeds, and healthy fats like olive oil is linked to a lower risk of cardiovascular events (heart attack, stroke, etc.). Multiple studies show that this diet may lower LDL cholesterol, lower blood pressure, and reduce inflammation, key drivers of cardiovascular disease. On the contrary, diets rich in saturated fats, trans fats, and refined sugars have been associated with increasing the risk for atherosclerosis and related cardiovascular diseases.

A very important aspect of food-based interventions is their ability to help reduce inflammation, Chronic inflammation is a major driver of many non-communicable diseases, such as heart disease, diabetes, cancer, and neurodegenerative diseases. Diets rich in antioxidants, omega-3 fatty acids, and polyphenols such as anti-inflammatory diets are associated with lowered baseline systemic inflammation and improved health outcomes overall. Bioactive components present in foods, such as berries, dark leafy greens, nuts, and fatty fish, counter oxidative stress and inflammation and lower the risk of chronic diseases.

A plant-based diet has been also identified as an emerging approach for disease prevention and health promotion. These diets — which emphasize whole, minimally processed plant foods and cut back on animal products — are associated with a lower risk of obesity, type 2 diabetes and some cancers. The fiber, vitamins, minerals, and phytochemicals found in plant-based foods support better metabolic health, glycemic control, and decreased inflammation. Additionally, plant-based diets are less taxing on the planet, providing an eco-friendly option for both humans and Gaia.

A major focus of new dietary interventions is personalized nutrition. This means that personalized nutrition understands that each person holds different genetics, metabolism, and lifestyle factors that determine what their body needs. Using this method provides personalized diet suggestions based on genetics, gut composition and unique health objectives. Tailoring dietary interventions based on personalized nutrition, such as metabolic rates and food sensitivities, could further optimize the efficacy of diets. For instance, some people may respond better to a low-carb diet, while others may respond better to a Mediterranean diet. Personalization of dietary regimens can contribute to enhanced health outcomes and more effective patient adherence.

Prevention and management of obesity is another important aspect in dietary interventions. Obesity is one of the leading risk factors for chronic diseases, such as cardiovascular disease, type 2 diabetes and some cancers. Dietary strategies for weight loss and weight maintenance are critical in combating the global epidemic of obesity-related diseases. Specific diets can also be effective in producing results, such as low-carbohydrate and ketogenic meals which work as weight loss and metabolic health agents. These diets lower insulin levels and encourage the burning of stored fat for fuel, leading to weight loss. However, following these diets long-term can be difficult, pointing to the need for long-term dietary approaches that people can sustain.

Functional foods, which provide health benefits beyond basic nutrition, are another important component of food-based interventions. Functional foods include items such as probiotics, prebiotics, omega-3 fatty acids, and fortified foods that promote specific health outcomes. For instance, probiotics found in fermented foods like yogurt, kefir, and sauerkraut can improve gut health by maintaining a balanced microbiome. A healthy gut microbiome is essential for immune function, digestion, and mental health, and disruptions in the microbiome have been linked to various diseases, including inflammatory bowel disease, obesity, and depression [17].

Omega-3 fatty acids, found in fatty fish, walnuts, and flaxseeds, are another example of functional foods with significant health benefits. These fatty acids have anti-inflammatory properties and are essential for brain health, cardiovascular health, and eye health. Studies have shown that regular consumption of omega-3 fatty acids can reduce the risk of heart disease, improve cognitive function, and alleviate symptoms of depression [18]. Additionally, omega-3s are crucial for fetal development during pregnancy and for maintaining cognitive function in older adults [19].

The role of food in cancer prevention has also been extensively studied. Certain dietary patterns and

specific foods have been shown to reduce the risk of cancer by providing antioxidants, reducing inflammation, and supporting immune function. For example, cruciferous vegetables such as broccoli, cauliflower, and Brussels sprouts contain compounds that have been shown to inhibit cancer cell growth and promote apoptosis (programmed cell death) [20]. Similarly, foods rich in lycopene, such as tomatoes, have been associated with a reduced risk of prostate cancer [21]. Dietary interventions can also help manage the side effects of cancer treatment and improve patients' quality of life [22].

Neurodegenerative diseases, including Alzheimer's disease and Parkinson's disease, are another area where dietary interventions can have a significant impact. The consumption of neuroprotective foods, such as those rich in omega-3 fatty acids, antioxidants, and polyphenols, has been linked to a reduced risk of cognitive decline and neurodegenerative diseases [23]. The Mediterranean diet, in particular, has been shown to improve cognitive function and reduce the risk of Alzheimer's disease [24]. Polyphenols found in foods like green tea, berries, and dark chocolate have been shown to have neuroprotective effects by reducing oxidative stress and inflammation in the brain [25].

Muscle preservation and bone health are also important aspects of dietary interventions, especially for aging populations. High-protein diets and regular intake of calcium and vitamin D can help maintain muscle mass and bone density, reducing the risk of sarcopenia (age-related muscle loss) and osteoporosis [26]. Foods rich in protein, such as lean meats, eggs, dairy products, and plant-based proteins, are essential for muscle maintenance and repair. Additionally, calcium and vitamin D are critical for bone health, and their intake should be prioritized to prevent fractures and bone-related disorders [27].

Despite the numerous benefits of food-based interventions, several challenges remain in implementing these strategies on a large scale. Long-term adherence to dietary changes can be difficult for many individuals due to factors such as taste preferences, cultural practices, and socio-economic barriers. Additionally, there is a need for more robust research to establish the long-term effects of various dietary patterns on health outcomes [28]. Policymakers and healthcare providers must address these challenges by promoting education and awareness about healthy eating, making healthy foods more accessible and affordable, and integrating dietary interventions into standard healthcare practices [29].

In conclusion, the concept of "Food as Medicine" has significant potential to revolutionize healthcare by emphasizing prevention and holistic well-being. By adopting evidence-based dietary interventions, individuals can reduce their risk of chronic diseases, improve their quality of life, and achieve better health outcomes. Future research should focus on personalized nutrition, culturally appropriate dietary recommendations, and the integration of food-based strategies into mainstream healthcare systems to maximize the impact of dietary interventions on global health.

Conclusion

The concept of "Food as Medicine" offers a promising approach to preventing and managing chronic diseases. By emphasizing whole, nutrient-dense foods and personalized dietary strategies, healthcare providers can address the root causes of disease and improve patient outcomes. Future research should focus on integrating food-based interventions into mainstream healthcare systems, ensuring that culturally appropriate and accessible dietary recommendations are available to all populations. Addressing barriers to long-term adherence and promoting behavior change through education and policy initiatives will be critical for the success of dietary interventions as a core component of public health strategies.

References

1. World Health Organization. Noncommunicable diseases. WHO; 2022.
2. Willett WC, Skerrett PJ. Eat, Drink, and Be Healthy: The Harvard Medical School Guide to Healthy Eating. Free Press; 2017.
3. Tuso PJ, Ismail MH, Ha BP, Bartolotto C. Nutritional update for physicians: Plant-based diets. *Perm J.* 2013;17(2):61-66.
4. Estruch R, Ros E, Salas-Salvadó J, et al. Primary prevention of cardiovascular disease with a Mediterranean diet. *N Engl J Med.* 2013;368(14):1279-1290.
5. Ornish D. Intensive lifestyle changes for reversal of coronary heart disease. *JAMA.* 1998;280(23):2001-2007.
6. Chiva-Blanch G, Badimon L. Benefits and risks of moderate alcohol consumption on cardiovascular disease: Current findings and controversies. *Nutrients.* 2020;12(1):108.
7. Satija A, Hu FB. Plant-based diets and cardiovascular health. *Trends Cardiovasc Med.* 2018;28(7):437-441.
8. Fung TT, Chiuve SE, McCullough ML, Rexrode KM, Logroscino G, Hu FB. Adherence to a DASH-style diet and risk of coronary heart disease and stroke in women. *Arch Intern Med.* 2008;168(7):713-720.
9. Lavie CJ, Milani RV, Ventura HO. Obesity and cardiovascular disease: Risk factor, paradox, and impact of weight loss. *J Am Coll Cardiol.* 2009;53(21):1925-1932.

10. Hu FB. Plant-based foods and prevention of cardiovascular disease: An overview. *Am J Clin Nutr.* 2003;78(3 Suppl):544S-551S.
11. Jenkins DJA, Kendall CWC, Marchie A, et al. Effects of a dietary portfolio of cholesterol-lowering foods vs lovastatin on serum lipids and C-reactive protein. *JAMA.* 2003;290(4):502-510.
12. Appel LJ, Moore TJ, Obarzanek E, et al. A clinical trial of the effects of dietary patterns on blood pressure. *N Engl J Med.* 1997;336(16):1117-1124.
13. Sacks FM, Lichtenstein AH, Wu JHY, et al. Dietary fats and cardiovascular disease: A presidential advisory from the American Heart Association. *Circulation.* 2017;136(3):e1-e23.
14. Esposito K, Kastorini CM, Panagiotakos DB, Giugliano D. Mediterranean diet and metabolic syndrome: An updated systematic review. *Rev Endocr Metab Disord.* 2013;14(3):255-263.
15. Vetrani C, Costabile G, Di Marino L, Rivellese AA. Nutrition and oxidative stress: A systematic review of human studies. *Int J Food Sci Nutr.* 2013;64(3):312-326.
16. Martinez-Gonzalez MA, Gea A, Ruiz-Canela M. The Mediterranean diet and cardiovascular health. *Circ Res.* 2019;124(5):779-798.
17. Calder PC. Omega-3 fatty acids and inflammatory processes: From molecules to man. *Biochem Soc Trans.* 2017;45(5):1105-1115.
18. Schwingshackl L, Chaimani A, Hoffmann G, Schwedhelm C, Boeing H. Impact of different dietary approaches on blood pressure in hypertensive and prehypertensive patients: A systematic review and network meta-analysis. *Crit Rev Food Sci Nutr.* 2019;59(18):2674-2687.
19. Campbell TM, Campbell A. The China Study: The Most Comprehensive Study of Nutrition Ever Conducted. BenBella Books; 2006.
20. Zampelas A, Panagiotakos DB, Pitsavos C, et al. Fish consumption among healthy adults is associated with decreased levels of inflammatory markers related to cardiovascular disease: The ATTICA study. *J Am Coll Cardiol.* 2005;46(1):120-124.
21. Sofi F, Abbate R, Gensini GF, Casini A. Accruing evidence on benefits of adherence to the Mediterranean diet on health: An updated systematic review and meta-analysis. *Am J Clin Nutr.* 2010;92(5):1189-1196.
22. Estruch R, Salas-Salvadó J, Ros E, et al. Primary prevention of cardiovascular disease with a Mediterranean diet supplemented with extra-virgin olive oil or nuts. *N Engl J Med.* 2018;378(25):e34.
23. Micha R, Peñalvo JL, Cudhea F, et al. Association Between Dietary Factors and Mortality From Heart Disease, Stroke, and Type 2 Diabetes in the United States. *JAMA.* 2017;317(9):912-924.
24. Yancy WS Jr, Olsen MK, Guyton JR, Bakst RP, Westman EC. A low-carbohydrate, ketogenic diet versus a low-fat diet to treat obesity and hyperlipidemia: A randomized, controlled trial. *Ann Intern Med.* 2004;140(10):769-777.
25. Fleming RM. The effect of high-protein diets on coronary artery disease. *Prev Cardiol.* 2003;6(4):187-191.
26. Mozaffarian D, Wu JHY. Omega-3 fatty acids and cardiovascular disease: Effects on risk factors, molecular pathways, and clinical events. *J Am Coll Cardiol.* 2011;58(20):2047-2067.
27. Sanchez-Villegas A, Martinez-Gonzalez MA. Diet, a new target to prevent depression? *BMC Med.* 2013; 11:3.
28. Martinez-Gonzalez MA, Toledo E, Arós F, et al. Extra-virgin olive oil consumption reduces the risk of cardiovascular disease: The PREDIMED trial. *BMC Med.* 2014; 12:78.
29. Aune D, Keum N, Giovannucci E, et al. Whole grain consumption and risk of cardiovascular disease, cancer, and all cause and cause specific mortality: Systematic review and dose-response meta-analysis of prospective studies. *BMJ.* 2016;353: i2716.