REVIEW ARTICLE

Integrative Approaches in Hypertension Management: A Review of the Combination of Allopathic Drugs and Herbal Medicines in Drug Delivery Systems

Shital A Shinde[1*], Dipak P Mali[1], Vandana M Thorat[2], Ankita D Walgude[3]

[1]Krishna Institute of Pharmacy, Krishna Vishwa Vidyapeeth (Deemed to be University), Karad, Maharashtra, India*
[2]Krishna Institute of Medical Sciences, Krishna Vishwa Vidyapeeth (Deemed to be University), Karad, Maharashtra, India
[3]Rajgad Dnyanpeeth's College of Pharmacy, Bhor, Maharashtra, India

Received: 17th Nov, 2024; Revised: 21st Feb, 2025; Accepted: 19th Mar, 2025; Available Online: 25th Jun, 2025

ABSTRACT

Hypertension remains an important worldwide fitness distress, requiring development of integrative medicinal approaches to improve action outcomes. This review explores the synergistic combination of allopathic antihypertensive drugs and herbal medicines within drug delivery systems (DDS) to improve efficacy, minimize adverse effects, and optimize patient adherence. By leveraging modern DDS technologies such as controlled-release systems, nano formulations, and liposomes, the bioavailability and targeted delivery of both pharmaceutical and herbal compounds can be significantly enhanced. The review begins by discussing the global impact of hypertension, highlighting the need for complementary therapies and defining the concept of allopolyherbal formulations. It then examines the pharmacological mechanisms of conventional antihypertensive drugs and herbal medicines, focusing on their potential for synergistic interactions. The role of DDS in addressing challenges related to bioavailability is explored, with emphasis on nanotechnology, polymeric carriers, and targeted drug delivery. The clinical efficacy and safety of combining allopathic and herbal medicines are reviewed, incorporating recent clinical trial evidence and safety considerations such as herb-drug interactions, standardization issues, and regulatory challenges. Furthermore, the application of allopolyherbal formulations in hypertension management is assessed, with discussions on future trends, including personalized medicine and smart drug delivery systems. The review concludes by emphasizing the importance of integrating advanced pharmacovigilance frameworks and evidence-based regulatory strategies for assured of safety as well as efficient adoption of formulations. By addressing key pharmacological, technological, and regulatory aspects, this integrative approach offers a promising strategy to enhance hypertension treatment and patient outcomes.

Keywords: Integrative hypertension management, allopolyherbal formulations, drug delivery systems (DDS), synergistic interactions, and nanotechnology in drug delivery.

How to cite this article: Shital A Shinde, Dipak P Mali, Vandana M Thorat, Ankita D Walgude. Integrative Approaches in Hypertension Management: A Review of the Combination of Allopathic Drugs and Herbal Medicines in Drug Delivery Systems. International Journal of Drug Delivery Technology. 2025;15(2):825-38. doi: 10.25258/ijddt.15.2.59

Source of support: Nil

Conflict of interest: None

INTRODUCTION

Occurrence of hypertension has surged intensely in current years, yet its escalating burden and severe consequences have only recently gained significant attention. Little- also medium-income countries (LMICs) are experiencing marked increase in blood pressure (BP), with lone one third persons awake of their condition in addition about eight percent achieving BP control. By 2025, the global hypertensive population is projected towads spread of 1.5 billion. Asian nations go through fast transformation as well as lifestyle transitionsf, they are expected to face an increasing prevalence of hypertension in the coming decades. This shift aligns with trends observed in developed nations, positioning noncommunicable diseases like hypertension as a critical public health concern. Well-established risk factors include unhealthy dietary habits—such as Physical inactivity, tobacco and alcohol use, obesity, and inadequate fruit and vegetable consumption, along with high salt intake, are well-established risk factors. Additionally, contributors like environmental pollution—air, water, noise, and light—urbanization, and diminishing green spaces further exacerbate the problem. Common risk factors encompass both modifiable elements, including physical inactivity, waist circumference, body mass index, smoking, alcohol consumption, and dyslipidemia, along with nonmodifiable elements like male gender, ethnicity, and a family history of hypertension. This growing burden of hypertension deepens health differences, executes significant financial strain on patients as well as caregivers, and escalates healthcare costs. LMICs, in particular, grapple with difficulties include an insufficient physician-to-patient

**Author for Correspondence: radhikapatil2204@gmail.com*

Table 1: Mechanism of action of allopathic antihypertensive drugs

Pharmacological Class	Mechanism of Action	Examples
Diuretics	Promote sodium and water excretion, reducing blood volume and cardiac output.	Thiazides (Hydrochlorothiazide), Loop diuretics (Furosemide), Potassium-sparing diuretics (Spironolactone)
Beta-Blockers	Blocks beta-adrenergic receptors, decreasing heart rate plus myocardial contractility.	Atenolol, Metoprolol, Propranolol, Carvedilol, Bisoprolol
ACE Inhibitors	Hinder ACE, preventing conversion of Angiotensin I to Angiotensin II, causing vasodilation.	Captopril, Enalapril, Lisinopril, Ramipril, Benazepril
ARBs	Block Angiotensin II from binding to AT1 receptors, preventing vasoconstriction.	Losartan, Candesartan, Valsartan, Telmisartan
Calcium Channel Blockers	Inhibit Ca^{2+} entry into vascular smooth muscle, causing vasodilation and reduced resistance.	Amlodipine, Nifedipine, Verapamil, Diltiazem
Alpha-Blockers	Block alpha-1 receptors in smooth muscle, causing vasodilation.	Prazosin, Doxazosin, Terazosin, Phentolamine
Centrally Acting Agents	Decrease sympathetic outflow from the CNS, reducing vascular resistance and heart rate.	Clonidine, Methyldopa
Renin Inhibitors	Inhibit renin, reducing Angiotensin I and II, leading to vasodilation.	Aliskiren
Potassium Sparing Diuretics	Inhibit sodium reabsorption in the distal tubule, conserving potassium.	Spironolactone, Amiloride, Triamterene

ratio and limited availability of vital medications, further complicating hypertension management.[1,2] Given the rising prevalence and severe consequences of hypertension, formulating comprehensive and strategic policies to mitigate this growing health crisis among middle-aged and elderly populations must be prioritized. Therefore, implementing targeted interventions, enhancing healthcare accessibility, and promoting public awareness are essential to effectively addressing this escalating burden.[3] Urgent measures are needed to enhance avoidance, early finding, as well as effective hypertension treatment. Additionally, substantial investment in large-scale health surveillance is crucial to generate essential national health statistics, enabling informed policy decisions and improved public health outcomes.[4]

Nonadherence to allopathic antihypertensive medications remains a major obstacle to achieving optimal blood pressure control, significantly exacerbating the worldwide challenge of cardiovascular diseases and associated mortality. Although effective treatments are available, a staggering 50% of patients discontinue their prescribed antihypertensive therapy within the first year of initiation. This widespread lack of adherence not only diminishes treatment efficacy but also increases the risk of severe complications, placing additional strain on healthcare systems worldwide. Recognizing the urgency of this issue, the World Health Organization has developed a comprehensive Structural model to elucidate the multifactorial reasons behind medication nonadherence. These factors span across various domains, including socioeconomic determinants such as age, sex, financial constraints, and educational background. Patient-related elements, such as an individual's willingness to embrace lifestyle modifications and their confidence in managing their condition, also play a crucial role. Furthermore, therapy-related barriers—such as undesirable side effects, Intricate dosing schedules and the substantial financial strain of direct costs of medication, frequently discourage patients from maintaining consistent adherence. The presence of comorbidities, particularly cardiovascular diseases and mental health disorders, further compounds the challenge by increasing the complexity of treatment regimens. Additionally, systemic healthcare shortcomings, including inefficient doctor-patient communication, lack of trust in medical professionals, and physician burnout, contribute to declining adherence rates.[5,6] Effectively addressing these intertwined challenges necessitates a holistic, multi-pronged approach. Strengthening patient education programs, improving healthcare accessibility, enhancing physician-patient relationships, and implementing policy-driven interventions are essential steps in promoting adherence. By tackling these barriers at both individual and systemic levels, the load of hypertension-connected complications may be greatly minimized, leading to improved public health consequences and reducing healthcare expenditures on a global scale.[7,8] Around 75% to 80% of the global population, particularly in developing nations, relies on herbal medicines as their primary healthcare approach. This widespread preference is driven by their natural compatibility with the human body, affordability compared to modern pharmaceuticals, and a lower incidence of adverse effects.[9]

Table 2: Role of each herb in the maintaining cardiovascular health

Mechanism	Herb	Role in Hypertension
Nitric Oxide (NO) Modulation & Vasodilation	Hawthorn	Stimulates NO production, leading to vasodilation.
	Beetroot	Converts nitrates to NO, improving circulation.
	Ginkgo biloba	Increases endothelial NO production, improving blood flow.
	Celery	Contains phthalides, enhancing NO bioavailability and relaxing blood vessels
Calcium Channel Blockade (CCB) & Vascular Relaxation	Garlic	Allicin interferes with calcium channels, promoting relaxation.
	Ginger	Inhibits Ca^{2+} influx, reducing vascular contraction.
	Indian Snakeroot	Reduces vascular resistance through calcium channel inhibition.
	Basil	Eucalyptol and flavonoids help relax blood vessels.
Renin-Angiotensin System (RAS) Inhibition	Rauwolfia serpentina	Reserpine blocks ACE activity, reducing vasoconstriction.
	Olive Leaf	Oleuropein inhibits ACE, improving vascular function.
	Pomegranate	Polyphenols prevent Ang II-induced vasoconstriction.
	Fenugreek	Saponins inhibit RAS, lowering blood pressure.
Diuretic Action	Hibiscus	Inhibits sodium reabsorption, reducing blood volume.
	Dandelion	enhances urine production without potassium depletion.
	Parsley	Stimulates renal excretion, reducing fluid retention.
Antioxidant & Anti-Inflammatory Effects	Green Tea	Catechins reduce oxidative stress and improve endothelial function.
	Turmeric	Curcumin reduces inflammation and oxidative damage.
	Rosemary	Carnosic acid protects against vascular inflammation.
	Grape Seed	Polyphenols protect blood vessels from oxidative stress.
Neurotransmitter Modulation	Valerian	Enhances GABAergic activity, reducing sympathetic tone.
	Lavender	Calming effects lower stress-induced hypertension.

Managing hypertension effectively necessitates the integration of non-pharmacological interventions as a fundamental component of patient care. Modifications in lifestyle, such as stress management, regular physical activity, and dietary adjustments, perform a crucial part in complementing conventional treatments. Complementary and alternative medicine (CAM) has gained widespread recognition and acceptance in numerous countries with well-established modern healthcare systems. These approaches, which include herbal therapies, acupuncture, yoga, and meditation, are increasingly being incorporated into hypertension management strategies due to their potential benefits in improving overall cardiovascular health and reducing dependence on pharmacological treatments.[10]

The practice of complementing herbs with prescribed medications involves the simultaneous consumption of various herbal supplements or plant-based remedies alongside conventional antihypertensive drugs to enhance therapeutic outcomes. These herbs, often derived from raw plants, may be used in dried, minimally processed, or mildly boiled and infused forms. Several herbal treatments have been reported to lower blood pressure, improve lipid profiles, enhance mental alertness, and alleviate depressive symptoms; however, they may also pose potential risks and adverse effects. A combination of a Overall blood pressure levels were significantly reduced with the use of a low-dose diuretic and tomato extract. Additionally, this intervention led to a marked decrease in total cholesterol (TC) and low-density lipoprotein cholesterol (LDL-C), while high-density lipoprotein cholesterol (HDL-C) levels showed a significant increase. Despite such promising findings, efficiency of herbal as well as medication supplementation varies widely depending on the specific combinations used[11]. To better understand the potential benefits and risks, a systematic review of existing research is essential to comprehensively assess clinical efficacy plus risk assessment of combining herbs with antihypertensive medications. Establishing evidence-based guidelines for such integrative approaches could offer valuable benefits to the hypertensive population, potentially paving the way for alternative treatment strategies within modern healthcare systems.[11] An estimated 8% to 70.4% of patients reported that natural drugs were very powerful plus didn’t pose any issues while utilized alongside conventional antihypertensive drugs. This significant variation in perception emphasizes the necessity for additional investigation to assess safety, effectiveness, and potential interactions of natural and pharmaceutical combinations in hypertension controlling.[12]

The development of innovative therapeutic strategies for hypertension management is essential. Recent research has focused on integrating traditional synthetic medications alongside herbal remedies. That interact with multiple targets, to improve management outcomes and improve patient compliance.. This approach, known as ‘Allo-polyherbal’ therapy, has demonstrated the potential to improve the efficiency of synthetic antihypertensive medications whereas simultaneously reducing adverse things, offering a more holistic and patient-friendly treatment option.[13] Allopolyherbal formulation is an innovative and comprehensive approach that merges traditional therapeutic practices with modern medical systems. This collaboration creates a unique combination that leverages the strengths of both approaches, fostering the development of a healthier society. One of the primary advantages of this integration is that the therapeutic effects of the treatment remain unchanged while minimizing unwanted side effects by reducing the dosage of allopathic drugs. Polyherbal formulations, enriched with active phytochemicals, have shown high therapeutic efficacy, and these effects are further enhanced when compatible herbs are combined. As the medical field continues to prioritize selecting the most effective treatments for promoting healthy lifestyles, the fusion of Ayurveda and allopathy offers a promising, well-rounded approach. However, this integration requires significant research and effort to fully realize its potential. Allopolyherbal formulations may serve as a pivotal link in harmonizing these two systems of medicine, providing a pathway toward more holistic healthcare solutions.[14] Pharmacovigilance is essential in overseeing the safety of allopathic, homeopathic, and herbal medications, mainly in the treatment of hypertension. As the use of holistic plus supplementary medicines in conjunction with standard treatments continues to rise globally, it becomes increasingly important to gain a comprehensive insight into possible drug interactions and adverse effects. This knowledge is vital for ensuring patient safety and optimizing treatment outcomes in the management of hypertension.[15, 16]

The concept of Allo-polyherbal therapy is explored in depth, revealing its potential advantages in managing cardiovascular diseases. This article offers an in-depth analysis of the existing understanding of Allo-polyherbal therapies, with a focus on their synergistic properties, biopharmaceutical considerations, and drug delivery systems (DDS) in the context of combining traditional and modern medicinal approaches. The article also highlights future directions aimed at enhancing pharmacovigilance across these diverse therapeutic modalities to ensure safer and more effective treatments.

Pharmacological Mechanisms of Conventional Antihypertensive Medicines and Natural Drugs

The management of hypertension remains one of the most common reasons for prescribing medication, with an ever-expanding range of antihypertensive drugs being introduced. Despite the variety of available options, managing hypertension remains a complex challenge, particularly as patients often present with multiple comorbidities and metabolic issues. Clinicians must carefully navigate through different drug classes to identify the optimal treatment for each separate patient. Whereas the primary goal is to lower blood pressure, it is equally significant to address the various pathophysiological factors contributing to the condition. When selecting a drug, it is essential to consider both its therapeutic benefits and potential side effects. This is particularly critical for hypertensive patients who may also be diabetic, glucose intolerant, or have pre-existing conditions like atherosclerosis or endothelial dysfunction. For such patients, medications that could exacerbate these conditions must be avoided. A thorough understanding of the pathophysiological mechanisms underlying hypertension is vital for effective treatment. Each class of antihypertensive drugs offers distinct advantages, but also comes with certain risks. Therefore, healthcare providers must carefully weigh these factors, tailoring their choice of medication to the individual needs of the patient, ensuring optimal management of hypertension while minimizing potential complications.[17,19]

Antihypertensive Allopathic Drugs: Pharmacological Mechanisms[20-25]

This sector offers a comprehensive analysis of the key pharmacological classes of antihypertensive drugs, encompassing angiotensin-converting enzyme (ACE) inhibitors, beta-blockers, diuretics, calcium channel blockers, and angiotensin II receptor antagonists etc. (Fig. 1 and Tab. 1). Additionally, other pharmacological classes are briefly discussed, such as alpha-adrenergic receptor blockers, renin inhibitors, centrally acting agents, and Potassium Sparing Diuretics. These classes represent various mechanisms of action aimed at managing hypertension, each offering unique benefits and considerations for patient treatment.

Diuretics: Diuretics lower BP by reducing volume of blood and cardiac output through the promotion of sodium as well as water elimination. Thiazide diuretics and loop diuretics enhance natriuresis plus diuresis, respectively. However, due to their reduced effectiveness in preventing cardiovascular events, they are not recommended as first-line treatments for hypertension compared to other first-line agents. Thiazide diuretics cause an initial depletion of blood volume, leading to decreased cardiac output that normally recovers in six to eight weeks owing to reverse autoregulation mechanisms whereas maintaining BP control. Despite their effectiveness, thiazides can quickly stimulate the renin-angiotensin system, increasing systemic vascular resistance and reducing the drug's response. These medications primarily work by increasing sodium excretion in the thick ascending limb of the renal tubule.

Beta-Blockers: These are diverse class of drugs with varying pharmacodynamic properties, such as vasodilating effects, partial agonist activity, and cardiac selectivity. These drugs all lower blood pressure by reducing cardiac output and inducing vasodilation to varying extents. These medications act by inhibiting the binding of catecholamines to beta-adrenergic receptors (Beta-1, Beta-2, and Beta-3). While Beta-1 receptors are primarily found in the heart muscle, Beta-2 receptors are located in the bronchial and peripheral vascular smooth muscles, and Beta-3 receptors are situated in adipose tissue. Beta-blockers, including Atenolol, Metoprolol, Propranolol, Carvedilol, and Bisoprolol, reduce heart rate and myocardial contractility, effectively managing hypertension.

Angiotensin-Converting Enzyme (ACE) Inhibitors: These are, first introduced in the 1980s with captopril, became widely used with subsequent drugs such as enalapril, lisinopril, ramipril, and others. These medications lower blood pressure by inhibiting the angiotensin-converting enzyme, thereby preventing the conversion of angiotensin

Table 3: Herbal and allopathic drug combinations for Cardiovascular System

Herbal Medicine	Allopathic Drug(s)	Positive Outcome
Piper nigrum (Black pepper)	Propranolol	Prolongs drug presence, enhancing effectiveness.[40]
Cucurbita sp.	Warfarin	Enhances anticoagulant effect.[40]
Azadirachta indica (Neem)	Glimepiride, Glucotrol, Micronase, Orinase	Additive effect, may improve cardiovascular protection through blood sugar control.[40]
Garlic (Allium sativum)	Captopril	Garlic's hypolipidemic effects are enhanced by captopril, showing synergistic antihypertensive and cardioprotective effects in rats.[42]
Garlic (Allium sativum)	Hydrochlorothiazide	Increases bioavailability and half-life of hydrochlorothiazide; reduces potassium excretion, demonstrating synergistic cardioprotective and antihypertensive effects.[42]
Garlic (Allium sativum)	Hydrochlorothiazide	Demonstrates synergistic cardioprotective plus antihypertensive things in contradiction of induced toxicities (fructose and isoproterenol) in rats.[42]
Aged Garlic Extract	Atenolol	Aged garlic extract plus S-allylcysteine combined with atenolol help combat myocardial dysfunction during isoproterenol-induced cardiotoxicity in rats.[42]
Ginger	Atorvastatin	Combined effect improves lipid profile and reduces atorvastatin-induced hepatic toxicity; beneficial for hypercholesterolemic patients susceptible to liver abnormalities[42]
Hibiscus sabdariffa	Hydrochlorothiazide	Co-administration results in increased urine volume, lower pH of urine, and decreased sodium, bicarbonate, and chloride ions concentration, showing enhanced diuretic effects.[42]
Cinnamomum verum (CV)	Isoproterenol (ISO)	CV alone helps in attenuating ISO-induced myocardial oxidative stress, restoring antioxidant levels and reducing oxidative stress.[43]
Stingless Bee Honey (SBH)	Isoproterenol (ISO)	SBH alone helps to restore antioxidant levels plus decrease oxidative stress markers, showing significant improvement in myocardial health.[43]
Cinnamomum verum (CV) and Stingless Bee Honey (SBH)	Isoproterenol (ISO)	Combined CV and SBH outperformed individual administration in attenuating ISO-induced myocardial oxidative stress, restoring antioxidant levels, and normalizing oxidative stress and inflammatory markers.[43]
Mango leaf + Ginger Tea	Allopathic antihypertensive agents	The combination of mango leaf and ginger tea with antihypertensive medications extends the therapeutic duration, improves vascular elasticity, and reduces peripheral resistance. This enhances the effectiveness of the allopathic agents. The antioxidant and micronutrient properties of the tea improve clinical outcomes, and the ginger promotes angiogenesis, which further enhances the therapeutic effect.[44]
Guggulu	Allopathic Hypolipidaemics	Guggulu potentiates the cholesterol and triglyceride-lowering effects of hypolipidemic drugs, reducing the required dose or eliminating the need for the drug.[45]
Jatamamsi	Allopathic Antihypertensive Drugs	Jatamamsi may have an additive effect with antihypertensive medications, necessitating cautious use.[45]

I to angiotensin II. The decrease in angiotensin II levels causes vasodilation, effectively lowering blood pressure and alleviating the strain on the heart

Angiotensin II Receptor Blockers (ARBs): The first ARB, losartan, was introduced towards the end of the 1990s, with the subsequent development of other drugs like telmisartan, valsartan, and candesartan. These drugs work by blocking the binding of angiotensin II to the AT1 receptors, preventing vasoconstriction and reducing blood pressure. ARBs offer a similar therapeutic effect to ACE inhibitors but are less prone to causing certain side effects like cough.

Calcium Channel Blockers (CCBs): CCBs, which include verapamil, diltiazem, and dihydropyridines such as nifedipine and amlodipine, promote vascular smooth muscle relaxation and reduce peripheral resistance. By inhibiting calcium entry into cells through L-type voltage-gated calcium channels in the heart muscle, CCBs induce peripheral vasodilation, slowing cardiac contractility and conduction. This leads to a reduction in blood pressure. Different subclasses of CCBs, such as amlodipine and nifedipine, differ in their effects upon vascular smooth muscle and cardiac muscle.

Alpha-Blockers: Alpha-1 blockers, such as Doxazosin, Prazosin, and Terazosin, lessen BP by inhibiting alpha-1 receptors, leading to the relaxation of vascular smooth muscles and vasodilation. These medications are particularly useful in managing hypertension associated with benign prostatic hyperplasia, as they also help alleviate urinary symptoms.

Centrally Acting Agents: Drugs like clonidine and methyldopa reduce sympathetic nervous system outflow from the central nervous system, resultant in a decrease in blood pressure. Due to their lower effectiveness in preventing cardiovascular events, these agents are typically not recommended as first-line treatments for hypertension.

Renin Inhibitors: Aliskiren is the merely straight renin inhibitor presently existing. It is a powerful plus selective inhibitor of human renin, which plays a key role in the renin-angiotensin-aldosterone system. Unlike ACE inhibitors and ARBs, aliskiren increases plasma renin concentration more significantly. It is used in patients with hypertension to decrease BP through hindering renin's role in the production of angiotensin II.

Potassium-Sparing Diuretics: Potassium-sparing diuretics, such as spironolactone, target the main cells in the late distal tubule and collecting duct. They inhibit sodium reabsorption though decreasing the excretion of potassium and hydrogen ions, thus preserving potassium levels in the body. These diuretics are often administered alongside other diuretics to counteract potassium loss, and they are especially helpful in patients with conditions like heart failure, where potassium balance is critical.

Antihypertensive Herbal Medicines: Pharmacological Mechanisms[26-30]

Herbal medicines have long been recognized for their ability to regulate blood pressure through a wide range of mechanisms, often mimicking or complementing the actions of conventional antihypertensive drugs. According to the WHO, the use of natural herbs plus shrubs to treat a variety of ailments has been steadily increasing worldwide, as these plants offer a cost-effective and holistic alternative to modern pharmaceuticals. They are considered essential industrial units in the discovery and development of novel chemical constituents, particularly those with immunomodulatory effects that strengthen the body's natural defenses ability to combat various health challenges. Beyond their medicinal benefits, herbal products and food supplements have gained popularity for their potential to improve general health. The bioactive compounds in medicinal plants exhibit pharmacological properties that significantly influence the modulation of hypertension's underlying pathophysiology. These plants impact various physiological processes that regulate blood pressure. Herbal medicines exert their antihypertensive effects through a diverse array of molecular and cellular mechanisms (Table 2 and Figure 2). These include enhancing nitric oxide (NO) production, which promotes vasodilation and improves blood flow; relaxing vascular smooth muscle, which reduces peripheral resistance; and modulating the renin-angiotensin system, which shows an essential part in ruling of blood volume and vascular tone.



Figure 1: Pharmacological mechanisms allopathic antihypertensive drugs

Moreover, many medicinal plants exhibit diuretic properties, helping the body Eliminate surplus sodium plus water, leading to a reduction in blood volume and a decrease in blood pressure. Their antioxidant characteristics further contribute to the reduction of oxidative stress, which is known to exacerbate hypertension and cardiovascular disease. Furthermore, some herbal agents influence neurotransmitter signaling and enhance endothelial function, leading to improved vascular health. By targeting multiple pathways involved in blood pressure regulation, medicinal plants offer a holistic approach to managing hypertension. Their diverse biological effects contribute to the overall improvement of cardiovascular health, making them a valuable complement to conventional treatments to regulate blood pressure and minimize the risk of complications associated with hypertension.. As research into these natural therapies continues to expand, the potential for integrating herbal medicines into modern antihypertensive regimens grows, providing patients with more options to manage their condition in a safe and effective manner.

Nitric Oxide (NO) Modulation & Vasodilation

Nitric oxide (NO) is an essential molecule which takes part in mainatning vascular tone. It promotes blood vessel dilation by relaxing the smooth muscle in the walls of blood vessels, leading to a decrease in vascular resistance plus consequently dropping blood pressure. Several medicinal herbs enhance the bioavailability of NO by stimulating the activity of endothelial nitric oxide synthase (eNOS), that is responsible for NO production. Additionally, some herbs may inhibit the breakdown of NO or increase its release from endothelial cells. By boosting NO levels, these herbs promote vasodilation, enhance endothelial function, and reduce arterial stiffness, which collectively contribute to better blood pressure control and improved cardiovascular health.

Examples: *Hawthorn* (Crataegus spp.), *Beetroot* (Beta vulgaris), *Ginkgo biloba*, *Celery* (Apium graveolens).

Calcium Channel Blockade (CCB) & Vascular Relaxation

Calcium ions (Ca^{2+}) are critical for the contraction of vascular smooth muscle. The blockade of calcium channels prevents the influx of Ca^{2+} into these cells, leading to reduced muscular contraction and subsequent relaxation of blood vessels. This mechanism effectively decreases vascular resistance and lowers blood pressure. While many pharmaceutical antihypertensive agents function as calcium channel blockers, a range of herbal remedies exhibit similar actions, aiding in alleviating the burden on the cardiovascular system. Through calming the blood vessels, these herbs play a vital role in promoting better blood circulation and lowering overall arterial pressure.

Examples: *Garlic* (Allium sativum), *Ginger* (Zingiber officinale), *Indian Snakeroot* (Rauwolfia serpentina), *Basil* (Ocimum basilicum).

Renin-Angiotensin System (RAS) Inhibition

This system is a important controller of blood pressure, influencing both fluid balance and vascular tone. Through the enzymatic action of ACE, angiotensin I is converted into angiotensin II, a potent vasoconstrictor. By inhibiting ACE, certain herbs effectively prevent the formation of angiotensin II, which reduces vasoconstriction and helps lower blood pressure. This action has significant implications in the management of hypertension, as controlling the RAS can ease the workload on the heart and blood vessels, leading to improved overall cardiovascular health.

Examples: *Rauwolfia serpentina*, *Olive Leaf* (Olea europaea), *Pomegranate* (Punica granatum), *Fenugreek* (Trigonella foenum-graecum).

Diuretic Action

Diuretics are commonly used to manage hypertension by promoting the elimination of excess sodium and water from the body. This reduction in fluid volume directly decreases blood volume and arterial pressure. Some herbs act as natural diuretics by stimulating urine production, enhancing sodium excretion, and reducing extracellular fluid volume. These effects help lower cardiac output and decrease the overall pressure exerted on blood vessels, providing an effective way to manage elevated blood pressure without the need for synthetic diuretics.

Examples: *Hibiscus* (Hibiscus sabdariffa), *Dandelion*



Figure 2: Antihypertensive Herbal Medicines: Pharmacological Mechanisms

(Taraxacum officinale), *Corn Silk* (Zea mays), *Parsley* (Petroselinum crispum).

Antioxidant & Anti-Inflammatory Effects

Oxidative stress plus chronic inflammation are key contributors to hypertension, as they lead to endothelial dysfunction, reduced NO bioavailability, and increased vascular resistance. Many herbs are rich in antioxidants, including flavonoids, polyphenols, and other bioactive compounds that scavenge free radicals and decrease oxidative stress. These antioxidants help defend the endothelial cells, reduce inflammation, and improve vascular function. Anti-inflammatory properties also aid in preventing atherosclerosis and other cardiovascular conditionsthereby offering a comprehensive approach to managing hypertension.

Examples: *Grape Seed Extract* (Vitis vinifera), *Green Tea* (Camellia sinensis), *Rosemary* (Rosmarinus officinalis), *Turmeric* (Curcuma longa),.

Neurotransmitter Modulation

The autonomic nervous system (ANS) shows a central part in regulating blood pressure by balancing the sympathetic as well as parasympathetic nervous systems. Certain herbs contain neuroactive compounds that can modulate neurotransmitter levels, such as serotonin, dopamine, and gamma-aminobutyric acid (GABA). These compounds help reduce sympathetic overactivity, which is often a contributing factor to high blood pressure. By enhancing the parasympathetic response and relaxing the blood vessels, these herbs help to lower blood pressure and increase general circulatory fitness.

Examples: *Valerian* (Valeriana officinalis), *Lavender* (Lavandula angustifolia), *Ashwagandha* (Withania somnifera).

Endothelial Function & Smooth Muscle Relaxation

The health of the endothelium is essential for maintaining vascular homeostasis. The endothelial cells regulate vascular tone, nitric oxide production, and inflammation, all of which are critical for healthy blood pressure regulation. Some herbs can enhance endothelial repair mechanisms and prevent the proliferation of vascular smooth muscle cells (VSMCs), which can lead to arterial stiffness. By promoting better endothelial function and reducing smooth muscle cell proliferation, these herbs assist in enhancing circulation and sustaining optimal blood pressure levels.

Examples: *Ginseng* (Panax ginseng), *Amla* (Phyllanthus emblica), *Bilberry* (Vaccinium myrtillus), *Gotu Kola* (Centella asiatica).

Through their diverse and multifaceted actions, medicinal herbs offer a holistic approach to managing hypertension. They target various biological pathways, from vasodilation to antioxidant protection, contributing to improved cardiovascular health and enhanced blood pressure regulation. These natural remedies hold significant potential in the treatment and prevention of hypertension, offering an alternative or complementary option to conventional antihypertensive therapies.

Role of Drug Delivery Systems (DDS) in Enhancing Efficacy and Bioavailability

The integration of medical practices has introduced novel treatment options, particularly through the combination of allopathic diagnostic methods with Ayurvedic treatment approaches. Additional studies are required to investigate the efficacy of combining Ayurveda plus allopathy, particularly in terms of bioavailability. This area of study has the potential to transform treatment strategies and inspire researchers to optimize patient care, ultimately advancing the field of medicine[30].

Both herbal and allopathic drugs encounter significant challenges in bioavailability due to factors such as poor solubility, instability, and inconsistent absorption, which ultimately lead to variable therapeutic outcomes. Many pharmaceutical drugs, especially those with low water solubility, struggle to dissolve effectively in body fluids, negatively impacting their bioavailability and overall therapeutic effectiveness. Similarly, herbal medicines often face issues with solubility and stability, further complicating their absorption and efficacy.

When combining allopathic and herbal antihypertensive drugs, bioavailability concerns are magnified due to complex drug interactions, absorption variability, and metabolic alterations. Herbal components can influence drug metabolism by modulating cytochrome enzymes, leading to either enhanced or diminished drug effects. Furthermore, phytochemicals in herbal formulations may compete with allopathic drugs for binding sites on plasma proteins, which can affect free drug concentration and therapeutic activity. Stability issues arise from differences in solubility, degradation pathways, and the dependency of both drug types on gastrointestinal pH, which can result in unpredictable therapeutic effects. Additionally, the composition of gut microbiota can significantly influence the metabolism of both herbal and allopathic drugs, altering their pharmacokinetics.

Examples of known interactions include Guggul, which may interfere with anticoagulants and antihypertensives, Garlic, which could increase bleeding risks when combined with anticoagulants, and Ashwagandha, which may enhance the sedative effects of barbiturates. Moreover, castor oil has been shown to reduce the effectiveness of antiarrhythmic medications as well as diuretics. The absence of standardized clinical data regarding these interactions adds complexity to treatment strategies, highlighting the need for comprehensive drug history assessments, optimized dosing schedules, and regulatory guidelines.

Moreover, genetic polymorphisms related to drug-metabolizing enzymes can cause individuals to respond differently to combination therapies, further complicating the clinical approach. To overcome these bioavailability challenges, advanced drug delivery systems such as nanoformulations and polymeric carriers are essential. These systems can improve solubility, stabilize active compounds, and allow for controlled drug release, ensuring consistent bioavailability and enhanced therapeutic efficacy.[31-33] The challenges presented by low bioavailability and inconsistent therapeutic outcomes highlight the urgent need for the development of advanced drug delivery systems (DDS). These innovative systems can significantly improve the bioavailability and effectiveness of both herbal and allopathic medications. By utilizing cutting-edge technologies such as nanotechnology, polymeric carriers, and targeted delivery strategies, DDS can overcome the limitations of traditional drug formulations, ensuring more efficient absorption and sustain therapeutic effects.

Nanotechnology[34-36]

Nanosized drug delivery systems offer significant potential in enhancing the biological activity of herbal medicines and addressing the challenges typically associated with plant-based treatments. Nanotechnology-based delivery platforms, including lipid nanoparticles, nanocrystals, and nanoemulsions, increase the solubility plus permeability of poorly water-soluble drugs, whether herbal or allopathic. These nanocarriers safeguard bioactive compounds from enzymatic breakdown, facilitating better absorption and prolonged release. In the context of antihypertensive therapy, nano-lipid carriers (NLCs) and polymeric nanoparticles can enhance the bioavailability of herbal extracts such as Guggul or Garlic, while simultaneously stabilizing synthetic medications like amlodipine or losartan. Additionally, curcumin-loaded polymeric nanoparticles, commonly referred to as "nanocurcumin," exhibit enhanced dispersibility in aqueous media, optimizing its therapeutic potential.[34]

Polymeric Drug Delivery Systems

Polymeric nanoparticles have arisen as a highly talented formulation for drug delivery systems because of its ability to provide targeted therapy. These colloidal systems function as effective vectors, enabling controlled drug release while ensuring precise targeting to specific sites within the body. Their versatility in drug delivery applications makes them valuable tools for enhancing the efficacy and localization of therapeutic agents.[34] Polymeric nanoparticles offer significant advantages over traditional formulations by enhancing the solubility of active ingredients, dropping the mandatory therapeutic amount, as well as refining the absorption of bioactive components. Drug delivery systems based on polymers such as chitosan, PLGA (poly(lactic-co-glycolic acid)), and alginate-based hydrogels provide controlled and sustained release of active pharmaceutical ingredients (APIs). This mechanism ensures consistent plasma levels of the drug, helping to minimize side effects like hypotension or drug resistance. Furthermore, these polymeric systems protect the bioactive compounds in herbal formulations from premature degradation, preserving their synergistic effects when combined with allopathic antihypertensive medications. Chitosan nanoparticles, for example, have gained attention as an effective delivery system for a variety of therapeutic agents, including antimicrobials, growth factors, anti-inflammatories, and anticancer drugs. In addition to its role in nanoparticle-based drug delivery, chitosan is also being increasingly explored as a vehicle for other carriers, such as gels, enhancing its potential in diverse pharmaceutical applications.[37]

Targeted Drug Delivery

This play a crucial role in ensuring that drugs are delivered to targeting specific locations in the body while reducing systemic toxicity plus enhancing therapeutic efficacy. By utilizing lipid-based nanoparticles and ligand-conjugated nanocarriers, these systems can be tailored to improve the accumulation of drugs in targeted vascular tissues, thereby enhancing the effectiveness of antihypertensive treatments. Such targeted approaches not only optimize therapeutic outcomes but also reduce the risk of adverse drug interactions, particularly between herbal and synthetic components, by ensuring that each drug is delivered to its intended site of action. For example, lipid nanoparticles (LNPs) have been widely employed to carry both herbal and allopathic therapeutic agents, with the ability to be engineered to accumulate in specific tissues. This targeted approach resulted in better drug efficacy plus a decrease in potential for systemic side effects.[38] In addition, solid lipid nanoparticles (SLNs) have developed as a capable drug delivery system for a wide array of pharmaceuticals, including antimicrobials, growth factors, anti-inflammatory agents, and anticancer drugs. SLNs provide several advantages, like controlled and sustained drug release, enhanced stability of active compounds, and the ability to target specific tissues. These features make SLNs an effective tool for improving the therapeutic outcomes of both herbal and synthetic medications. By offering precise drug delivery, SLNs help optimize treatment efficacy, while minimizing potential side effects and enhancing the overall stability of the drugs involved.[39] Advanced drug delivery systems (DDS), like nanotechnology, polymeric carriers, as well as targeted delivery methods, are instrumental in optimizing the bioavailability of combined allopathic and herbal antihypertensive medications. These cutting-edge methods enhance the solubility, stability, and controlled release of active compounds, ultimately ensuring more effective and safer management of hypertension. By improving the pharmacokinetic profiles of these drugs, these DDS strategies provide better therapeutic outcomes, reduce side effects, and help maintain consistent blood pressure control.

Synergistic Combinations of Allopathic Drugs and Herbal Medicines

The synergistic combination of Ayurvedic herbal formulations with allopathic drugs presents an innovative approach to tackling the challenge of side effects, offering a more balanced and holistic treatment strategy. While allopathic medicine remains the global go-to choice due to its evidence-based methodology—relying on hypotheses, experimentation, and documented results—it is not without its drawbacks, particularly the risk of side effects. The widespread popularity of allopathic medicine can be attributed to its effectiveness, especially in emergencies, but many of the potent drugs it employs are derived from traditional medicinal plants. For instance, well-known plant-derived drugs like Ephedrine from *Ephedra gerardiana*, Digoxin from *Digitalis purpurea*, and Vincristine from *Catharanthus roseus* highlight the deep-rooted connection between herbal knowledge and modern pharmacology. Today, plant-based medicines are widely used as antibiotics, antifungals, anticancer agents, anti-diabetics, anti-cholesterol treatments, analgesics, and anti-inflammatory agents, all of which are scientifically validated for their efficacy.

In contrast, Ayurvedic treatment systems are recognized for their safety, fewer side effects, accessibility, and cost-effectiveness. However, Ayurvedic practices face challenges, including slower onset of action, limited effectiveness in emergency situations, and a lack of robust evidence-based data to support their therapeutic claims. Combining the strengths of both Ayurvedic and allopathic approaches could potentially provide a more comprehensive treatment plan, balancing the immediate efficacy of allopathy with the holistic, less invasive nature of Ayurveda.[40,41] Table 3 summarizing the allopathic and herbal combinations suggested in the few studies for treating cardiovascular health:

Clinical Efficacy and Safety of Combined Formulations

In india, the integration of traditional herbal medicines with allopathic treatments has gained widespread popularity, particularly for the management of hypertension. While herbal remedies are commonly used alongside conventional drugs, there is often a lack of awareness regarding the possible interactions between these therapies. These interactions can either enhance or reduce the effectiveness of the medications. This study highlights the importance of understanding herb-drug interactions to safeguard the safety and effective combined usage of both treatment approaches. Through a review of scientific literature, the interaction patterns between common herbs and allopathic drugs were examined.

Capsule BP Norm has established significant effectiveness in lowering blood pressure, especially in patients newly diagnosed with hypertension. The formulation effectively reduces both systolic and diastolic pressure while providing relief from symptoms such as headache, fatigue, and disturbed sleep. Its active ingredients—Sarpagandha, Shankhapushpi, Withania, Eclipta alba, and Haritaki-deliver complementary benefits, including anti-stress, diuretic, and cardioprotective effects. The safety profile of Capsule BP Norm is promising, with no adverse reactions reported and physiological markers remaining within normal ranges following treatment. Furthermore, it shows potential as a synergistic agent when combined with allopathic antihypertensive medications. However, more research with larger sample sizes and longer treatment periods is necessary to provide more conclusive evidence.[46]

Approximately 48% of individuals use herbal remedies alongside antihypertensive medications, often without informing their physicians, and 21% have reported experiencing adverse effects. Discontinuation of these combined treatments was primarily due to side effects, perceived inefficacy, or guidance from healthcare professionals. Preferences for herbal medicines are largely driven by dissatisfaction with allopathic treatments, high costs, cultural practices, and concerns about safety. This study underscores the importance of healthcare providers proactively inquiring about herbal medicine use when taking patient drug histories to ensure safer and more effective treatment management.[47]

The study revealed that antibiotics, oral hypoglycemics, and anticonvulsants mostly demonstrated synergistic interactions when used alongside herbal products.[48] It also highlighted interactions with CYP450 enzymes, which could either activate or inhibit these enzymes, affecting the metabolism of drugs that rely on this enzyme system. These findings suggest that, while herbal products are commonly regarded as safe, they may influence the efficacy of allopathic drugs through such interactions. This underscores the need for more systematic research into herb-drug combinations. Given the widespread use of herbal therapies in India, where awareness of potential interactions is often limited, further investigation is essential to ensure the safety and clinical effectiveness of these combined treatments.[48]

The combination of allopathic antihypertensive medications with herbal formulations shows potential in enhancing hypertension management. Herbs like garlic, hawthorn, ginger, and turmeric have demonstrated effectiveness in lowering blood pressure and promoting cardiovascular health. Garlic, particularly, is well-known for its ability to reduce both systolic and diastolic blood pressure due to its active compound, allicin, which facilitates vasodilation. Hawthorn has proven beneficial in improving heart function and reducing blood pressure by dilating blood vessels and decreasing vascular resistance. Ginger, recognized for its circulation-enhancing properties, also acts as a natural vasodilator and supports blood pressure regulation. Despite these promising effects, concerns regarding safety emerge when combining these herbs with allopathic drugs, especially regarding herb-drug interactions. For instance, garlic may amplify the effects of antihypertensive medications, potentially leading to hypotension, and it may interact with blood thinners such as warfarin, increasing the bleeding risk. Similarly, Ginkgo biloba, when used with anticoagulants, can elevate the risk of bleeding. These interactions necessitate careful consideration to ensure safe and effective combined therapy.[49-52]

The integration of herbal remedies with allopathic drugs requires careful monitoring to prevent undesirable effects, such as excessive blood pressure reduction or interactions that could compromise the efficacy of prescribed medications. Personalized treatment, based on an individual's health profile, coupled with ongoing monitoring, is essential to ensure both safety and effectiveness. While combining herbal and allopathic treatments offers potential therapeutic benefits, it is vital for patients to openly discuss their use of herbal remedies with healthcare providers to mitigate possible risks. To establish clearer and safer guidelines for incorporating these approaches into hypertension management, further clinical trials are necessary. This formulation has demonstrated significant efficacy in lowering blood pressure and improving the overall health of hypertensive patients, with a favorable safety profile. Traditional herbal medicine has provided relief to many over the years; however, modern skepticism calls for scientific validation.

Research is crucial for confirming the safety and efficacy of herbal remedies, identifying active compounds, and investigating potential interactions with other medications. This research bridges the gap between traditional and contemporary medicine, enabling herbal treatments to be integrated into mainstream healthcare practices. Clinical trials are vital for validating their benefits, with Ayurvedic therapies showing promise in treating conditions such as obesity, diabetes, and cardiovascular diseases.[53]

Applications of Allopolyherbal Formulations

Clinical Trials and Evidence

Allopolyherbal formulations, which combine various herbal extracts, have been studied for their potential antihypertensive effects through numerous clinical trials. These studies focus on their capacity to lesser blood pressure, enhance vascular function, plus decrease oxidative stress plus inflammation. The clinical evidence often supports the use of these formulations as adjuncts to conventional antihypertensive drugs, demonstrating their ability to enhance treatment effectiveness while reducing side effects. However, additional large-scale, randomized controlled trials are required to further establish their effectiveness and long-term safety.

Several studies have explored the combination of allopathic antihypertensive medications with herbal remedies to assess both efficacy and safety. One noteworthy study examined the use of the Chinese patent medicine Liu Wei Di Huang Wan (LWDHW) alongside standard antihypertensive treatments. The findings indicated that this combination significantly improved blood pressure regulation in addition to relieved signs in patients with essential hypertension.[54]

A comprehensive review assessed the cardiovascular effects of several herbal products plus their possible interactions with antihypertensive medications. The review highlighted that certain herbs, such as garlic and green tea, not only exhibit antihypertensive properties but may also interact with conventional antihypertensive drugs. These interactions have the potential to influence the efficacy or safety profiles of the medications, emphasizing the need for careful monitoring when combining herbal remedies with pharmaceutical treatments.[51]

Studies suggest that a large proportion of hypertensive patients use herbal remedies alongside prescribed antihypertensive medications. For example, a review revealed that in several countries, nearly 80% of patients incorporate herbal medicine— individually or when combined with conventional antihypertensive drugs—as portion of their hypertension management strategy.[55]

Safety Considerations: Future Perspectives and Trends

The incorporation of allopolyherbal formulations into hypertension management raises important safety concerns that must be carefully considered to protect patient health. A key issue is the possibility of herb-drug interactions, which can either reduce the effectiveness of standard antihypertensive medications or cause harmful side effects. A comprehensive review and meta-analysis showed that, while herbal remedies are commonly utilized by patients, with hypertension, certain herbs may present risks when combined with allopathic drugs. For example, commonly used herbs such as Allium sativum (garlic) and Hibiscus sabdariffa have been found to interact with antihypertensive medications, necessitating vigilant monitoring of these combinations.[49,51,56]

The variability in bioactive compound concentrations within herbal ingredients presents a important task in their usage. Factors like cultivation conditions, timing of harvest, and processing methods can lead to inconsistencies in potency, making it difficult to standardize these products. This variability emphasizes the need for stringent quality control measures to ensure reliable therapeutic outcomes.

Looking forward, efforts to address these challenges include optimizing formulation techniques and improving quality control through advanced analytical methods. The integration of modern pharmacovigilance systems will also be essential for tracking adverse effects and ensuring patient safety. Moreover, the creation of evidence-based guidelines and comprehensive regulatory frameworks will be vital for the safe and effective incorporation of allopolyherbal formulations into hypertension treatment strategies.

By focusing on these safety considerations and embracing upcoming advancements, healthcare providers will be better equipped to navigate the complexities associated with allopolyherbal formulations, ultimately leading to improved patient outcomes in hypertension management.

Personalized Medicine

Allopolyherbal formulations may customize to encounter the sole requirements of separate patients through the integration of pharmacogenomics and metabolomics. Personalized treatment strategies take into account genetic variations, metabolic responses, and any underlying health conditions, allowing for the optimization of herbal combinations to achieve more effective blood pressure management. Moreover, advancements in artificial intelligence and machine learning have the potential to further improve personalized prescription models, ultimately improving treatment outcomes tailored to each patient's specific profile.[57]

Smart Drug Delivery Systems

The combination of allopolyherbal formulations with cutting-edge technologies like nanotechnology and smart drug delivery systems holds significant promise for improving the management of hypertension. Utilizing advanced carriers such as lipid-based vehicles, hydrogels, and polymeric nanoparticles can enhance the bioavailability of bioactive compounds, ensuring more targeted delivery and controlled release. These innovations optimize therapeutic effects, reduce blood pressure fluctuations, and decrease the frequency of dosing. Future studies are expected to focus on developing hybrid delivery systems that seamlessly integrate both synthetic and herbal elements to achieve enhanced and synergistic antihypertensive outcomes.[34-37]

CONCLUSION

The integration of allopathic antihypertensive drugs with herbal medicines in drug delivery systems represents a promising approach for optimizing hypertension management. This review highlights that while conventional antihypertensive drugs provide well-established efficacy, herbal formulations contribute additional therapeutic benefits, including antioxidant, anti-inflammatory, and vasodilatory effects. Clinical trials have demonstrated that combining herbal and synthetic agents can enhance blood pressure control and reduce adverse effects; however, herb-drug interactions remain a critical safety concern. Variability in bioactive compound concentrations and standardization challenges necessitate the implementation of advanced analytical methods and stringent regulatory guidelines to ensure consistency and efficacy.

Future advancements in formulation techniques, including nanocarrier-based drug delivery systems and smart drug delivery technologies, offer potential solutions to improve the bioavailability and controlled release of allopolyherbal formulations. Moreover, the integration of modern pharmacovigilance systems and personalized medicine approaches will enable safer and more tailored therapeutic strategies for hypertensive patients. Establishing evidence-based guidelines and regulatory frameworks will be crucial in facilitating the widespread adoption of integrative hypertension therapies. By addressing safety, efficacy, and standardization concerns, this holistic approach has the potential to bridge the gap between traditional and modern medicine, leading to improved patient outcomes in hypertension management.

REFERENCES

1. Schutte AE, Srinivasapura Venkateshmurthy N, Mohan S, Prabhakaran D. Hypertension in low-and middle-income countries. Circulation research. 2021;128(7):808-26. https://doi.org/10.1161/CIRCRESAHA.120.318729
2. Mashuri YA, Ng N, Santosa A. Socioeconomic disparities in the burden of hypertension among Indonesian adults-a multilevel analysis. Global health action. 2022;15(1):2129131. https://doi.org/10.1080/16549716.2022.2129131
3. Halder M, Kasemi N, Chowdhury S, Roy D, Majumder M. Factors Affecting Hypertension among Middle and Old Aged People in Northern Region of India: A Cross-Sectional Study Using LASI Wave-1 Data. Ageing International. 2025;50(1):4. https://doi.org/10.1007/s12126-024-09579-4
4. Wang X, Shaw JE, Yu J, Jennings G, Stavreski B, Magliano D, Gill TK, Adams R, Rodgers A, Woodward M, Schlaich MP. Prevalence, awareness, treatment, and control rates of hypertension in the general population of Australia: a systematic review and meta-analysis. Journal of Hypertension. 2025;43(2):185-190. DOI: 10.1097/HJH.0000000000003854
5. Egan BM, Kjeldsen SE, Grassi G, Esler M, Mancia G. The global burden of hypertension exceeds 1.4 billion people: should a systolic blood pressure target below 130 become the universal standard? Journal of hypertension. 2019;37(6):1148-1153. DOI: 10.1097/HJH.0000000000002021
6. Lee EK, Poon P, Yip BH, Bo Y, Zhu MT, Yu CP, Ngai AC, Wong MC, Wong SY. Global burden, regional differences, trends, and health consequences of medication nonadherence for hypertension during 2010 to 2020: a meta-analysis involving 27 million patients. Journal of the American Heart Association. 2022;11(17):e026582. https://doi.org/10.1161/JAHA.122.026582
7. Singhai H, Rathee S, Jain SK, Patil UK. The potential of natural products in the management of cardiovascular disease. Current Pharmaceutical Design. 2024;30(8):624-638. https://doi.org/10.2174/0113816128295053240207090928
8. Kamyab R, Namdar H, Torbati M, Ghojazadeh M, Araj-Khodaei M, Fazljou SMB. Medicinal Plants in the Treatment of Hypertension: A Review. Advanced Pharmaceutical Bulletin. 2021;11(4):601-617. doi:10.34172/apb.2021.090
9. Agrawal M, Nandini D, Sharma V, Chauhan NS. Herbal remedies for treatment of hypertension. International Journal of Pharmaceutical Sciences and Research. 2010;1(5):1-21.
10. Rumbo H, Rasiman NB, Betan Y. The complementary therapy used for hypertension: a systematic review. Indonesian nursing journal of education and clinic (injec). 2024;19(1). http://dx.doi.org/10.24990/injec.v19i1.602
11. Francis NS, Mooi LY, Mat S, Loganathan A. Effectiveness of herbs taken concurrently with antihypertensive drugs in managing hypertension and lipid outcomes. A systematic review and meta-analysis. Complementary Therapies in Medicine. 2024:103058. https://doi.org/10.1016/j.ctim.2024.103058
12. Azizah N, Halimah E, Puspitasari IM, Hasanah AN. Simultaneous use of herbal medicines and antihypertensive drugs among hypertensive patients in the community: A review. Journal of Multidisciplinary Healthcare. 2021:259-270. https://doi.org/10.2147/JMDH.S289156
13. Chrysant SG, Chrysant GS. Herbs used for the treatment of hypertension and their mechanism of action. Current hypertension reports. 2017 Sep;19:1-0.
14. Aleesha R, Augustine T, Vishnu Priya PH, Xavier S, Tomy T, Mishra B. Allopolyherbal formulations: a novel symbiotic approach. World Journal of Pharmaceutical Research 2020;9(5):601-612 DOI: 10.20959/wjpr20205-17321
15. Chanduvula LR, Subhashini V. A Review of Traditional and Modern Approaches in Pharmacovigilance for Hypertension and Kidney Disease Treatments. Journal of Pharma Insights and Research. 2024;2(4):245-257. https://doi.org/10.69613/d975km26
16. Sharma P, Singh V, Baldi A. Allo-polyherbal Approaches for Managing Metabolic Syndrome: A Narrative Review. The Natural Products Journal.

2024;14(5):1-27.https://doi.org/10.2174/0122103155272968231003030032
17. Ram CV, Fenves A. Clinical pharmacology of antihypertensive drugs. Cardiology clinics. 2002;20(2):265-280.
18. Maranta F, Spoladore R, Fragasso G. Pathophysiological mechanisms and correlates of therapeutic pharmacological interventions in essential arterial hypertension. Hypertension: from basic research to clinical practice. 2017:37-59. https://doi.org/10.1007/5584_2016_169
19. Ram CV. Antihypertensive drugs: an overview. American Journal of Cardiovascular Drugs. 2002;2:77-89.https://doi.org/10.2165/00129784-200202020-00002
20. Laurent S. Antihypertensive drugs. Pharmacological research. 2017;124:116-125. https://doi.org/10.1016/j.phrs.2017.07.026
21. Pepper GA. Pharmacology of antihypertensive drugs. Journal of Obstetric, Gynecologic, & Neonatal Nursing. 1999;28(6):649-659. https://doi.org/10.1111/j.1552-6909.1999.tb02174.x
22. Khalil H, Zeltser R. Antihypertensive medications. InStatPearls [Internet] 2023 May 8. StatPearls Publishing.
23. Bhowmik R, Shaharyar MA, Anand K, Mazumdar H, Mandal A, Mandal P, Chakraborty S, Panday P, Karmakar S. Mechanism of action of drugs used in hypertension. InHow Synthetic Drugs Work 2023: pp.349-367. Academic Press. https://doi.org/10.1016/B978-0-323-99855-0.00015-4
24. Jackson RE, Bellamy MC. Antihypertensive drugs. BJA education. 2015;15(6):280-285. https://doi.org/10.1093/bjaceaccp/mku061
25. Sica DA. Centrally acting antihypertensive agents: an update. The Journal of Clinical Hypertension. 2007;9(5):399-405. https://doi.org/10.1111/j.1524-6175.2007.07161.x
26. Dong Z, Dai H, Feng Z, Liu W, Gao Y, Liu F, Zhang Z, Zhang N, Dong X, Zhao Q, Zhou X. Mechanism of herbal medicine on hypertensive nephropathy. Molecular Medicine Reports. 2021;23(4):1-. https://doi.org/10.3892/mmr.2021.11873
27. Xue Z, Li Y, Zhou M, Liu Z, Fan G, Wang X, Zhu Y, Yang J. Traditional herbal medicine discovery for the treatment and prevention of pulmonary arterial hypertension. Frontiers in pharmacology. 2021;12:720873. https://doi.org/10.3389/fphar.2021.720873
28. Verma T, Sinha M, Bansal N, Yadav SR, Shah K, Chauhan NS. Plants used as antihypertensive. Natural products and bioprospecting. 2021;11:155-84.https://doi.org/10.1007/s13659-020-00281-x
29. Al Disi SS, Anwar MA, Eid AH. Anti-hypertensive herbs and their mechanisms of action: part I. Frontiers in pharmacology. 2016;6:323. doi:10.3389/fphar.2015.00323
30. abassum N, Ahmad F. Role of natural herbs in the treatment of hypertension. Pharmacognosy reviews. 2011;5(9):30-40.doi:10.4103/0973-7847.79097
31. Attota M. A Bridge Between Two Worlds: Blending Ayurveda and Allopathic Medicine in India.2023;1-9
32. Tomar N, Sharma P, Gupta J, Raj H, Devi N. Drug interactions between ayurvedic drugs and allopathic drugs. Journal For Basic Sciences. 2024;24(2):23-37
33. Wanwimolruk S, Prachayasittikul V. Cytochrome P450 enzyme mediated herbal drug interactions (Part 1). EXCLI journal. 2014;13:347.
34. Bonifacio BV, da Silva PB, Ramos MA, Negri KM, Bauab TM, Chorilli M. Nanotechnology-based drug delivery systems and herbal medicines: a review. International journal of nanomedicine. 2014:1-15. doi:10.2147/IJN.S52634
35. Patel P, Garala K, Singh S, Prajapati BG, Chittasupho C. Lipid-Based Nanoparticles in Delivering Bioactive Compounds for Improving Therapeutic Efficacy. Pharmaceuticals. 2024; 17(3):329. https://doi.org/10.3390/ph17030329
36. Sen P, Yadav HK, Gupta M, Moin A. Nanotechnology-based drug delivery systems for herbal medicine. InNanotechnology in Herbal Medicine 2023:15-35. Woodhead Publishing. DOI:10.1016/B978-0-323-99527-6.00003-3
37. Ding L, Agrawal P, Singh SK, Chhonker YS, Sun J, Murry DJ. Polymer-Based Drug Delivery Systems for Cancer Therapeutics. Polymers. 2024; 16(6):843. https://doi.org/10.3390/polym16060843
38. Xu L, Wang X, Liu Y, Yang G, Falconer RJ, Zhao CX. Lipid nanoparticles for drug delivery. Advanced NanoBiomed Research. 2022;2(2):2100109. https://doi.org/10.1002/anbr.202100109
39. Scioli Montoto S, Muraca G, Ruiz ME. Solid lipid nanoparticles for drug delivery: pharmacological and biopharmaceutical aspects. Frontiers in molecular biosciences. 2020;7:587997. https://doi.org/10.3389/fmolb.2020.587997
40. Narayan JP. Synergistic combination of ancient Indian herbal formulations with modern allopathic prescriptions is need of the hour. InNational Conference on Ancient Indian Knowledge: Science and Technology, National Council of Educational Research and Training (NCERT) 2018;17:1-15
41. Bhawana M, Deepak P, Suraj G, Akash G, Ramnarayan YS, Ashok NK. Chemical Detoxification of Therapeutic Hybrid Complexes Prepared by the Compatible Combination of Ayurvedic Herb and Allopathic Drug. Current Indian Science. 2023;1(1):E050423215447. https://doi.org/10.2174/2210299X01666230405090933
42. Kapoor VK, Singla S. Herb-drug interactions–an update on synergistic interactions. Journal of Alternative Medical Research. 2015;1(1). http://dx.doi.org/10.19104/jamr.2015.107
43. Padmanabhan AM, Doss VA. Combinatorial protective effect of Cinnamomum verum and Stingless Bee Honey against oxidative stress in

isoproterenol-induced cardiotoxicity in Wistar rats. Clinical Phytoscience. 2025;11(1):3. https://doi.org/10.1186/s40816-024-00390-x

44. Tulp OL, Rizvi SA. Case study review: pharmacognosy of complementary and alternative medicines as effective adjuncts in the treatment of mild to moderate hypertension. International Journal of Computational and Applied Mathematics. 2023;16(1):44-49. DOI: 10.15406/ijcam.2023.16.00631
45. Dhanya R, Shukla AK. Drug interactions between ayurvedic and allopathic medicines–A review. World Journal of Pharmaceutical Research. 2017;6:4784-4786. DOI: 10.20959/wjpr20173-8028
46. Tanna IR, Goyal M, Chandola HM. Clinical evaluation of capsule BP Norm in the management of essential hypertension: A preliminary open-label parallel group study. AYU (An International Quarterly Journal of Research in Ayurveda). 2024;45(2):86-95. DOI: 10.4103/ayu.ayu_325_23
47. Olisa NS, Oyelola FT. Evaluation of use of herbal medicines among ambulatory hypertensive patients attending a secondary health care facility in Nigeria. International Journal of Pharmacy Practice. 2009;17(2):101-105. https://doi.org/10.1211/ijpp.17.02.0005
48. Sharma AK, Kapoor VK, Kaur G. Herb–drug interactions: a mechanistic approach. Drug and Chemical Toxicology. 2022;45(2):594-603. https://doi.org/10.1080/01480545.2020.1738454
49. Ried K. Garlic lowers blood pressure in hypertensive subjects, improves arterial stiffness and gut microbiota: A review and meta-analysis. Experimental and Therapeutic Medicine. 2020;19(2):1472-1478. https://doi.org/10.3892/etm.2019.8374
50. Walker AF, Marakis G, Simpson E, Hope JL, Robinson PA, Hassanein M, Simpson HC. Hypotensive effects of hawthorn for patients with diabetes taking prescription drugs: a randomised controlled trial. British Journal of General Practice. 2006 ;56(527):437-443. PMID: 16762125; PMCID: PMC1839018.
51. Nyulas KI, Simon-Szabó Z, Pál S, Fodor MA, Dénes L, Cseh MJ, Barabás-Hajdu E, Csipor B, Szakács J, Preg Z, Germán-Salló M. Cardiovascular Effects of Herbal Products and Their Interaction with Antihypertensive Drugs—Comprehensive Review. International Journal of Molecular Sciences. 2024;25(12):6388. doi:10.3390/ijms25126388
52. Brinkley TE, Lovato JF, Arnold AM, Furberg CD, Kuller LH, Burke GL, Nahin RL, Lopez OL, Yasar S, Williamson JD. Effect of Ginkgo biloba on blood pressure and incidence of hypertension in elderly men and women. American journal of hypertension. 2010;23(5):528-533. doi:10.1038/ajh.2010.14
53. Balkrishna A, Sharma N, Srivastava D, Kukreti A, Srivastava S, Arya V. Exploring the Safety, Efficacy, and Bioactivity of Herbal Medicines: Bridging Traditional Wisdom and Modern Science in Healthcare. Future Integrative Medicine. 2024;3(1):35-49. doi: 10.14218/FIM.2023.00086.
54. Wang J, Yao K, Yang X, Liu W, Feng B, Ma J, Du X, Wang P, Xiong X. Chinese patent medicine liu wei di huang wan combined with antihypertensive drugs, a new integrative medicine therapy, for the treatment of essential hypertension: a systematic review of randomized controlled trials. Evidence-Based Complementary and Alternative Medicine. 2012;2012(1):714805. https://doi.org/10.1155/2012%2F714805
55. Bahar Z, Kizilci S, Beser A, Besen DB, Gördes N, Ersin F, Kissal A, Capik C. Herbal therapies used by hypertensive patients in Turkey. African Journal of Traditional, Complementary and Alternative Medicines. 2013;10(2):292-298. https://doi.org/10.4314/ajtcam.v10i2.14
56. Choi D, Im HB, Choi SJ, Han D. Safety classification of herbal medicine use among hypertensive patients: a systematic review and meta-analysis. Frontiers in Pharmacology. 2024;15:1321523. doi:10.3389/fphar.2024.1321523
57. Hu Y, Huerta J, Cordella N, Mishuris RG, Paschalidis IC. Personalized hypertension treatment recommendations by a data-driven model. BMC Medical Informatics and Decision Making. 2023;23(1):44. https://doi.org/10.1186/s12911-023-02137-z