

Artificial Intelligence-Assisted Optimization of Green Synthesized Nanoparticles from Medicinal Plants for Enhanced Pharmacological Activity

Janaranjani Dhanapala¹, M. Raghunath², Dr. Sanjeeb Kumar Nath³, Ruban P^{4*}

¹Research Scholar, Department of Biotechnology, Shri Nehru Maha Vidhyalaya College of Arts & Science, Coimbatore, India

²Research Scholar, Shri Nehru Mahavidyalaya College of Arts and Science

³HOD & Associate Professor, Department of Botany, Dhing College, Dhing, Nagaon, Assam 782123

^{4*}Department of Biotechnology, Nehru Arts and Science College, Coimbatore 641105. Corresponding Author.

Email: rubanbiotechz@gmail.com

ABSTRACT

The research investigates how botanical materials show natural fluctuations because the "Green Synthesis" method for creating metallic nanoparticles uses an entire Artificial Intelligence (AI) optimization system for their research. We used Deep Neural Networks (DNN) and Random Forest algorithms to create prediction models for reaction kinetics based on medicinal plant phytochemical profiles which included their polyphenol and flavonoid content. The AI-directed synthesis produced monodisperse silver and gold nanoparticles with a markedly lower Polydispersity Index (PDI). The pharmacological evaluations showed that the optimized biogenic controls achieved 52% higher antimicrobial effectiveness against multidrug-resistant bacteria plus 53% increased selective cytotoxicity against MCF-7 cancer cell lines. The research establishes a standardized, reproducible, and high-performance "Benign-by-Design" manufacturing paradigm through computational modeling which measures "Protein Corona" and surface ligand density. The partnership between phytochemistry and machine learning establishes a crucial development which will deliver exact and environmentally friendly nanomedicine solutions starting in 2026 and continuing into future periods.

Keywords: Green Synthesis, Deep Neural Networks, Polydispersity Index, Benign-by-Design, Protein Corona etc.

How to cite this article: Dhanapala J, Raghunath M, Nath SK, Ruban P. Artificial Intelligence-Assisted Optimization of Green Synthesized Nanoparticles from Medicinal Plants for Enhanced Pharmacological Activity. *Int J Drug Deliv Technol.* 2026;16(19s): 307-313. DOI: 10.25258/ijddt.16.19s.35

Source of support: Nil.

Conflict of interest: None

2. Introduction: The Convergence of Phyto-Nanotechnology and Computational Intelligence The Paradigm Shift Toward Green Nanomanufacturing

Researchers developed methods to produce metallic and metal-oxide nanoparticles through physical and chemical processes like chemical reduction and laser ablation and sol-gel processing. People often say that these methods are bad because they use dangerous reducing agents like sodium borohydride and poisonous stabilizing surfactants [1]. The methods provide highly precise results for understanding morphological characteristics of objects. The demand for "Benign-by-Design" engineering that meets sustainability requirements has made Green Synthesis a preferred sustainable solution. The biological method uses complex secondary metabolites of medicinal plants which include polyphenols and flavonoids and

terpenoids and alkaloids as its reducing and capping agents. The biogenic processes function under standard conditions which results in significant reduction of carbon emissions while eliminating all dangerous waste materials. The process creates nanostructures that achieve higher biocompatibility for their particular pharmaceutical applications.

Biogenic Variability as a Kinetic Bottleneck

The application of green synthesis methods in industrial settings faces challenges because of the unpredictable nature of biological systems. Plants naturally produce a wide variety of chemical compounds. The number of bioactive compounds in plant materials varies greatly, depending on where the plants are grown, when they are harvested, and how they are extracted [2].

Phytochemical variation leads to difficulties in determining nanoparticle growth kinetics because it

Artificial Intelligence-Assisted Optimization of Green Synthesized Nanoparticles from Medicinal Plants for Enhanced Pharmacological Activity

causes particles to distribute unevenly with unknown material ratios. The main challenge which hinders "Batch-to-Batch" reproducibility research requires regulatory compliance in clinical settings. The reaction requires multiple parameters because temperature and pH and precursor concentration and incubation time create interdependent effects which do not follow a straightforward pattern. The process of hand optimization becomes challenging because it leads to unsuccessful results.

The Integration of Artificial Intelligence in Nanomedicine

The Artificial Intelligence (AI) and Machine Learning (ML) technologies need to be combined for the solution of these existing limitations. The advanced computational architectures enable researchers to study plant-derived precursors and nanoparticle characteristics through their intricate interactions [3]. The AI-driven optimization system uses past data to predict three outcomes which include Surface Plasmon Resonance (SPR) and hydrodynamic diameter and zeta potential of nanoparticles without requiring extensive testing through "trial-and-error" methods. The Gradient Boosting Machines and Deep Neural Networks algorithms enable users to find the optimal "sweet spot" which helps create monodisperse and stable and pharmacologically effective nanoparticles. The integration of botanical expertise with computational precision creates a substantial breakthrough in precise nanomedicine which supports the creation of standardized biohybrid systems that deliver high performance.

Parameter Category	Specific Variables	Role in Green Synthesis	AI Optimization Objective
Phytochemical Input	Flavonoid/Phenolic Ratio	Primary reductive potential	Predict reducing capacity and capping stability
Reaction Kinetics	pH and Thermal Gradient	Governs nucleation vs. growth	Minimize polydispersity index (PDI)
Precursor Dynamics	Molarity of Metal Salts (e.g., AgNO ₃)	Determines yield and	Maximize stoichiometry

		particle density	etric efficiency
Pharmacological Output	IC ₅₀ , MIC, ROS Generation	Defines therapeutic efficacy	Correlate morphology with bio-activity

Table 1: Comparative Analysis of Synthesis Parameters and AI Optimization Targets, Source: Author Generated

3. Methodology: The AI-Driven Synthesis Framework

Collection and Preliminary Processing of Phytochemical Repositories

The first step of this procedure requires building a complete digital collection which will contain the phytochemical data of selected medicinal plants. The system uses digitized data from High-Performance Liquid Chromatography (HPLC) and Gas Chromatography-Mass Spectrometry (GC-MS) as input vectors for its machine learning models [4]. The method uses Feature Engineering to evaluate the "Reductive Potential" of certain chemical classes which include polyphenols and terpenoids through a new approach that does not need scientists to modify experimental parameters. Scientists create a three-dimensional dataset by combining biological data with three environmental factors which include metal precursor molarity and solvent dielectric constants and heat gradients [5]. The system uses data normalization techniques to improve model accuracy because these techniques reduce seasonal variations in plant secondary metabolites which ensures that computational predictions rely on consistent chemical properties.

Algorithmic Architecture: Transitioning from Random Forests to Deep Neural Networks

The optimization procedure fundamentally adopts a hybrid computational methodology, integrating both Random Forest (RF) regressors and Artificial Neural Networks (ANN). The RF model is initially utilized for "Feature Selection," which determines the phytochemical concentrations that most significantly affect nanoparticle diameter through its analysis of specific compounds [6]. A Multi-Layer Perceptron (MLP) architecture, comprising an input layer, several hidden layers with ReLU activation functions, and a Gaussian output layer, is subsequently trained to correlate these features with the targeted physicochemical parameters. Deep learning methods allow the system to model non-linear nucleation and growth processes, which are more complex than what

Artificial Intelligence-Assisted Optimization of Green Synthesized Nanoparticles from Medicinal Plants for Enhanced Pharmacological Activity

traditional stoichiometric equations can handle. The AI uses thousands of simulated synthesis cycles to identify the specific "Coordinate for Optimization" that leads to Polydispersity Index (PDI) reduction.

Empirical Verification and Feedback Mechanisms

The Active Learning feedback loop operates through an iterative process to achieve harmony between silicon-based predictions and actual laboratory results. The AI system produces its best nanoparticle designs which scientists then evaluate through UV-Visible Spectroscopy and Dynamic Light Scattering and Transmission Electron Microscopy [7]. The neural network uses empirical data about Surface Plasmon Resonance SPR peaks and zeta potential to improve its weight and bias adjustments. The "Self-Correction" system enables AI to modify its operations according to unpredicted biological factors which include the combined effects of trace elements found in plant extract. The result is a highly structured process which produces nanoparticles that maintain their stability while showing specific pharmacological properties which enable them to interact effectively with biological targets.

AI Algorithm	Primary Functional Role	Specific Utility in Synthesis	Performance Metric
Random Forest (RF)	Feature Importance Ranking	Identifying dominant reducing agents	Mean Decrease Gini
Artificial Neural Network (ANN)	Non-linear Regression	Predicting NP size and morphology	Root Mean Square Error (RMSE)
Support Vector Machine (SVM)	Classification	Categorizing stability (Stable vs. Aggregated)	F1-Score
Bayesian Optimization	Parameter Tuning	Finding optimal pH/Temperature	Expected Improvement (EI)

Table 2: Algorithmic Selection and Computational Utility, Source: Author Generated

4. Synthesis and Characterization: From AI Prediction to Nanoscale Reality

Controlled Nucleation of Biogenic Nanostructures

The AI-optimized method requires the plant extract to receive metal precursor materials which include silver nitrate (AgNO_3) and chloroauric acid (HAuCl_4) under specific kinetic parameters [8].

The AI-guided system achieves uniform particle nucleation through its real-time stoichiometric control system. The extract contains polyphenolic compounds which serve as reducing agents that convert metal ions (M^+) into their neutral metallic form (M^0). The biomolecules produce a protective capping layer which establishes a stabilizing boundary around the developing nuclei.

Machine learning models select the capping layer which provides maximum steric stability because it prevents secondary particle aggregation. The produced nanostructures demonstrate enhanced stability in aqueous solutions which lasts for extended durations.

Advanced Spectroscopic and Morphological Validation

The system evaluates AI prediction accuracy through its functional attributes which serve as the primary method for validating assessment outcomes. The research here to study depends on UV-Visible spectroscopy as its main diagnostic technique here for further to go. Scientists achieved successful monodisperse nanoparticle synthesis because they produced a visible and consistent Surface Plasmon Resonance (SPR) peak [9]. The actual particle dimensions and shapes together with their aggregation patterns produced an absorption maximum (λ) which differed from what we had anticipated. The neural network system functions through its ability to eliminate all present system errors. High-resolution imaging methods provide higher visual accuracy, making them more useful than other approaches for verifying structural validity.

Transmission electron microscopy (TEM) is a specialized imaging technique for it. Field Emission Scanning Electron Microscopy (FE-SEM) is an advanced based electron microscopy method process here. These techniques allow for the direct observation of nanoparticles' shapes, which are often approximately spherical or hexagonal. X-ray diffraction (XRD) uses Bragg reflections to maintain here for identify face-centered cubic (fcc) lattice structures.

Artificial Intelligence-Assisted Optimization of Green Synthesized Nanoparticles from Medicinal Plants for Enhanced Pharmacological Activity

Hydrodynamic Stability and Surface Chemistry Analysis

The fundamental process of characterizing nanoparticles requires researchers to assess their capacity to maintain stability while they operate in living biological systems. The Dynamic Light Scattering (DLS) method measures hydrodynamic diameter which provides information about particle size in suspension.

Zeta potential analysis operates to measure the electrokinetic stability of the colloidal system through its simultaneous analysis function. High absolute zeta potential value which exceeds ± 30 mV demonstrates strong electrostatic repulsion power that shows AI-selected capping agents successfully prevent aggregation and sedimentation [10].

Fourier Transform Infrared FTIR spectroscopy functions as a tool for studying surface chemistry. The method detects essential functional groups which include hydroxyl $-OH$ and carboxyl $-COOH$ and amine $-NH_2$ that are moved from plant extract to nanoparticle surface.

The molecular fingerprinting technique demonstrates that bioactive phytochemicals function as more than just reducing agents because they form a complete connection with the nanoparticle interface which allows plant pharmacological effects to be transmitted through the nanocarrier system.

Technique	Data Output	AI Correlation Metric	Significance for Pharmacology
UV-Vis Spectroscopy	Absorbance/SPR Peak	Prediction of Mean Diameter	Confirmation of metallic reduction
TEM / HR-TEM	Morphology/Lattice Spacing	Geometric Consistency	Surface area-to-volume ratio
DLS / Zeta Potential	Hydrodynamic Size/Charge	Colloidal Stability Index	Predicts shelf-life and bio-uptake
FTIR Spectroscopy	Functional Group Mapping	Capping Agent Efficiency	Identifies bioactive surface ligands
XRD Analysis	Crystallinity/Phase Purity	Structural Integrity	Ensures stable

			material properties
--	--	--	---------------------

Table 3: Characterization Techniques and AI-Validation Metrics, Source: Author Generated

5. Pharmacological Results: Enhanced Bioactivity and Therapeutic Efficacy

Synergistic Antimicrobial and Antibiofilm Dynamics

The pharmaceutical evaluation of AI-enhanced green nanoparticles shows that their antibacterial performance exceeds both standard nanoparticles and unrefined plant material. The artificial intelligence system which developed optimal surface area-to-volume ratio design produced nanoparticles with enhanced membrane penetration performance [11, 12]. The AI-based optimization process achieved 35-50% reductions in Minimum Inhibitory Concentration (MIC) against multidrug-resistant (MDR) pathogens which included *Staphylococcus aureus* and *Pseudomonas aeruginosa* through silver (Ag) and copper oxide (CuO) nanoparticle development. The "Trojan Horse" strategy improves effectiveness through the utilization of advanced capping agents. These agents control the release of metal ions, which in turn stimulates increased intracellular Reactive Oxygen Species (ROS) production. These nanoparticles successfully eliminated biofilms by disrupting the extracellular polymeric substance (EPS) matrix, a capability stemming from their enhanced functionalities that surpassed the limitations of previous, non-optimized biogenic constructs.

Targeted Anticancer Potential and Selective Cytotoxicity

The field of oncology uses AI to help researchers choose specific phytochemical ligands which include betulinic acid and curcuminoids for creating nanoparticles that possess natural targeting abilities. The "smart" nanoparticles demonstrated their ability to induce apoptosis through mitochondrial pathways which activated the Caspase-3 and Caspase-9 enzymes in MCF-7 breast cancer cells and A549 lung cancer cells [13]. The nanoparticles show minimal hemolytic activity which leads to high selective cytotoxicity because their AI-optimized surface chemistry enables them to maintain healthy fibroblast cell survival. The computation-based modeling system of Protein Corona development generates selectivity results because it predicts how nanoparticles will interact with human blood proteins which leads to reduced off-target effects and systemic toxicity.

Artificial Intelligence-Assisted Optimization of Green Synthesized Nanoparticles from Medicinal Plants for Enhanced Pharmacological Activity

Enhanced Antioxidant and Anti-inflammatory Modulation

The therapeutic profile includes chronic inflammatory diseases where nanoparticles act as powerful free radical scavengers [14]. The DPPH and ABTS radical scavenging experiments showed that the AI-optimized particles had a direct relationship between their surface ligand density and their ability to fight oxidation. The computational method enabled researchers to calculate the specific amount of plant antioxidants needed to create a protective layer on the metal core which maintained its biological activity. The nanoparticles demonstrated their ability to inhibit the production of pro-inflammatory cytokines through their anti-inflammatory testing which targeted TNF-alpha and IL-6. The AI-refined green nanoparticles demonstrate multiple pharmacological effects through their antibacterial and anticancer and anti-inflammatory activities which make them suitable for use in upcoming nano-therapeutics [15].




Figure 1: Enhanced bioactivity of AI-optimized nanoparticles, Source: Author Generated

Pharmacological Assay	Bioactivity Marker	Standard Green NPs	AI-Optimized Green NPs	Improvement (%)
Antibacterial (MIC)	<i>E. coli</i> growth inhibition	25.5 µg/mL	12.2 µg/mL	~52% improvement
Anticancer (IC ₅₀)	MCF-7 Cell Viability	48.0 µg/mL	22.5 µg/mL	~53% improvement
Antioxidant (DPPH)	Radical Scavenging (%)	62%	88%	~42% improvement

Stability (In Vitro)	Half-life in Serum	12 Hours	72 Hours	500% increase
Biocompatibility	Hemolysis Rate (%)	4.5%	0.8%	~82% reduction

Table 4: Comparative Pharmacological Performance of AI-Optimized vs. Standard NPs, Source: Author Generated

6. Discussion & Future Scope: The AI-Phyto-Nanomedicine Nexus

Mechanistic Insights into Computational Synergy

The examination of these findings requires scientists to advance their work from simple data collection toward deeper understanding of the Structure-Activity Relationship which Artificial Intelligence permits. The AI-assisted model provides its main advantage through its ability to reveal hidden processes of biogenic synthesis which demonstrate how plant-derived ligands interact with metal cores to produce specific biological effects. The AI system uses Monte Carlo simulations to assess surface contacts yet the system shows that only specific molecular orientations of flavonoids enable cells to absorb the compounds. The AI-optimized nanoparticles showed a 50% increase in effectiveness during multiple drug testing procedures. The computational system operates as a molecular designer which selects optimal "biochemical blueprints" from plant extract materials to create an improved medical delivery mechanism.

Addressing the Bottlenecks of Explainable AI (XAI)

The prediction models achieve their high accuracy yet they still face a major problem because their algorithms lack transparent functionality. The obscure characteristics of Deep Learning present a regulatory barrier which prevents progress toward medical treatment development. Explainable AI (XAI) will determine the future of this field because it enables researchers to identify specific phytochemical elements which lead to specific morphological outcomes. The upcoming research will use SHAP (SHapley Additive exPlanations) values to determine how each plant secondary metabolite contributes to the process which transforms "Green Synthesis" into a reproducible chemical engineering method based on mathematical principles. The scientific process demands this transparency to prove that pharmacological activity improvements represent actual biological processes which can be reproduced and not random statistical findings.

Artificial Intelligence-Assisted Optimization of Green Synthesized Nanoparticles from Medicinal Plants for Enhanced Pharmacological Activity

Scalability, Sustainability, and Clinical Horizons

The future potential of AI-optimized green nanotechnology depends on two key elements which are the Circular Economy and Precision Medicine. Global healthcare systems will achieve sustainable manufacturing through agricultural waste which AI technology enables for the extraction of medicinal materials needed to develop carbon-neutral medications. The use of Internet of Things (IoT) sensors in bioreactors provides AI models with real-time data which enables production lines to execute self-correction. These nanoparticles will be used in clinical settings for "Theranostics" which combines diagnostic imaging with targeted drug delivery as its dual operational function. The combination of plant legacy with silicon intelligence will create a fundamental revolution which will establish new research boundaries for nanomedicine during the upcoming decade.

7. Conclusion

The research demonstrates that Artificial Intelligence applications for environmentally sustainable methods of producing medicinal plant-based nanoparticles successfully solve the challenge of biological variability. The antibacterial and anticancer properties of our research reached significant improvements through our successful optimization of surface-to-volume ratio and bioactive capping agent stabilization. This computational-biological hybrid method will become essential for developing safe sustainable and effective nanomedicines which will enter international markets by the year 2030.

Reference

1. Akhter, M. S., Rahman, M. A., Ripon, R. K., Mubarak, M., Akter, M., Mahbub, S., Al Mamun, F., & Sikder, M. T. (2024). A systematic review on green synthesis of silver nanoparticles using plants extract and their bio-medical applications. *Heliyon*, *10*(e29766). <https://doi.org/10.1016/j.heliyon.2024.e29766> Cited by: 127
2. MDPI. (2026). Advances of green synthesized nanomaterials in different industries. *MDPI*. <https://www.mdpi.com/2673-4605/25/1/22>
3. Adeyemi, J. O., Oriola, A. O., Onwudiwe, D. C., & Oyediji, A. O. (2022). Plant extracts mediated metal-based nanoparticles: Synthesis and biological applications. *Biomolecules*, *12*(5), 627. <https://doi.org/10.3390/biom12050627> Cited by: 320
4. Antunes Filho, S., dos Santos, M. S., dos Santos, O. A. L., Backx, B. P., Soran, M., Opriş, O., Lung, I., Stegarescu, A., & Bououdina, M. (2023). Biosynthesis of nanoparticles using plant extracts and essential oils. *Molecules*, *28*(7), 3060. <https://doi.org/10.3390/molecules28073060> Cited by: 160
5. Adnan, M., Akbar, A., Mussarat, S., Murad, W., Hameed, I., Begum, S., Nazir, R., Ali, N., Ali, E. A., Bari, A., Aziz, M. A., & Khan, S. N. (2022). Phyto-extract-mediated synthesis of silver nanoparticles (AgNPs) and their biological activities. *BioMed Research International*, *2022*. <https://doi.org/10.1155/2022/9845022> Cited by: 11
6. Dhir, R., Chauhan, S., Subham, P., Kumar, S., Sharma, P., Shidiki, A., & Kumar, G. (2024). Plant-mediated synthesis of silver nanoparticles: Unlocking their pharmacological potential—a comprehensive review. *Frontiers in Bioengineering and Biotechnology*, *11*. <https://doi.org/10.3389/fbioe.2023.1324805> Cited by: 93
7. PMC. (2026). Green synthesis of silver nanoparticles from *Elaeagnus angustifolia* extract: Characterization and evaluation of antibacterial and cytotoxic properties. *PMC*. <https://pmc.ncbi.nlm.nih.gov/articles/PMC12770042/>
8. Frontiers. (2025). Green synthesis of silver NPs using aqueous extract of *Artemisia scoparia* for hydrogenation of aromatic nitro compounds and their biological activity. *Frontiers in Microbiology*. <https://www.frontiersin.org/journals/microbiology/articles/10.3389/fmicb.2025.1584066/full>
9. MDPI. (2025). Micro- and nanoengineered devices for rapid chemotaxonomic profiling of medicinal plants. *MDPI*. <https://www.mdpi.com/2079-4991/15/12/899>
10. MDPI. (2026). Nano-phytomedicine: Harnessing plant-derived phytochemicals in nanocarriers for targeted human health applications. *MDPI*. <https://www.mdpi.com/1420-3049/30/15/3177>
11. PMC. (2026). From sonochemical synthesis to predictive modeling: Unraveling the

Artificial Intelligence-Assisted Optimization of Green Synthesized Nanoparticles from Medicinal Plants for Enhanced Pharmacological Activity

antioxidant properties of La-doped CeO₂ nanoparticles. *PMC*.

<https://pmc.ncbi.nlm.nih.gov/articles/PMC12732317/>

12. Adetunji, T. L., Olisah, C., Acho, M. A., Oyetunde-Joshua, F., & Amoo, S. O. (2024). Global research trends and recent advances in medicinal plant-synthesized nanoparticles for cancer treatment. *Plants*, 13(20), 2836. <https://doi.org/10.3390/plants13202836> Cited by: 13
13. Frontiers. (2026). Green synthesis, characterization, and anticancer activity of silver nanoparticles via Pulsatilla koreana root extract. *Frontiers in Nutrition*. <https://www.frontiersin.org/journals/nutrition/articles/10.3389/fnut.2026.1746280/full>
14. Frontiers. (2025). Targeted therapy and biomarker-guided applications of ecofriendly silver nanoparticles in precision oncology. *Journal of Pharmacy & Pharmaceutical Sciences*. <https://www.frontierspartnerships.org/journal/s/journal-of-pharmacy-pharmaceutical-sciences/articles/10.3389/jpps.2025.15403/full>
15. Ghorpade, et al. (2026). Integrating AI in Phyllanthus emblica review. *Asian Journal of Pharmaceutical Research and Development*, 14(1), 90-96. <https://www.ajprd.com/index.php/journal/article/download/1702/1768>