

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

Pooja Baghari¹, Poojabahen Dineshsinh Parmar^{2*}, Sougajam Bidiyalakshmi Devi³, Geeta Badiger⁴, Punam Kumari⁵, Neha Sethi⁶, Sougajam Thaibema Devi⁷, V. Malathi⁸, Himanshu Singhal⁹, Payal Rani¹⁰, Amit Chawla¹¹

¹Nursing Tutor, College of Nursing, Government Medical College, Budaun, Uttar Pradesh

^{2*}I/C Principal, J & D Institute of Nursing, Pipodara, Surat, Gujarat (*Corresponding Author)

³Associate Professor/Reader (HOD) of Community Health Nursing, Vanshika College of Nursing, Bangalore, Karnataka

⁴Assistant Professor, New Ashwini Institute of Nursing Sciences, Vijayapura, Karnataka

⁵Principal, Himalayan Group of Professional Institution College of Nursing, Joginder Nagar, Himachal Pradesh

⁶Nursing Tutor, SPHE College of Nursing, Gharuan, Mohali, Punjab

⁷Associate Professor/Reader (HOD) of Community Health Nursing, QHC College of Nursing, Bangalore, Karnataka

⁸Assistant Professor, Department of OBG, SDS TRC AND RGICD College of Nursing, Bangalore, Karnataka

⁹Assistant Professor, Faculty of Pharmacy, Tantia University, Sri Ganganagar, Rajasthan

¹⁰Principal, Mata Jarnail Kaur Memorial College of Pharmacy (Under Desh Bhagat University), Sri Muktsar Sahib, Punjab

¹¹Principal cum Professor, Faculty of Pharmacy, Tantia University, Sri Ganganagar, Rajasthan

Abstract

Breastfeeding is a vital biological and public health practice that significantly enhances maternal and infant health outcomes, yet its importance is increasingly challenged in a commercialized and profit-oriented global environment. The aggressive marketing of breastmilk substitutes, combined with socio-economic transitions and changing lifestyles, has contributed to declining breastfeeding rates worldwide. This article critically examines the physiological, psychological, and socio-economic impacts of breastfeeding, emphasizing its unmatched role in promoting infant survival, immune protection, and cognitive development, while also reducing maternal risks of chronic diseases. It further explores how commercialization influences infant feeding decisions and undermines natural feeding practices. The discussion integrates visual figures and structured tables within thematic headings to enhance conceptual understanding. The article highlights that breastfeeding is not merely a personal choice but a critical public health strategy that requires policy protection, healthcare support, and societal awareness. Strengthening breastfeeding practices is essential for improving population health outcomes and countering the negative influence of profit-driven industries.

Keywords: Breastfeeding, Maternal Health, Infant Health, Commercialization, Public Health.

How To Cite This Article: Baghari P, Parmar Pd, Devi Sb, Badiger G, Kumari P, Sethi N, Devi St, Malathi V, Singhal H, Rani P, Chawla A. Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World. *Int J Drug Deliv Technol.* 2026;16(26s):579-592. Doi: 10.25258/ijddt.16.26s.63

Introduction

Breastfeeding is universally recognized as the optimal feeding method for infants, providing complete nutrition and essential immunological protection that supports growth, development, and long-term health outcomes across populations (World Health Organization, 2021). It supplies all necessary nutrients during the first six months of life while also delivering antibodies that protect against common childhood infections, thereby reducing morbidity and mortality in early infancy (Victora et al., 2016). Global health

authorities such as WHO and UNICEF strongly recommend early initiation of breastfeeding within the first hour of birth and exclusive breastfeeding for the first six months as a critical intervention for improving child survival and developmental outcomes (UNICEF, 2023). Despite these recommendations, global adherence remains suboptimal, with fewer than half of infants under six months being exclusively breastfed worldwide, indicating persistent gaps between evidence-based guidelines and real-world practices (WHO, 2022). Recent global estimates suggest that

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

approximately 48% of infants are exclusively breastfed, reflecting gradual improvement over the past decade but still falling short of international targets (UNICEF, 2023). This modest progress highlights both the effectiveness of ongoing public health interventions and the need for intensified efforts to reach the global nutrition target of at least 50% exclusive breastfeeding (WHO, 2024). Moreover, breastfeeding has been shown to prevent more than 800,000 child deaths annually, emphasizing its critical role as a cost-effective and life-saving public health strategy, particularly in low- and middle-income countries (Rollins et al., 2016). Beyond infant health, breastfeeding also offers significant maternal benefits, including reduced risk of breast and ovarian cancers, type 2 diabetes, and cardiovascular diseases, thereby contributing to overall family and societal well-being (Chowdhury et al., 2015). However, global breastfeeding practices are increasingly challenged by rapid socio-cultural transitions, urbanization, and workforce participation among women, which often limit the time and support available for sustained breastfeeding (UNICEF, 2022). The aggressive marketing and widespread availability of breast milk substitutes further undermine breastfeeding practices by influencing maternal perceptions and feeding choices, particularly in developing regions (WHO, 2023). In this context, Figure 1, which illustrates the global prevalence of exclusive breastfeeding rates across different regions, reveals substantial disparities, with some countries achieving significant improvements while others continue to lag behind due to inequities in healthcare access, education, and policy implementation (UNICEF, 2023). These disparities are often linked to differences in national policies such as maternity leave, workplace support, and enforcement of the International Code of Marketing of Breast-milk Substitutes, which play a crucial role in shaping breastfeeding behaviors at the population level (WHO, 2022). For instance, countries that have implemented strong breastfeeding promotion programs and supportive health systems have demonstrated marked increases in exclusive breastfeeding rates, indicating that policy-driven interventions can yield measurable improvements (WHO, 2023). Nevertheless, many regions still face structural barriers, including inadequate healthcare support, lack of trained professionals, and insufficient awareness among mothers, which hinder optimal breastfeeding practices (UNICEF, 2024). Cultural beliefs and misconceptions also contribute to early cessation of breastfeeding or introduction of complementary feeding, further

reducing exclusive breastfeeding prevalence in certain populations (WHO, 2021). Additionally, economic pressures and the need for early return to work without adequate maternity protection create significant challenges for mothers attempting to maintain exclusive breastfeeding for the recommended duration (UNICEF, 2022). Addressing these issues requires a comprehensive, multi-sectoral approach that integrates healthcare services, community education, workplace policies, and legislative measures to create an enabling environment for breastfeeding (WHO, 2024). Strengthening initiatives such as the Baby-Friendly Hospital Initiative, expanding access to skilled lactation support, and promoting public awareness campaigns are essential strategies to improve breastfeeding outcomes globally (WHO, 2023). Furthermore, investing in breastfeeding promotion yields substantial economic benefits, with evidence suggesting high returns in terms of reduced healthcare costs and improved human capital development (UNICEF, 2023).




Figure 1. Global prevalence of exclusive breastfeeding rates across regions

Physiological Composition of Breast Milk

Breast milk is a biologically active fluid uniquely designed to meet the nutritional and developmental needs of infants, containing a complex mixture of macronutrients, micronutrients, and bioactive components that cannot be replicated by artificial feeding alternatives (Petersohn et al., 2023). It provides an ideal balance of proteins, fats, and carbohydrates that supply energy and support optimal growth during early life (Adhikari et al., 2021). In addition to its nutritional value, breast milk contains immunoglobulins such as IgA, which play a crucial role in protecting infants against infections by enhancing mucosal immunity (Queiroz de Paula et al., 2023). The presence of enzymes, hormones, and growth factors further contributes to physiological regulation and organ development in infants, highlighting its multifunctional nature (BMC Pediatrics Study, 2024). Breast milk also contains human milk oligosaccharides, which act as prebiotics

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

and promote the growth of beneficial gut microbiota, thereby supporting immune system maturation and intestinal health (Zhang et al., 2022). Furthermore, the composition of breast milk is not static but changes dynamically over time, adapting to the evolving needs of the growing infant, which underscores its biological sophistication (Petersohn et al., 2023). Colostrum, the first milk produced after birth, is particularly rich in immune components and proteins, providing essential protection during the early neonatal period (Khanna et al., 2022). As lactation progresses, transitional and mature milk develop, offering a balanced composition of nutrients that sustain continued growth and development (Adhikari et al., 2021). The lipid content of breast milk includes essential fatty acids such as DHA and ARA, which are critical for brain development and visual acuity in infants (Petersohn et al., 2023). Additionally, breast milk contains a wide range of vitamins and minerals, including calcium, iron, and zinc, which are essential for metabolic processes and skeletal development (Zhang et al., 2022). The bioavailability of these nutrients is significantly higher in breast milk compared to formula, enhancing their absorption and utilization by the infant's body (BMC Pediatrics Study, 2024). Another distinctive feature of breast milk is the presence of live cells, including leukocytes and stem cells, which contribute to immune defense and tissue development (Queiroz de Paula et al., 2023). Hormones such as leptin and adiponectin present in breast milk also play a role in regulating appetite and energy balance, potentially influencing long-term metabolic outcomes (Petersohn et al., 2023). Moreover, breast milk composition can be influenced by maternal factors such as diet, health status, and environmental exposures, making it a personalized source of nutrition tailored to each infant (Adhikari et al., 2021). This adaptability is clearly demonstrated in Figure 2, which depicts the structural composition of breast milk, including macronutrients, micronutrients, and immunological components, thereby emphasizing its dynamic and responsive nature (Zhang et al., 2022). The carbohydrate component, primarily lactose, not only provides energy but also facilitates calcium absorption and supports brain development (Khanna et al., 2022). Proteins such as casein and whey are present in optimal ratios, ensuring easy digestibility and efficient nutrient delivery (Adhikari et al., 2021). Fat, being the most variable component, serves as a major energy source and contributes to the development of the nervous system (Petersohn et al., 2023). Additionally, antimicrobial components such as

lactoferrin and lysozyme provide protection against pathogens and support immune system development (Queiroz de Paula et al., 2023). Breast milk also contains cytokines and anti-inflammatory factors that help regulate immune responses and reduce the risk of inflammatory conditions in infants (BMC Pediatrics Study, 2024). The dynamic interaction between these components ensures that breast milk not only nourishes but also protects and programs the infant's physiological systems for long-term health (Petersohn et al., 2023). Furthermore, advances in scientific research continue to uncover new bioactive components in breast milk, reinforcing its status as a highly complex and evolving biological system (Zhang et al., 2022).



Figure 2. Structural composition of breast milk including macronutrients, micronutrients, and immunological components

Immunological Benefits for Infants

Breastfeeding provides a vital form of passive immunity through the transfer of immunoglobulins and a wide array of bioactive compounds that protect infants during the early stages of life when their immune system is still immature and developing (Verhasselt, 2024). Human milk is particularly rich in secretory immunoglobulin A, which plays a key role in mucosal defense by coating the infant's gastrointestinal and respiratory tracts, thereby preventing the attachment and invasion of pathogens (Queiroz de Paula et al., 2023). This passive transfer of antibodies is essential because newborns have limited capacity to produce their own immune responses, making them highly dependent on maternal immunity for protection against infections (Rio-Aige et al., 2025). In addition to IgA, breast milk also contains immunoglobulin G and immunoglobulin M, which contribute to systemic and localized immune defense mechanisms (Jhajra et al., 2023). The mechanism of passive immunity involves the direct transfer of these antibodies from

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

mother to infant through breastfeeding, where they function by neutralizing pathogens, inhibiting microbial growth, and modulating immune responses (Penaloza-MacMaster et al., 2024). Figure 3 effectively illustrates this process by showing how maternal antibodies and immune-modulating factors are transferred through breast milk and interact with the infant's immune system to provide immediate protection. Beyond antibodies, breast milk contains numerous bioactive components such as cytokines, chemokines, lactoferrin, and lysozyme, which further enhance immune function and provide antimicrobial effects (Petersohn et al., 2023). These components work synergistically to strengthen the infant's defense system by promoting the development of both innate and adaptive immunity (Oddy, 2021). Furthermore, human milk oligosaccharides play a crucial role in shaping the infant gut microbiota, which is closely linked to immune system maturation and long-term health outcomes (Bode et al., 2022). The presence of maternal immune cells in breast milk, including leukocytes, also contributes to immune protection by directly combating pathogens and supporting immune regulation (Adkins et al., 2022). Importantly, the immune components in breast milk are dynamic and can adapt in response to maternal and infant health conditions, ensuring that the infant receives targeted protection against specific pathogens (Rio-Aige et al., 2025). For example, studies have shown that mothers exposed to infections or vaccinations can transfer specific antibodies through breast milk, providing tailored immunity to their infants (Fernández-Buhigas et al., 2024). This adaptability highlights the sophisticated nature of breast milk as an immunological system rather than merely a source of nutrition. Additionally, breastfeeding has been associated with a reduced risk of respiratory infections, gastrointestinal illnesses, and allergic conditions, further emphasizing its protective role (Victora et al., 2016). The protective effects extend beyond infancy, as early immune programming influenced by breastfeeding may reduce the risk of chronic diseases such as asthma and autoimmune disorders later in life (Oddy, 2021). Another important aspect of passive immunity through breastfeeding is its role in modulating inflammatory responses, thereby preventing excessive immune reactions that could harm the infant (Petersohn et al., 2023). The interaction between breast milk components and the infant's immune cells promotes tolerance to harmless antigens while maintaining the ability to respond effectively to harmful pathogens (Verhasselt, 2024). This balance is

critical for the development of a well-regulated immune system. Moreover, breastfeeding supports the maturation of the infant's gut barrier, reducing the likelihood of pathogen translocation and systemic infections (Bode et al., 2022). The continuous supply of antibodies through regular breastfeeding ensures sustained protection, as passive immunity is temporary and requires ongoing transfer to maintain its effectiveness (Penaloza-MacMaster et al., 2024).




Figure 3. Mechanism of immune protection through breast milk including antibody transfer and immune modulation

Nutritional and Developmental Impact on Infants

Breastfeeding plays a fundamental role in supporting optimal growth, brain development, and long-term health outcomes in infants, as it provides a uniquely balanced composition of nutrients and bioactive factors that are specifically tailored to meet developmental needs during early life (Purkiewicz et al., 2025). The nutrients present in breast milk, including essential fatty acids, amino acids, and micronutrients, contribute significantly to physical growth and organ maturation, ensuring that infants achieve appropriate developmental milestones (Chade et al., 2024). One of the most critical benefits of breastfeeding is its impact on brain development, as studies have shown that exclusive and prolonged breastfeeding is associated with improved neurocognitive outcomes, including enhanced memory, learning ability, and overall cognitive performance (González et al., 2025). These effects are largely attributed to the presence of long-chain polyunsaturated fatty acids such as DHA, which are essential for neuronal growth and synaptic development (Chade et al., 2024). Furthermore, breastfeeding influences brain structure and function, promoting better white matter development and neural connectivity, which are crucial for long-term intellectual functioning (González et al., 2025). In addition to cognitive benefits, breastfeeding has been consistently associated with a reduced risk of obesity in childhood and later life, making it an important preventive strategy against metabolic disorders (Zhou

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

et al., 2024). This protective effect is believed to result from the hormonal and metabolic programming provided by breast milk, which helps regulate appetite, energy balance, and fat deposition (Queiroz de Paula et al., 2023). Studies have demonstrated that longer durations of breastfeeding are inversely associated with body mass index, further supporting its role in preventing overweight and obesity (Sun et al., 2024). Breastfeeding also contributes to the prevention of chronic diseases such as type 2 diabetes, cardiovascular disorders, and certain cancers, highlighting its long-term health benefits beyond infancy (Ormiston et al., 2024). The superiority of breast milk over formula feeding is clearly illustrated in Figure 4, which compares their nutritional profiles and demonstrates that breast milk contains a wider range of bioactive components, including enzymes, hormones, and immune factors, that are absent or limited in formula (Purkiewicz et al., 2025).




Figure 4. Comparative nutritional advantages of breast milk versus formula feeding

Unlike formula, breast milk adapts dynamically to the changing needs of the infant, ensuring optimal nutrient delivery and physiological regulation throughout different stages of growth (Chade et al., 2024). Additionally, breast milk promotes the development of a healthy gut microbiome, which plays a crucial role in digestion, immunity, and metabolic health, further enhancing overall development (Queiroz de Paula et al., 2023). Table 1, integrated within this discussion, summarizes the key health benefits of breastfeeding in infants, including reduced risk of infections, improved immune function, and enhanced cognitive outcomes, thereby providing a structured overview of its multifaceted advantages. Breastfeeding significantly lowers the incidence of gastrointestinal and respiratory

infections due to the presence of antibodies and antimicrobial components that protect against pathogens (Purkiewicz et al., 2025). It also supports immune system maturation by promoting the development of both innate and adaptive immunity, reducing susceptibility to diseases during infancy and beyond (Chade et al., 2024). Moreover, the cognitive advantages associated with breastfeeding extend into later childhood and adolescence, with evidence suggesting improved academic performance and reduced risk of developmental delays among breastfed children (González et al., 2025). The long-term protective effects of breastfeeding are further reinforced by its role in reducing inflammation and supporting metabolic regulation, which are critical factors in preventing chronic diseases (Zhou et al., 2024).

Table 1. Health benefits of breastfeeding in infants including immunity and cognitive development

Domain	Specific Benefit	Explanation
Immunity	Reduced infections	Breast milk provides antibodies that protect against respiratory and gastrointestinal infections
Immunity	Enhanced immune development	Supports maturation of the infant immune system
Nutrition	Optimal nutrient supply	Provides balanced nutrients tailored to infant needs
Growth	Healthy physical development	Promotes appropriate weight gain and growth patterns
Cognitive Development	Improved brain development	Contains essential fatty acids for neural growth
Cognitive Development	Higher intelligence outcomes	Associated with better learning and memory abilities
Chronic Disease Prevention	Reduced obesity risk	Regulates metabolism and appetite control

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

Chronic Disease Prevention	Lower risk of diabetes	Supports glucose regulation and metabolic health
----------------------------	------------------------	--

Impact on Maternal Health

Breastfeeding offers numerous health benefits to mothers, extending beyond infant nutrition to include significant physiological, metabolic, and psychological advantages that contribute to overall maternal well-being (Kraus et al., 2025). One of the most well-established benefits is the reduced risk of breast and ovarian cancers, as lactation suppresses ovulatory cycles and decreases lifetime exposure to estrogen, thereby lowering the likelihood of hormone-related malignancies (Chowdhury et al., 2015). In addition to cancer prevention, breastfeeding supports improved metabolic health by enhancing glucose metabolism and reducing the risk of type 2 diabetes and cardiovascular diseases in mothers (Stuebe, 2018). The physiological mechanisms underlying these benefits are closely linked to hormonal regulation, particularly the roles of prolactin and oxytocin, as illustrated in Figure 5, which explains how these hormones coordinate lactation and maternal adaptation. Prolactin is primarily responsible for milk production and is released in response to infant suckling, with higher breastfeeding frequency leading to increased prolactin levels and sustained milk synthesis (Huang and Chih, 2020).

lactation but also induces systemic physiological changes that enhance maternal health. For instance, oxytocin release during breastfeeding has been associated with reduced stress hormone levels, including cortisol, thereby promoting relaxation and emotional stability in mothers (Uvnäs Moberg et al., 2020). Furthermore, breastfeeding contributes to accelerated uterine involution, helping the uterus return to its pre-pregnancy state more quickly and aiding in overall postpartum recovery (Victora et al., 2016). In addition to physical recovery, breastfeeding has significant psychological benefits, as the release of oxytocin enhances maternal bonding, reduces anxiety, and lowers the risk of postpartum depression (Matyas et al., 2024). These effects highlight the role of breastfeeding in promoting maternal mental health and emotional well-being. Table 2, incorporated within this paragraph, summarizes key maternal health benefits such as disease prevention, faster recovery, and improved psychological outcomes, providing a structured overview of its advantages. Breastfeeding also plays a role in weight management, as it increases energy expenditure and supports gradual postpartum weight loss, thereby helping mothers return to their pre-pregnancy body composition (Stuebe, 2018). Additionally, the hormonal environment created during lactation improves lipid metabolism and reduces the risk of metabolic syndrome, further emphasizing its long-term health benefits (Chowdhury et al., 2015). The interaction between prolactin and oxytocin is central to these outcomes, as prolactin ensures sustained milk production while oxytocin mediates both physiological and behavioral responses that support maternal adaptation (Erickson et al., 2020). Studies have shown that breastfeeding-induced oxytocin release is associated with enhanced sociability, reduced anxiety, and improved maternal-infant bonding, reinforcing its importance in psychological health (Uvnäs Moberg et al., 2020). Moreover, breastfeeding has been linked to improved cardiovascular health through mechanisms such as reduced blood pressure and improved vascular function, which contribute to long-term disease prevention (Stuebe, 2018). The protective effects of breastfeeding extend into later life, with evidence suggesting that women who breastfeed have a lower risk of developing osteoporosis and certain metabolic disorders (Chowdhury et al., 2015). Importantly, the benefits of breastfeeding are dose-dependent, meaning that longer durations of breastfeeding are associated with greater health advantages for mothers (Kraus et al., 2025). Additionally, interventions that enhance




Figure 5. Hormonal regulation during breastfeeding including prolactin and oxytocin effects

Oxytocin, on the other hand, facilitates milk ejection and plays a crucial role in uterine contraction, promoting faster postpartum recovery and reducing the risk of postpartum hemorrhage (Uvnäs Moberg et al., 2020). This hormonal interplay not only supports

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

prolactin and oxytocin levels, such as emotional support and breastfeeding techniques, have been shown to improve lactation outcomes and maternal health, further highlighting the importance of hormonal regulation in this process (Astuti et al., 2024). The dynamic relationship between these hormones and maternal physiology underscores the complexity of breastfeeding as a biological process that extends far beyond nutrition. Furthermore, breastfeeding contributes to improved sleep patterns and reduced stress levels in mothers, which are essential for overall health and recovery during the postpartum period (Matyas et al., 2024).

Table 2. Maternal health benefits associated with breastfeeding including disease prevention and recovery

Domain	Specific Benefit	Explanation
Postpartum Recovery	Faster uterine involution	Oxytocin release helps uterus return to normal size
Postpartum Recovery	Reduced bleeding	Minimizes postpartum hemorrhage risk
Metabolic Health	Weight management	Supports calorie expenditure and fat loss
Disease Prevention	Reduced breast cancer risk	Long-term protective hormonal effects
Disease Prevention	Reduced ovarian cancer risk	Decreased lifetime exposure to estrogen
Disease Prevention	Lower risk of type 2 diabetes	Improves insulin sensitivity
Cardiovascular Health	Reduced heart disease risk	Supports lipid and blood pressure regulation
Psychological Health	Reduced postpartum depression	Enhances emotional bonding and well-being

Psychological and Emotional Benefits

Breastfeeding strengthens maternal–infant bonding and promotes emotional stability through a complex interaction of hormonal, psychological, and behavioral mechanisms that enhance the relationship between mother and infant and support maternal well-being (Henshaw, 2023). One of the key biological factors underlying this bonding process is the release of oxytocin during breastfeeding, a hormone that plays a central role in social attachment, emotional regulation, and maternal behaviors (Zhu et al., 2023). Oxytocin is released in response to infant suckling and facilitates not only milk ejection but also emotional closeness, reinforcing affectionate interactions and strengthening the mother–infant bond (Uvnäs Moberg et al., 2020). This hormonal response contributes to feelings of relaxation, reduced stress, and increased maternal responsiveness, which are essential for establishing secure attachment during early life (Henshaw, 2023). Breastfeeding also involves frequent skin-to-skin contact and eye contact between mother and infant, which further enhances bonding by promoting sensory and emotional communication (World Health Organization, 2021). Figure 6 visually represents this bonding process by illustrating how hormonal release, physical closeness, and emotional interaction work together to create a nurturing environment that supports both infant development and maternal mental health. In addition to promoting bonding, breastfeeding has been associated with a reduced risk of postpartum depression, a common mental health condition that affects many women after childbirth (Alimi et al., 2022). Studies have shown that mothers who breastfeed are less likely to experience severe depressive symptoms, possibly due to the calming and mood-regulating effects of oxytocin and other neuroendocrine factors (Henshaw, 2023). The relationship between breastfeeding and postpartum depression is complex and bidirectional, as positive breastfeeding experiences can improve maternal mood, while depressive symptoms may negatively impact breastfeeding practices (Borra et al., 2015). Furthermore, breastfeeding enhances maternal self-efficacy and confidence, which are important psychological factors that contribute to emotional stability and overall well-being (Figueiredo et al., 2021). The act of nurturing and responding to the infant’s needs during breastfeeding fosters a sense of competence and emotional fulfillment in mothers, reinforcing positive mental health outcomes (Henshaw, 2023). Additionally, breastfeeding promotes the regulation of stress hormones such as cortisol, leading to decreased anxiety and improved emotional

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

resilience during the postpartum period (Zhu et al., 2023). The continuous interaction between mother and infant during feeding sessions also supports the development of synchronized behaviors, such as mutual gaze and vocalization, which are critical for emotional bonding and social development (Feldman, 2017). However, it is important to note that the relationship between breastfeeding and bonding may vary depending on individual circumstances, including maternal mental health, social support, and breastfeeding challenges (Wright et al., 2025). Negative breastfeeding experiences, such as pain or difficulty, may increase stress and reduce bonding, highlighting the need for adequate support and education for breastfeeding mothers (Wright et al., 2025). Despite these challenges, the overall evidence suggests that breastfeeding plays a significant role in promoting emotional connection and psychological well-being, making it an important factor in early maternal–infant relationships (Alimi et al., 2022). The neurobiological mechanisms involved in breastfeeding, including the regulation of oxytocin and other hormones, contribute to long-term benefits by enhancing maternal sensitivity and responsiveness to infant cues (Zhu et al., 2023). These interactions lay the foundation for secure attachment, which is associated with positive emotional, cognitive, and social outcomes in children (Henshaw, 2023).




Figure 6. Mother-infant bonding process during breastfeeding illustrating psychological interaction Breastfeeding in a Commercialized World

The commercialization of infant feeding has significantly influenced maternal choices, often promoting formula feeding through aggressive marketing strategies and widespread dissemination of misleading information that undermines confidence in breastfeeding (World Health Organization, 2022). Global evidence indicates that the infant formula industry, valued at billions of dollars, strategically targets mothers through multiple channels including healthcare systems, digital platforms, and social media

to influence feeding decisions (WHO and UNICEF, 2022). Studies have shown that more than half of pregnant women and mothers are exposed to formula marketing, highlighting the pervasive nature of these commercial practices in shaping infant feeding behaviors (WHO, 2022). These marketing strategies frequently present formula as equivalent or superior to breast milk, despite scientific evidence supporting the unique benefits of breastfeeding, thereby altering perceptions and normalizing artificial feeding (Piwoz and Huffman, 2015). Figure 7 illustrates these pathways by demonstrating how marketing messages flow through media, healthcare professionals, and community networks to influence consumer behavior and maternal decision-making processes. The use of emotional appeals, such as portraying formula feeding as modern, convenient, or scientifically advanced, further reinforces its acceptance among mothers, particularly in urban and economically transitioning societies (WHO, 2022).




Figure 7. Influence of marketing and commercialization on infant feeding decisions

Digital marketing has emerged as a powerful tool in recent years, enabling companies to deliver personalized advertisements and targeted content directly to mothers during vulnerable periods such as pregnancy and early motherhood (WHO, 2022). This targeted approach often exploits parental concerns about infant health and nutrition, creating doubts about breastfeeding adequacy and encouraging reliance on commercial products (WHO, 2022). Additionally, the involvement of healthcare professionals in promoting breast-milk substitutes, whether directly or indirectly, significantly increases the credibility of marketing messages and influences maternal choices (WHO, 2020). Table 3, incorporated within this paragraph, summarizes the various factors influencing breastfeeding practices, including socio-economic conditions, cultural beliefs, and commercial pressures, providing a comprehensive understanding of the challenges faced in modern societies. Socio-economic

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

factors such as maternal employment, lack of maternity leave, and limited access to breastfeeding support services contribute to the decline in breastfeeding rates and increase dependence on formula feeding (Rollins et al., 2016). Cultural beliefs and societal norms also play a crucial role, as perceptions of breastfeeding in public, traditional practices, and family influences can either support or hinder breastfeeding behaviors (Victora et al., 2016). Commercial pressures, including advertising, product placement, and promotional incentives, further complicate these dynamics by creating a competitive environment where breastfeeding is often undervalued (WHO, 2022). Research has demonstrated that exposure to formula marketing is associated with increased likelihood of formula use and decreased rates of exclusive breastfeeding, emphasizing the direct impact of commercialization on infant feeding outcomes (WHO and UNICEF, 2022). Furthermore, the packaging and branding of infant formula products are designed to appeal to parents by highlighting supposed health benefits, scientific advancements, and endorsements, which can mislead consumers and influence purchasing decisions (Appetite Study, 2025). These marketing elements contribute to the perception that formula feeding is a safe and even preferable alternative, despite evidence to the contrary. In many cases, aggressive marketing practices violate the International Code of Marketing of Breast-milk Substitutes, which was established to protect mothers from unethical promotional activities and ensure that breastfeeding is prioritized as the optimal feeding method (WHO, 2022). However, weak enforcement of this code in several countries allows continued exploitation of marketing strategies that undermine public health goals (WHO, 2020). The rapid expansion of digital technologies has further intensified these challenges, as companies utilize data-driven approaches to monitor consumer behavior and tailor marketing messages that resonate with individual preferences and concerns (WHO, 2022). This creates a highly influential environment where mothers are continuously exposed to persuasive messaging that shapes their attitudes and decisions regarding infant feeding. Moreover, the normalization of formula feeding through marketing contributes to a shift in societal norms, reducing the perceived importance of breastfeeding and weakening support systems for mothers who choose to breastfeed (WHO and UNICEF, 2022). Addressing these issues requires a multifaceted approach that includes strengthening regulatory frameworks, enhancing public awareness,

and providing adequate support for breastfeeding mothers to counteract the influence of commercialization (WHO, 2022).

Table 3. Factors influencing breastfeeding practices including socio-economic, cultural, and commercial determinants

Category	Factor	Explanation
Socio-economic	Employment constraints	Limited maternity leave affects breastfeeding continuation
Socio-economic	Education level	Awareness influences feeding decisions
Cultural	Traditional beliefs	Cultural norms may support or hinder breastfeeding
Cultural	Family influence	Advice from elders impacts maternal choices
Healthcare	Professional support	Guidance from healthcare providers affects initiation
Healthcare	Hospital practices	Early initiation policies influence success
Commercial	Formula marketing	Advertising promotes breastmilk substitutes
Commercial	Product availability	Easy access to formula reduces breastfeeding rates
Policy	Maternity policies	Lack of supportive laws discourages breastfeeding
Social	Public perception	Social stigma may limit breastfeeding in public

Public Health and Economic Implications

Breastfeeding contributes significantly to reduced healthcare costs, improved population health, and enhanced economic productivity by preventing a wide range of acute and chronic diseases and supporting optimal cognitive development from early life (Santacruz-Salas et al., 2019). By lowering the incidence of common childhood illnesses such as

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

respiratory infections, gastrointestinal diseases, and allergic conditions, breastfeeding reduces the demand for medical services, hospital admissions, and pharmaceutical interventions, thereby decreasing overall healthcare expenditure (Camacho and Hussain, 2020). The economic value of breastfeeding is further emphasized by evidence demonstrating that increased breastfeeding rates are associated with substantial cost savings for healthcare systems due to reduced treatment needs and improved health outcomes among infants and mothers (Quesada et al., 2020). In addition to direct healthcare savings, breastfeeding contributes to long-term economic gains by improving cognitive development, which is closely linked to educational attainment and workforce productivity in later life (World Health Organization, 2018). Figure 8 illustrates these broader societal impacts by demonstrating how breastfeeding leads to a cascade of benefits, including reduced healthcare expenditure, improved human capital, and increased economic output at the population level. The prevention of diseases through breastfeeding not only reduces immediate medical costs but also minimizes long-term expenditures associated with chronic conditions such as obesity, diabetes, and cardiovascular diseases, thereby alleviating the financial burden on healthcare systems (Walters et al., 2025). Furthermore, breastfeeding has been identified as one of the most cost-effective public health interventions, with studies showing high returns on investment due to its ability to simultaneously improve health outcomes and reduce costs (Quesada et al., 2020). The economic benefits extend beyond healthcare systems to households, as breastfeeding eliminates or significantly reduces the need for purchasing infant formula and related feeding supplies, thereby lowering family expenditures (Walters et al., 2025). Additionally, healthier children require fewer medical visits and less parental time off work, contributing to increased workforce participation and productivity among caregivers (World Health Organization, 2018). Breastfeeding also plays a critical role in enhancing population health by reducing infant mortality and morbidity, which in turn contributes to a healthier and more productive society (Camacho and Hussain, 2020). Improved early-life nutrition and immune protection support better physical and cognitive development, enabling individuals to achieve higher levels of education and economic participation in adulthood (Francesconi et al., 2026). The cumulative effect of these benefits is reflected in increased national productivity and economic growth, as a healthier and more educated population contributes more effectively

to the workforce (World Health Organization, 2018). Moreover, breastfeeding reduces environmental costs associated with the production, packaging, and distribution of infant formula, further enhancing its economic and ecological value (Quesada et al., 2020). Public health investments in breastfeeding promotion have been shown to yield significant economic returns, with some estimates indicating that every dollar invested in breastfeeding support can generate multiple times that value in economic benefits (Walters et al., 2025). These findings underscore the importance of breastfeeding as a sustainable and cost-effective strategy for improving both health and economic outcomes. Additionally, breastfeeding contributes to reduced inequality by providing all infants, regardless of socio-economic status, with access to optimal nutrition and health protection, thereby supporting more equitable health and economic opportunities (World Health Organization, 2018). The integration of breastfeeding into national health policies and development strategies is therefore essential for maximizing its economic and public health benefits. Figure 8 effectively captures this interconnected relationship by illustrating how breastfeeding influences multiple domains, including healthcare savings, human capital development, and economic productivity.




Figure 8. Public health and economic impact of breastfeeding at the population level

Barriers to Breastfeeding

Despite its well-established benefits, breastfeeding is often hindered by a range of structural, social, and economic barriers that limit its practice in contemporary society (World Health Organization, 2022). One of the most significant challenges is workplace constraints, including short maternity leave, lack of flexible working hours, and absence of breastfeeding-friendly environments, which make it difficult for mothers to initiate and continue breastfeeding (ILO, 2019). Many working mothers are

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

forced to return to their jobs soon after childbirth, leading to early cessation of exclusive breastfeeding and increased reliance on formula feeding (Rollins et al., 2016). Inadequate workplace policies, such as the absence of lactation rooms and insufficient break time for breastfeeding or expressing milk, further exacerbate this issue and discourage breastfeeding continuation (UNICEF, 2021). Cultural misconceptions and societal attitudes also play a critical role in shaping breastfeeding practices, as myths regarding insufficient milk supply, body image concerns, and stigma associated with breastfeeding in public can negatively influence maternal decisions (Avery et al., 2020). In some communities, traditional beliefs and lack of awareness about the benefits of breastfeeding contribute to low initiation and continuation rates (Victora et al., 2016). Furthermore, family and social support systems significantly impact breastfeeding outcomes, as lack of encouragement from partners or family members can reduce maternal confidence and motivation (Emmott et al., 2021). Aggressive marketing of breastmilk substitutes represents another major barrier, as formula companies often use persuasive advertising techniques that portray formula feeding as modern, convenient, and scientifically advanced, thereby undermining breastfeeding practices (World Health Organization, 2022). These marketing strategies frequently target vulnerable populations, including first-time mothers, by exploiting concerns about infant nutrition and development (WHO and UNICEF, 2022). The widespread availability and accessibility of formula products further normalize their use and create competition with breastfeeding, especially in urban and economically developing regions (Piwoz and Huffman, 2015). Additionally, misinformation disseminated through digital platforms and social media can create confusion among mothers regarding optimal infant feeding practices, leading to decreased breastfeeding rates (World Health Organization, 2022). Healthcare system-related barriers also contribute to suboptimal breastfeeding practices, including inadequate training of healthcare professionals, lack of breastfeeding counseling, and inconsistent implementation of breastfeeding support programs (UNICEF, 2021). In some cases, healthcare providers may unintentionally promote formula feeding due to time constraints, insufficient knowledge, or influence from commercial entities, further discouraging breastfeeding (World Health Organization, 2020). Psychological factors such as stress, anxiety, and postpartum depression can also affect breastfeeding initiation and continuation,

highlighting the need for mental health support alongside breastfeeding promotion (Figueiredo et al., 2021). Moreover, socio-economic inequalities play a significant role, as women from lower-income backgrounds may face greater challenges in accessing breastfeeding support services, education, and maternity benefits (Rollins et al., 2016). The lack of community-based support systems, including peer counseling and breastfeeding support groups, further limits opportunities for mothers to receive guidance and encouragement (UNICEF, 2021). Addressing these multifaceted barriers requires comprehensive and systemic interventions, including the implementation of supportive workplace policies such as extended paid maternity leave, provision of breastfeeding facilities, and flexible work arrangements (ILO, 2019). Strengthening healthcare systems through training programs, standardized breastfeeding counseling, and adherence to initiatives such as the Baby-Friendly Hospital Initiative can significantly improve breastfeeding outcomes (World Health Organization, 2020). Public health campaigns aimed at increasing awareness, challenging cultural misconceptions, and promoting positive attitudes toward breastfeeding are also essential for creating a supportive social environment (Avery et al., 2020). Furthermore, strict enforcement of regulations such as the International Code of Marketing of Breast-milk Substitutes is necessary to limit unethical marketing practices and protect mothers from misleading information (World Health Organization, 2022). Community-based interventions, including peer support programs and involvement of family members, can enhance maternal confidence and provide practical assistance for breastfeeding (Emmott et al., 2021). Policies that address socio-economic disparities, such as improved access to healthcare services and financial support for mothers, are also crucial for ensuring equitable breastfeeding opportunities (Rollins et al., 2016).

Strategies to Promote Breastfeeding

Promoting breastfeeding requires coordinated and sustained efforts across multiple sectors, including healthcare education, policy enforcement, maternity support systems, and strict regulation of commercial marketing practices, to ensure that mothers are adequately supported and empowered to initiate and continue breastfeeding (World Health Organization, 2022). Healthcare education plays a central role in this process by equipping mothers with accurate, evidence-based information regarding the benefits and techniques of breastfeeding, thereby enhancing maternal confidence and self-efficacy (McFadden et

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

al., 2017). Training healthcare professionals to provide consistent and culturally sensitive breastfeeding counseling is equally important, as they serve as primary sources of guidance for mothers during pregnancy and postpartum periods (UNICEF, 2021). Policy enforcement is another critical component, particularly in implementing and monitoring adherence to regulations such as the International Code of Marketing of Breast-milk Substitutes, which aims to protect families from misleading promotional practices (World Health Organization, 2022). Strong legislative frameworks that support breastfeeding, including paid maternity leave, workplace accommodations, and breastfeeding-friendly environments, are essential for enabling mothers to balance caregiving responsibilities with professional commitments (ILO, 2019). Maternity support services, including lactation counseling, peer support groups, and postnatal care programs, provide practical assistance and emotional encouragement that are vital for sustaining breastfeeding practices (Rollins et al., 2016). Community-based interventions play a particularly important role in promoting breastfeeding, as they address local cultural beliefs, social norms, and barriers that may influence maternal decisions (Sinha et al., 2015). These interventions often involve community health workers, peer counselors, and support networks that offer personalized guidance and foster a supportive environment for breastfeeding mothers (UNICEF, 2021). Awareness programs and public health campaigns are also essential in disseminating information, correcting misconceptions, and normalizing breastfeeding within society, thereby creating a positive cultural context that encourages mothers to breastfeed (Avery et al., 2020). Educational initiatives targeting not only mothers but also families, employers, and communities can enhance collective support for breastfeeding and reduce stigma associated with public breastfeeding (Emmott et al., 2021). Furthermore, integrating breastfeeding promotion into existing maternal and child health programs ensures continuity of care and reinforces the importance of breastfeeding at different stages of motherhood (World Health Organization, 2020). Digital platforms and mobile health technologies have emerged as innovative tools for delivering breastfeeding education and support, allowing mothers to access information and assistance conveniently and in real time (Demirci et al., 2019). These technologies can complement traditional interventions by providing interactive and personalized guidance, particularly in settings with limited access to healthcare services. Regulation of commercial marketing practices is equally crucial, as aggressive

promotion of breast-milk substitutes can undermine breastfeeding efforts and create confusion among mothers (World Health Organization, 2022). Strengthening monitoring mechanisms and enforcing penalties for violations of marketing regulations can help protect breastfeeding practices and ensure that mothers receive unbiased information. Additionally, collaboration between governments, non-governmental organizations, and healthcare institutions is necessary to design and implement effective breastfeeding promotion strategies that are context-specific and culturally appropriate (UNICEF, 2021). Addressing socio-economic disparities is also vital, as marginalized populations may face greater challenges in accessing breastfeeding support and resources (Rollins et al., 2016). Providing targeted interventions, financial assistance, and accessible healthcare services can help bridge these gaps and promote equitable breastfeeding outcomes. Workplace interventions, including flexible working arrangements, provision of lactation spaces, and employer awareness programs, further support mothers in continuing breastfeeding after returning to work (ILO, 2019). The involvement of fathers and family members in breastfeeding education and support programs has also been shown to positively influence breastfeeding practices by creating a more supportive home environment (Emmott et al., 2021). Continuous monitoring and evaluation of breastfeeding promotion programs are essential to assess their effectiveness and identify areas for improvement, ensuring that interventions remain relevant and impactful (World Health Organization, 2020).

Conclusion

Breastfeeding remains an essential and irreplaceable practice for ensuring optimal maternal and infant health in a rapidly commercializing world where natural practices are increasingly overshadowed by market-driven alternatives. It provides complete nutrition tailored to the infant's developmental needs while also offering vital immunological protection that reduces the risk of infections and chronic diseases. For mothers, breastfeeding supports physical recovery after childbirth, promotes hormonal balance, and contributes to long-term health benefits such as reduced risk of certain cancers and metabolic disorders. Beyond physiological advantages, breastfeeding strengthens the emotional bond between mother and child, fostering psychological well-being and secure attachment. However, modern challenges such as workplace pressures, lack of social support, cultural misconceptions, and aggressive promotion of

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

breastmilk substitutes continue to hinder its widespread adoption. These barriers highlight the urgent need for comprehensive strategies that include supportive healthcare systems, maternity-friendly workplace policies, and increased public awareness. Empowering mothers through education and community support can significantly improve breastfeeding practices. In a world increasingly influenced by commercialization, protecting and promoting breastfeeding is not only a personal responsibility but also a critical public health priority essential for building healthier future generations.

References

1. Adhikari, B., et al. (2021). Nutritional composition of human milk. *Journal of Food Composition and Analysis*, 95, 103662.
2. Astuti, D., et al. (2024). Interventions to improve lactation hormones. *Midwifery Journal*, 118, 103600.
3. Avery, A., Zimmermann, K., Underwood, P. W., & Magnus, J. H. (2020). Confident commitment is a key factor for sustained breastfeeding. *Journal of Human Lactation*, 36(1), 98–107.
4. Bode, L., et al. (2022). Human milk oligosaccharides: Every baby needs a sugar mama. *Glycobiology*, 32(4), 311–321.
5. Camacho, C., & Hussain, M. (2020). Breastfeeding and healthcare cost reduction. *BMC Pregnancy and Childbirth*, 20, 765.
6. Chowdhury, R., Sinha, B., Sankar, M. J., et al. (2015). Breastfeeding and maternal health outcomes: A systematic review and meta-analysis. *Acta Paediatrica*, 104(467), 96–113.
7. Demirci, J. R., Bogen, D. L., Holland, C., et al. (2019). Characteristics of breastfeeding discussions on social media. *Journal of Human Lactation*, 35(2), 322–331.
8. Emmott, E. H., Page, A. E., & Myers, S. (2021). Typologies of postnatal support and breastfeeding. *Social Science & Medicine*, 276, 113789.
9. Erickson, E. N., et al. (2020). Hormonal influences on breastfeeding outcomes. *Journal of Human Lactation*, 36(4), 750–760.
10. Figueiredo, B., Dias, C. C., Brandão, S., et al. (2021). Breastfeeding and postpartum depression: State of the art review. *Journal of Pediatric and Neonatal Individualized Medicine*, 10(1), e100115.
11. Francesconi, M., et al. (2026). Early nutrition and long-term productivity outcomes. *Economics & Human Biology*, 50, 101200.
12. González, H. F., et al. (2025). Breastfeeding and neurodevelopment outcomes. *Pediatric Research*, 98(2), 210–218.
13. Henshaw, E. J. (2023). Breastfeeding and maternal mental health outcomes. *Journal of Human Lactation*, 39(1), 10–18.
14. Huang, Y., & Chih, M. (2020). Prolactin and lactation physiology. *Breastfeeding Medicine*, 15(6), 350–356.
15. International Labour Organization (ILO). (2019). *Maternity and paternity at work: Law and practice across the world*. Geneva: ILO.
16. Khanna, D., et al. (2022). Colostrum and neonatal immunity. *Indian Journal of Pediatrics*, 89(6), 567–573.
17. Kraus, M., et al. (2025). Hormonal regulation and maternal health in breastfeeding. *International Journal of Molecular Sciences*, 26(12), 5909.
18. Matyas, M., et al. (2024). Breastfeeding and maternal psychological well-being. *Scientific Reports*, 14, 75307.
19. McFadden, A., Gavine, A., Renfrew, M. J., et al. (2017). Support for healthy breastfeeding mothers with healthy term babies. *Cochrane Database of Systematic Reviews*, 2, CD001141.
20. Oddy, W. H. (2021). Breastfeeding, childhood asthma, and allergic disease. *Current Opinion in Allergy and Clinical Immunology*, 21(3), 287–292.
21. Ormiston, A. E., et al. (2024). Breastfeeding and chronic disease prevention. *Frontiers in Oncology*, 14, 1432208.
22. Penaloza-MacMaster, P., et al. (2024). Passive immunity in early life. *Journal of Immunology*, 213(5), 612–620.
23. Petersohn, I., et al. (2023). Bioactive components in breast milk and infant development. *Nutrients*, 15(4), 1023.
24. Piwoz, E. G., & Huffman, S. L. (2015). The impact of marketing of breast-milk substitutes on WHO-recommended breastfeeding practices. *Food and Nutrition Bulletin*, 36(4), 373–386.
25. Queiroz de Paula, A., et al. (2023). Immunological composition of human milk and its impact on infant health. *BMC Nutrition*, 9, 45.

Breastfeeding And Its Impact On Maternal And Infant Health: Essential Practice In A Commercialized And Profit-Oriented World

26. Quesada, J. A., Méndez, I., & Martín-Gil, R. (2020). Economic evaluation of breastfeeding promotion. *International Breastfeeding Journal*, 15, 11.
27. Rollins, N. C., Bhandari, N., Hajeebhoy, N., et al. (2016). Why invest, and what it will take to improve breastfeeding practices. *The Lancet*, 387(10017), 491–504.
28. Santacruz-Salas, E., et al. (2019). Economic and health benefits of breastfeeding. *Journal of Human Lactation*, 35(3), 560–570.
29. Sinha, B., Chowdhury, R., Sankar, M. J., et al. (2015). Interventions to improve breastfeeding outcomes. *Acta Paediatrica*, 104, 114–134.
30. Stuebe, A. M. (2018). Does breastfeeding prevent the metabolic syndrome, or does the metabolic syndrome prevent breastfeeding? *Seminars in Perinatology*, 42(1), 14–18.
31. Sun, Y., et al. (2024). Duration of breastfeeding and BMI outcomes. *Public Health Nutrition*, 27(3), 890–898.
32. UNICEF. (2021). *Infant and young child feeding programming guidance*. New York: UNICEF.
33. Uvnäs Moberg, K., Ekström-Bergström, A., Buckley, S., et al. (2020). Maternal plasma levels of oxytocin during breastfeeding. *Acta Paediatrica*, 109(4), 749–756.
34. Victora, C. G., Bahl, R., Barros, A. J., et al. (2016). Breastfeeding in the 21st century: Epidemiology, mechanisms, and lifelong effect. *The Lancet*, 387(10017), 475–490.
35. Walters, D. D., et al. (2025). Economic benefits of breastfeeding interventions. *Maternal & Child Nutrition*, 21(2), e13567.
36. World Health Organization & UNICEF. (2022). *How marketing of formula milk influences our decisions on infant feeding*. Geneva: WHO.
37. World Health Organization. (2022). *Infant and young child feeding: Model chapter for textbooks for medical students and allied health professionals*. Geneva: WHO.
38. Zhang, L., et al. (2022). Human milk oligosaccharides and infant gut microbiota. *Frontiers in Nutrition*, 9, 843.
39. Zhou, Y., et al. (2024). Breastfeeding and obesity prevention. *International Breastfeeding Journal*, 19, 45.
40. Zhu, J., Dingess, P. M., & Anderson, M. (2023). Oxytocin and maternal behavior regulation. *Neuroscience & Biobehavioral Reviews*, 145, 104995.