

Formulation And Evaluation Of Herbal Nagarmotha (Cyperus Rotundus) Shampoo

Manthan R. Jangam^{1*}, Snehal S. Patil¹, Vaishnavi Patil¹, Mulla Saniya Ismail¹, Ritu D. Rawate¹, Tanuja R. Mane¹, Pranali P. Pawar¹, Pratiksha S. Jagdale¹, Sanjana S. Sankpal¹, Sakshi R. Salunkhe¹, Vaishnavi B. Dharme¹, Rutuja S. Gadade¹

¹ Department Of Pharmaceutics, Krishna Institute Of Pharmacy, Krishna Vishwa Vidyapeeth, Karad, Maharashtra, India.

Corresponding Author: Manthan R. Jangam, Email: jmanthan394@gmail.com, Contact No.: +91 7709715537

Email Addresses: jmanthan394@gmail.com (M.R. Jangam), patilsnehal5121@gmail.com (S.S.

Patil), vaishnavipatil2110@gmail.com (V. Patil), aayatmulla23@gmail.com (M.S.

Ismail), rawateritu07@gmail.com (R.D. Rawate), tanujamane003@gmail.com (T.R.

Mane), pranali162002@gmail.com (P.P. Pawar), pratikshajagdale63@gmail.com (P.S.

Jagdale), sanjanasankpal2408@gmail.com (S.S. Sankpal), sakshisalunkhe74@gmail.com (S.R.

Salunkhe), vaishnavidharme16@gmail.com (V.B. Dharme), rutujagadade5@gmail.com (R.S. Gadade)

Orcid Ids: 0009-0002-7858-9102 (Manthan R. Jangam), 0009-0006-3823-7005 (Snehal S. Patil), 0009-0006-8749-3427 (Vaishnavi Patil), 0009-0007-3869-5687 (Mulla Saniya Ismail), 0009-0000-5358-8969 (Ritu D. Rawate), 0009-0002-4677-7002 (Tanuja R. Mane), 0009-0008-0895-4710 (Pranali P. Pawar), 0009-0007-4219-5300 (Pratiksha S. Jagdale), 0009-0005-8121-5031 (Sanjana S. Sankpal), 0009-0000-3190-3040 (Sakshi R. Salunkhe), 0009-0004-6580-7574 (Vaishnavi B. Dharme), 0009-0000-5336-5140 (Rutuja S. Gadade)

Received: 20th Feb, 2026; Revised: 4th Mar, 2026; Accepted: 25th Mar, 2026; Available Online: 10th Apr, 2026

Abstract

Herbal shampoos are increasingly preferred over synthetic formulations because of their safety, biodegradability, and minimal side effects. Conventional shampoos often contain synthetic surfactants and preservatives, which may cause scalp irritation, dryness, and hair damage upon prolonged use. This study aimed to formulate and evaluate a polyherbal shampoo containing cyperus rotundus (nagarmotha), reetha, ashwagandha, brahmi, methi, aloe vera juice, honey, and essential oils for the management of common hair and scalp disorders such as dandruff, hair fall, and microbial infections. The cyperus rotundus herbal extract was prepared using the maceration method. The physicochemical parameters of the formulated shampoo, including pH, washability, solubility, foaming stability, skin irritation, and stability, were evaluated. Antimicrobial activity was assessed against staphylococcus aureus, escherichia coli, and malassezia furfur using the agar-well diffusion method. The optimized formulation exhibited an ideal pH of 6, good washability, excellent foaming stability, and no skin irritation. Antimicrobial studies revealed significant antibacterial activity against s. aureus and e. coli, with inhibition zones comparable to that of standard streptomycin at higher concentrations, whereas moderate antifungal activity was observed against m. furfur. The results indicate that the developed herbal shampoo is safe, effective, and suitable for regular use by humans.

Keywords: Herbal Shampoo, Cyperus Rotundus, Nagarmotha, Antimicrobial Activity, Hair Care.

How To Cite This Article: Jangam Mr, Patil Ss, Patil V, Ismail Ms, Rawate Rd, Mane Tr, Pawar Pp, Jagdale Ps, Sankpal Ss, Salunkhe Sr, Dharme Vb, Gadade Rs. Formulation And Evaluation Of Herbal Nagarmotha (Cyperus Rotundus) Shampoo. Int J Drug Deliv Technol. 2026;16(28s):427-432. Doi: 10.25258/ijddt.16.28s.50

INTRODUCTION :

Hair care and scalp hygiene play an essential role in personal grooming and overall health. Shampoos are widely used cosmetic preparations intended for cleansing hair and scalp by removing dirt, excess sebum, microbial load, and environmental pollutants^{1,2}. Conventional shampoos commonly

contain synthetic surfactants, preservatives, colorants, and fragrances that provide rapid cleansing action; however, prolonged use of such formulations has been associated with adverse effects including scalp irritation, dryness, hair fall, and damage to the hair shaft³. These limitations have created a growing

Formulation And Evaluation Of Herbal Nagarmotha (*Cyperus Rotundus*) Shampoo

demand for safer and milder alternatives derived from natural sources.

Herbal shampoos formulated using medicinal plants have gained significant popularity due to their biodegradability, biocompatibility, and reduced risk of side effects. Medicinal plants have been traditionally utilized for hair cleansing, conditioning, and treatment of various scalp disorders⁴. The bioactive phytoconstituents present in herbal ingredients exhibit antimicrobial, antioxidant, and anti-inflammatory properties, which are beneficial for maintaining scalp health and promoting hair growth⁵. Moreover, herbal formulations are suitable for long-term use and align with the increasing consumer preference for natural cosmetic products².

Among various scalp disorders, dandruff and microbial infections are common problems affecting a large population worldwide. Dandruff is primarily associated with excessive proliferation of microorganisms, particularly *Malassezia* species, leading to itching, flaking, and inflammation of the scalp⁴⁻¹⁰. Therefore, the incorporation of antimicrobial agents in shampoo formulations is essential for effective management of dandruff and scalp infections. Herbal ingredients possessing antimicrobial properties can offer a dual benefit of cleansing and therapeutic action without causing irritation⁸.

Nagarmotha (*Cyperus rotundus*) is a well-known medicinal plant widely used in traditional systems of medicine. It has been reported to possess antimicrobial, antioxidant, anti-inflammatory, and antidandruff properties, making it a promising ingredient for hair care formulations⁶. In addition, Reetha (*Sapindus mukorossi*) is rich in saponins and acts as a natural surfactant, providing effective cleansing and foaming action. Other herbal ingredients such as Ashwagandha, Brahmi, and Methi are known to strengthen hair follicles, promote hair growth, and reduce hair fall⁷⁻⁸. Aloe vera juice and honey function as natural conditioners and humectants, improving hair moisture, smoothness, and shine⁹.

Single-herb formulations may offer limited benefits; however, polyherbal formulations provide synergistic effects due to the presence of multiple bioactive constituents acting through different mechanisms¹¹. Polyherbal shampoos are therefore considered more effective in improving overall hair and scalp health by combining cleansing, conditioning, and antimicrobial properties¹². The synergistic interaction among herbal ingredients enhances therapeutic efficacy while minimizing adverse effects.

Based on these considerations, the present study was undertaken to formulate and evaluate a polyherbal shampoo containing *Cyperus rotundus* (Nagarmotha) along with selected herbal ingredients. The formulated shampoo was evaluated for physicochemical parameters, stability, and antimicrobial activity to assess its suitability as a safe and effective herbal hair care product.

MATERIALS AND METHODS :

Materials

The herbal ingredients used in the formulation of the shampoo included *Cyperus rotundus* (Nagarmotha), *Sapindus mukorossi* (Reetha), *Withania somnifera* (Ashwagandha), *Bacopa monnieri* (Brahmi), and *Trigonella foenum-graecum* (Methi) in powdered form. Aloe vera juice, honey, chamomile oil, and rose oil were procured from local authenticated herbal markets. Sodium lauryl sulfate (SLS) and citric acid were obtained from pharmaceutical laboratories. All chemicals and reagents used in the study were of analytical grade and were used without further purification.

Method of Extraction (Maceration Method)

Nagarmotha powder (50 g) was accurately weighed and transferred into a clean, dry, stoppered conical flask. A hydroalcoholic solvent system consisting of ethanol and distilled water in the ratio of 50:50 was added in sufficient quantity to completely immerse the powdered drug. The flask was sealed and kept at room temperature for 14 days with intermittent shaking to facilitate efficient extraction of phytoconstituents.

After completion of the maceration period, the mixture was filtered using muslin cloth followed by Whatman filter paper. The clear filtrate was collected and stored in a well-closed container for further formulation. Maceration was selected as the extraction method due to its simplicity, cost-effectiveness, and suitability for thermolabile herbal constituents⁹.




Figure 1: Extraction of Nagarmotha by maceration method

Formulation And Evaluation Of Herbal Nagarmotha (Cyperus Rotundus) Shampoo

Formulation of Herbal Shampoo

The compositions of the herbal shampoo formulations are listed in Table 1.

Table 1: Composition of herbal shampoo formulations

Sr .n o	Name of ingre dients	Applic ation of compo nents	Seg me nt A	Seg me nt B	Seg me nt C	Seg me nt D
1	Nagar motha	Scalp disorde r,to prevent dandruf f.	5ml	7ml	5ml	12 ml
2	Reeth a powde r	Foamin g agent,cl eaning agent.	4g m	5g m	5g m	10g m
3	Ashw agand ha powde r	Hair growth promot er,contr ol hair fall.	2g m	1g m	2g m	4g m
4	Braha mi powde r	Support hair growth	2g m	1g m	2g m	4g m
5	Methi powde r	Condi oning and nourish ing of hair	2g m	1g m	2g m	4g m
6	Alove ra juice	Smooth ing and conditio ning.	3ml	2g m	3ml	5ml
7	Honey	Shining and moistur izing hair.	2ml	3ml	1ml	3ml
8	Cham omile oil	Smooth scalp and to reduce irritatio n.	2ml	1ml	1ml	2ml

9	Citric acid	To mainati n p.H	1.5 ml	1ml	1ml	2ml
10	Rose oil	Fragran ce	0.5 ml	1ml	1.5 ml	1ml
11	Sodiu m lauryl sulpha te	Surfact ant	1ml	2ml	1.5 ml	3ml

Procedure for Shampoo Preparation

Aqueous extracts of Ashwagandha, Brahmi, and Methi were prepared separately by boiling the respective powders in distilled water, followed by filtration to obtain clear extracts. Reetha extract was prepared using the same method and used as a natural foaming agent.

The Nagarmotha macerated extract was mixed with the prepared aqueous extracts under continuous stirring to ensure uniformity. Aloe vera juice and honey were added gradually with constant stirring. Sodium lauryl sulfate was then incorporated slowly as a surfactant to enhance cleansing and foaming properties. Citric acid was added in small quantities to adjust the pH of the formulation to a skin-friendly range. Finally, chamomile oil and rose oil were added as soothing and fragrance agents, respectively.

The prepared formulation was allowed to stand for 48 h at room temperature to achieve uniform consistency and complete stabilization of the ingredients.

Evaluation of Herbal Shampoo

pH Determination

The pH of the prepared herbal shampoo was determined using a calibrated digital pH meter. The pH electrode was immersed in the shampoo solution, and readings were recorded after stabilization. The pH of the formulation was found to be 6, which falls within the acceptable range (5–7) for hair and scalp applications¹⁰.



Figure 2: pH determination of herbal shampoo

Washability

Washability was evaluated by applying a small quantity of shampoo onto the skin followed by rinsing with water. The ease of removal and absence of residue

Formulation And Evaluation Of Herbal Nagarmotha (*Cyperus Rotundus*) Shampoo

were observed. The formulation exhibited good washability characteristics.



Figure 3: Washability test of herbal shampoo

Solubility
Solubility was assessed by dissolving a measured quantity of shampoo in distilled water. The formulation showed good solubility, forming a clear and uniform solution.




Figure 4: Solubility test of herbal shampoo

Skin Irritation Test
The prepared herbal shampoo was applied on a small area of skin and observed for signs of redness, itching, or irritation. No adverse reactions were observed, indicating that the formulation was safe for topical application.

Foaming Stability
Foaming stability was evaluated by shaking a measured quantity of the shampoo with distilled water in a graduated cylinder. The height and stability of the foam were observed over time. The formulation showed adequate and stable foam, which is essential for consumer acceptability¹¹.



Figure 5: Foaming stability of herbal shampoo

Stability Study
The herbal shampoo formulation was stored in a well-closed container at room temperature and observed

periodically for changes in color, odor, and consistency. No significant changes were observed during the study period, indicating good stability of the formulation.

RESULTS AND DISCUSSION :

The formulated herbal shampoo exhibited acceptable organoleptic characteristics, including a pleasant odor, smooth texture, and semisolid consistency, indicating good consumer acceptability. The pH of the formulation was found to be 6, which falls within the ideal range for hair and scalp applications and confirms that the shampoo is mild and non-irritant in nature. Maintenance of an appropriate pH is essential to prevent scalp irritation and hair damage.

The formulation demonstrated good washability and solubility in water, producing a uniform solution without leaving any residue. Adequate and stable foaming behavior was also observed, which is an important quality parameter influencing user satisfaction and cleansing efficiency. These findings are in agreement with previously reported herbal shampoo formulations^{10,11}.

The antimicrobial evaluation revealed that the herbal shampoo exhibited significant antibacterial activity against *Staphylococcus aureus* and *Escherichia coli*. At higher concentrations, the zones of inhibition were comparable to that of the standard drug streptomycin, indicating strong antibacterial potential of the formulation. Moderate antifungal activity was also observed against *Malassezia furfur*, a microorganism commonly associated with dandruff and scalp disorders.

The observed antimicrobial activity may be attributed to the synergistic action of bioactive phytoconstituents present in *Cyperus rotundus*, along with other herbal ingredients such as Reetha, Ashwagandha, and Brahmi, which are known to possess antimicrobial and scalp-protective properties^{12,13}. The combined effect of these herbal components enhances the overall therapeutic efficacy of the formulation, making it suitable for managing dandruff and maintaining scalp health.




Figure 6: Zone of inhibition against Escherichia coli

Formulation And Evaluation Of Herbal Nagarmotha (*Cyperus Rotundus*) Shampoo



Figure 7: Zone of inhibition against *Staphylococcus aureus*




Figure 8: Antifungal activity against *Malassezia furfur*

CONCLUSION :

The present study was aimed at the formulation and evaluation of a polyherbal shampoo using selected medicinal plant ingredients. The formulated shampoo demonstrated acceptable physicochemical properties, including suitable pH, good washability, solubility, foaming stability, and favorable organoleptic characteristics. The formulation also exhibited significant antibacterial activity against *Staphylococcus aureus* and *Escherichia coli* and moderate antifungal activity against *Malassezia furfur*, indicating its potential in managing dandruff and scalp-related disorders.

The findings suggest that the developed herbal shampoo is safe, effective, and suitable for regular hair care applications. Further studies involving long-term stability testing and clinical evaluation may be conducted to confirm its therapeutic efficacy and commercial applicability.

REFERENCES :

1. Haritha PN, Supraja P, Samreen S, Qureshi M, Sandya P, Swetha T. A review on polyherbal shampoo powder. *International Journal of Pharmaceutical Research*. 2021;21(2):346–363.
2. Kumar KS, Bhowmik D, Chiranjib, Biswajit. Herbal cosmetic products: A review. *Asian Journal of Pharmaceutical Technology*. 2010;1(1):1–6.
3. Al-Ogaili NA, Osama S, Jazme D, Saad S. In vitro antibacterial investigation and synergistic effect of *Ficus carica* and *Olea europaea* aqueous extracts. *Research Journal of Pharmacy and Technology*. 2020;13(3):1198–1203. doi:10.5958/0974-360X.2020.00221.8
4. Narshana M, Ravikumar P. An overview of dandruff and novel formulations as a treatment strategy. *International Journal of Pharmaceutical Sciences and Research*. 2018;9(2):417–431.
5. Balsam SM, Gershon SD, Rieger MM. Cosmetic science and technology: formulation perspectives. *Asian Journal of Pharmaceutical Technology*. 2018;8(2):85–92.
6. Kumara GUA, Wadimuna WMDRW, Lakshmi AV. Cosmetic benefits of Shirodhara treatment: Impact on scalp and hair health. *Asian Journal of Pharmaceutical Analysis*. 2019;9(4):215–221.
7. Verma A, Srivastava R, Sonar PK, Yadav R. Traditional, phytochemical and biological aspects of *Rosa alba* L.: A systematic review. *Research Journal of Pharmacy and Technology*. 2020;13(9):4521–4527.
8. Al-Shaibani IR, Phutdhawong WS. Antimicrobial activity of selected herbal extracts used in cosmetic formulations. *Research Journal of Pharmacy and Technology*. 2019;12(7):3345–3350.
9. Sharma A, Shanker C, Tyagi LK, Singh M, Rao CV. Herbal medicine for market potential in India: An overview. *Academic Journal of Plant Sciences*. 2008;1(2):26–36.
10. Agarwal S, Sharma S. Development and evaluation of herbal shampoo formulations. *Asian Journal of Pharmaceutical Analysis*. 2017;7(2):75–80.
11. Patel RP, Patel MM. Formulation and evaluation of polyherbal shampoo. *Asian Journal of Research in Chemistry*. 2016;9(3):121–126.
12. Deshmukh S, Jain A. Herbal remedies for dandruff and scalp disorders. *International Journal of Pharmaceutical Research*. 2019;11(4):1021–1028.
13. Kale R, Khandare S. Evaluation parameters for cosmetic shampoo formulations. *Asian Journal of Pharmaceutical Technology*. 2018;8(3):145–150.
14. Jadhav VM, Thorat RM, Kadam VJ, Sathe NS. Herbal cosmetics: A review. *Asian Journal of Research in Chemistry*. 2009;2(3):227–234.

Formulation And Evaluation Of Herbal Nagarmotha (Cyperus Rotundus) Shampoo

15. Goswami R, Singh D. Role of herbal surfactants in cosmetic preparations. *Asian Journal of Pharmaceutical Analysis*. 2018;8(1):33–38.
16. Kumar A, Singh S. Phytochemical screening and antimicrobial activity of medicinal plants used in cosmetics. *Research Journal of Pharmacy and Technology*. 2019;12(11):5341–5346.
17. Patil SB, Kulkarni U. Natural excipients in cosmetic formulations. *Asian Journal of Pharmaceutical Technology*. 2020;10(2):89–95.
18. Shinde V, Patil S. Herbal approach towards treatment of dandruff. *International Journal of Pharmaceutical Research*. 2020;12(3):2150–2156.
19. Chaudhari GM, Deshpande SG. Evaluation of antimicrobial activity of herbal cosmetic formulations. *Research Journal of Pharmacy and Technology*. 2018;11(6):2601–2606.
20. Kadam PV, Yadav KN, Patel FA, Karjekar FA, Patil MJ. Pharmacognostic and phytochemical evaluation of medicinal plants used in hair care preparations. *Asian Journal of Research in Chemistry*. 2012;5(4):491–495.