

Machine Learning and CAD-Based Design Optimization of Smart Drug Delivery Devices

Mr. N. Duraimurugan¹, Dr. M. Dhanabal², Brusothaman P³, Gowtham B⁴, Santhosh Kumar B⁵, Shavunali N⁶

^{1,2} Assistant Professor, Department of Mechanical Engineering, V.S.B Engineering College, Karur 639 111, India

^{3,4,5,6} UG Scholar, Department of Mechanical Engineering, V.S.B Engineering College, Karur 639 111, India

Received: 12th Mar, 2026 | Revised: 24th Mar, 2026 | Accepted: 14th Apr, 2026 | Available Online: 30th Apr, 2026

ABSTRACT

One of the keys to improved treatment outcomes and higher adherence is an effective design of a smart drug delivery device. In the present paper, a methodology that incorporates both Computer-Aided Design (CAD) and machine learning into the process of designing a smart drug delivery system to optimize its design is explained. Firstly, the device is designed (and modeled) in CAD, and the tool is also applied to refine the design parameters to enhance performance by applying machine learning algorithms, e.g., regression models and optimization algorithms. The optimization process entails the objective of optimization of drug release pattern, cost of production, and reliability of the device. These findings indicate the effectiveness of the described solution in delivering an improved drug delivery device that will suit both clinical and economical needs. Future research directions and its general uses are discussed as well.

Keywords: Smart drug delivery, CAD, machine learning, design optimization, drug release profile, device performance, optimization algorithms, therapeutic outcomes, manufacturing cost, reliability.

How to cite this article: Duraimurugan N, Dhanabal M, Brusothaman P, Gowtham B, Santhosh Kumar B, Shavunali N. Machine Learning and CAD-Based Design Optimization of Smart Drug Delivery Devices. *Int J Drug Deliv Technol.* 2026;16(39s): 803. DOI: 10.25258/ijddt.16.39s.99

Source of support: Nil.

Conflict of interest: None

Introduction

The term Smart drug delivery systems (SDDS) is a high-tech technology in drug and health care industries, meant to transport drugs to the body system in a targeted, controlled, and efficient way. Such systems are referred to by the fact that they release drugs at a pre-written pace either locally or all through the body, at certain physiological conditions or external signals. These systems have attracted a lot of attention because they have the ability to enhance patient therapy outcomes, reduce side effects, and compliance[1]. SDDS apply multiple processes like sensors, pumps, microchips that can be used to manage the discharge of medication and, thus, provide a highly personal approach to treatment based on the needs of the patient. SDDS applications are diverse and extensive and include chronic disease management (e.g. diabetes), cancer treatment, hormone replacement therapies, among others. Further on, nanotechnology and biotechnology have continued to advance further in the development of these systems further enabling more

accurate targeting and employing effective drug release plans[2].

The role played by smart drug delivery systems in contemporary health care is beyond comprehension. With the growing need to develop more individualized, control, and harmless forms of treatment, SDDS provide an excellent answer to the gap between conventional drug delivery approaches, and the dynamic requirements of patients[3]. Through innovation in drug delivery, SDDS dispute the drug delivery methods in order not only to enhance the outcomes of patients but to minimize the chances of adverse effects that can be caused by the lack of delivery correctly[4]. Hence, further studies and development of SDDS are imperative towards creating a better healthcare system universally since it has the capability to transform how drugs reach patients[5]. Although the sphere of smart drug delivery has been developed significantly in recent years, there are still a number of difficulties in the development of effective devices. One of the most significant features of the drug delivery process is the accuracy, since the ability

Machine Learning and CAD-Based Design Optimization of Smart Drug Delivery Devices

of the appropriate dose to arrive at the target location at the required time is one of the key elements contributing to the effectiveness of the treatment process[6]. Still, quite a number of drug delivery devices continue to face the problem of correct dosing, and thus, either underdose medication or overdose it, which can negatively impact the health of patients. Furthermore, the factors, which usually undermine the efficiency of current systems, are the complexity of the device, its cost, and scalability[7]. The latter problem is especially noticeable when talking about mass production and implementation of such devices in relation to various groups of patients.

The other critical factor is flexibility of smart drug delivery devices. Most of the existing systems only have a number of conditions or different regimens they are treated hence are restricted to use in a wider range of medical applications[8]. Devices are required that can adapt to the various physiological conditions or changes on the needs of the patient over time[9]. This adaptability would not only provide enhanced functionality to the devices but also enhance their clinical relevancy, allowing them to be used in a larger range of therapeutic interventions. Consequently, the challenge that needs innovative solutions is to provide precision, efficiency, and adaptability in smart drug delivery devices[10].

The main aim of conducting this study is to streamline the design of a smart drug delivery device by blending Computer-Aided Design (CAD) and machine learning to optimize its design. The design optimization is intended to overcome the existing shortcomings of the drug delivery systems with concern to further improving the precision of the devices, their efficiency and flexibility. Through CAD, the research will be able to come up with a first model of a device, with a particular emphasis on the optimization of the device parameters (size, shape, material properties, etc.). This step will then be followed by machine learning algorithms to further optimize design by considering performance data and improving the important parameters like drug release rate, device stability, and user interface[12]. The study will particularly emphasize the application of machine learning to enhance the decision-making process in the design phase, so that the end device would be able to address the clinical and economic needs[13]. The research also seeks to optimize the design, simulate and test it so that it can be confirmed that it approximates the desired performance and can be manufactured effectively.

This paper aims at the optimization of the design of a smart drug delivery device through CAD and machine learning with special reference to the optimization of the drug release profile itself. The research is confined to the creation of a prototype which can be used in specific medical conditions, say diabetes or hormone replacement therapy. The research will largely focus on optimization of the physical design factors e.g. geometry, size, material choice, in addition to the drug delivery process in itself. Optimization of the performance of the device using machine learning techniques will be examined based on the input information obtained through the simulation and test results. Although the study will offer useful information on the design and optimization procedure, it will not focus on the clinical testing or the long-term effectiveness of the drug delivery device in clinical settings with actual patients. The overall aim of the study is to provide the background to other studies that will investigate the practical application and clinical testing of optimized smart drug delivery systems. The study will equally not address all the drug delivery devices but will address a particular category, which has high clinical potential and demand.

1. Literature Review

The methods of drug delivery have advanced over the years and no longer are they based on the traditional methods of medication delivery; it is rather advanced and provides the possibility to deliver drugs precisely and controlled. The initial means of drug delivery (injections, oral pills, and patches) were easy, but not always effective to achieve the best distribution of the drug or at least reach the intended area[14]. Recent developments in the area have seen the introduction of “smart” drug delivery devices, which are more advanced with sensors, pumps and release controls in place to improve therapeutic delivery[15]. These smart systems can respond dynamically to physiological conditions of a patient or the external environment, providing a more individualized approach to medication delivery.

Usual scheme (practice) of intelligent drug delivery is the sensors that measure important parameters such as blood glucose, pH or temperature and initiate the release of medication on request. In diabetes, as an example, insulin pumps with continuous glucose monitoring system adjust the insulin dosing automatically, preventing the possibility of either hypoglycemia or hyperglycemia. Moreover, pumps are their use in those systems, where the medication has to

Machine Learning and CAD-Based Design Optimization of Smart Drug Delivery Devices

be administered over a long period, like cancer treatments or hormone therapies[16]. Regulated release is another drug delivery system used to control the rate of drug delivery e.g. polymer based systems to maintain constant controlled flow of drug to the body. This will ensure that the patient adheres to the treatment regimens unless frequent dosing is necessary, thereby reducing or lowering the dosage required by the patient[17]. Although there is promising potential, most smart drug delivery systems continue to be hampered by their lack of precision, adaptability and economic viability. Thus, there should be constant innovation to improve performance and accessibility of these devices.

Computer-Aided Design (CAD) has transformed the idea of developing medical devices as it offers modern tools to create, simulate and optimize devices prior to the manufacture of physical prototypes. With the help of CAD, detailed 3D models of devices used in drug delivery can be made, which provides designers with an opportunity to experiment with the design of different models and test their functionality[18]. The use of CAD tools on drug delivery systems enables optimization of device geometry, which is crucial in achieving the desirable performance. CAD enables the optimization of critical design variables such as the size and shape of the drug reservoir, channels and pumps used to deliver the drug to the body to improve the precision of drug delivery and the effectiveness of the unit[19].

Moreover, mechanical and fluidic behavior of the device, such as the distribution of pressure, flow rate, and drug diffusion can be modeled using CAD software. Simulating these factors one can identify potential issues, such as blockages or even uneven drug distribution, at a very early stage of the design process[20]. This helps in making decisions that are informed on the selection of material to be used as well as the structure changes that lead to a more efficient and reliable machine. Moreover, CAD models enable the combination of several elements, including sensors and actuators, which are fundamental to smart drug delivery systems. Being able to quickly reiterate on design concepts in a virtual environment does not only accelerate the development cycle but also eliminates the necessity of having expensive physical prototypes. In this way, CAD has become an integral part of designing optimization of drug delivery devices.

Machine learning (ML) methods have become an effective instrument in designing and using medical devices, such as smart drug delivery. Conventional

design optimization solutions may utilize trial and error or experience, which may turn out to be time and labor intensive. Conversely, machine learning algorithms leverage enormous data available and models of computation to find patterns, optimize parameter and forecast the performance of devices given the input data. In the case of drug delivery devices, one can use ML to optimize the key design considerations, including the rate of drug release, the duration of the device, or cost-effectiveness.

A number of machine learning methods have been used to optimize the design of medical devices. Genetic algorithms which are a form of optimization algorithm based on the concept of natural selection have been applied to the identification of the best design solutions through selecting and evolving the design parameters. These algorithms have the capability to search a huge design space and compare the various modes of design and then optimize according to such parameters as size, shape and material traits so as to come up with the highest performing mode. Another technology that has become quite popular is the artificial neural networks (ANN), which are intended to fit intricate relationships involving both input variables and output variables. The predictive effect of design changes on the device performance can be trained using historical data to optimize the functionality of the device and ensure that the machine meets performance requirements including accuracy, efficiency and reliability.

Machine learning is also employed to determine the performance of a drug delivery device under different conditions, including when various patient physiologies or environmental conditions are varied. Predictive models can be used with ML to steer the optimization of system operations, such as the drug release profile, and allow devices to adapt to the needs of different patients. Moreover, the use of machine learning can also become very important during the incorporation of real-time data of the sensors to adjust the functionality of the device which ensures maximum drug delivery during the process of treatment. The incorporation of ML in the optimization process, consequently, new possibilities to improve the performance of devices and personalization emerge, and more intelligent and effective solutions to drug delivery become possible.

Even though the field of smart drug delivery devices appears promising, there are a number of challenges, which bar the widespread implementation and success of these systems. A main challenge lies in the fact that various elements such as sensors, pumps and controlled

Machine Learning and CAD-Based Design Optimization of Smart Drug Delivery Devices

release mechanisms need to be incorporated into a single unit. Getting all components to work efficiently together with minimum interferences and maximum dependability is a big challenge. Moreover, although machine learning provides strong optimization capabilities, the quality of the models is strongly dependent on the training data quality and availability. The availability of adequate high quality data to train the model may be challenging in most cases, especially when dealing with new or niche applications.

The affordability and scalability of smart drug delivery devices is another challenge. Several systems available are costly to produce, and their parts are so specialised as to be accessible to a wider range of patients. Although CAD and machine learning may assist in streamlining the design process and minimizing costs of production, these technologies themselves consume a lot of resources and demand a substantial amount of processing power, thus being hard to implement with mass production. Additionally, the integration of machine learning and real-time clinical data has loopholes. Although predictive models have been achieved in order to optimize devices, scaling these models to real-time, adaptive systems has posed as a challenge because of the challenges like latency, data privacy, and complexity of the systems.

2. Methodology

The concept of smart drug delivery device is based on highly developed Computer-Aided Design (CAD) software which is represented by SolidWorks and AutoCAD to make the detailed graphical representations of 3D designs. It starts with the idea of what must be contained in the device, which contains the drug reservoir, pumps and release mechanisms and then the implementation of these ideas into a unified system. The CAD tools allow the architect to simulate and plot these elements in an imaginary plane, and thus there are opportunities to test out the alternative design options and to hone the shape and functionality of the device. Some of the design priorities include the geometry optimization of the device to make it suitable to the performance needs without losing on efficiency in delivering drugs.

The central part of the device will be the drug reservoir which will hold a specific amount of medicine that will ensure that during an extended period of time the appropriate amount of drug can be administered to the patient. The characteristic of the reservoir is crucial in determining the velocity at which the drug must be released and it must be engineered to perfection to

escape the intricacies come in the form of leakage or clogging. The pumps which define the flow of the drug are defined to be very fine. CAD tools can be used to determine that the fluid dynamic simulation in the pump is viable since it reacts as per the conditions. Material selection is the other significant aspect of design process. These materials must be biocompatible, strong and capable of capturing the environmental conditions within the human body. The materials employed should also prefer the desirable mechanism of drug release by diffusion, osmosis or active pumping. The characteristics of the material are studied with the help of tools (CAD) and the best combination of materials is determined to meet these requirements. The design is practical in that it has sensors which identify the status of patients and also dispense drugs rendering the device reactive towards real-time information. Optimization process relies on the models of CAD that present certain blueprints to consider and simulate some other aspects.

Machine learning (ML) is used to optimize the design of the drug delivery device to improve its performance. A number of ML algorithms are applied to optimize the device parameters like drug release time, flow rate and overall efficiency of devices. Regression analysis, decision trees and neural networks are used to regress the relation between different design parameters and their effects on the performance of the device. The effect of some parameters of design on the drug release profile is predicted by employing a regression analysis. As an illustration, the time-dependent release rate of the drug when the family increases the reservoir size or the pumping energy can be learnt using a linear regression model. Decision trees are, conversely, used to categorize device configurations, or in specific performance criteria to aid in defining the best design decisions. These algorithms operate based on the assumption that a large amount of information of the performance of the device during various conditions is analyzed and this information is used to construct a predictive model.

Another important ML method employed during the optimization process is neural networks. A neural network learns to identify complex patterns that give optimal device settings based on performance data provided at the beginning of simulations and real-world experiments. The trained network could then propose the design improvements considering various input parameters which may include material properties, geometry and mechanical performance. With machine learning, the optimization process is

Machine Learning and CAD-Based Design Optimization of Smart Drug Delivery Devices

faster and allows finding design configurations that would not have been easily possible with conventional trial-and-error design techniques. Various important metrics are part of the optimization of the smart drug delivery device, which makes the device fulfill the clinical and functional requirements. Efficiency is one of the most important criteria and it encompasses factors such as accuracy of drug delivery, energy consumption and dependability. The right amount of medication has to be dispensed by the machine at the right time interval.




Figure 1: Flowchart of the Smart Drug Delivery Device Design and Optimization Process

Figure 1 illustrates the entire design optimization process of a smart drug delivery system based on CAD and machine learning. The process is divided into five steps that are necessary: Designing device (CAD), Data Creation, machine learning optimization, optimized design and simulation and testing. The geometry and materials and the functional elements (the drug reservoir and pump) are applied to the CAD tools during the first stage. The second step is generation of data in which simulation is conducted to give the performance data and the various design parameters such as the volume of the reservoirs and the size of the nozzle. The third stage then involves optimization of the design parameters using machine learning algorithms like neural networks and genetic algorithms. The fourth phase optimises design in terms of better drug release profile, efficiency and cost. The last phase is to simulate and test the final optimized design which will include computational fluid dynamics (CFD) and finite element analysis (FEA) to verify its performance after which, the performance is tested physically. Another important optimization parameter is the drug release profile that is directly affected on the potential of the device to achieve therapeutic goals. The optimization procedure will aim at balancing the release rate such that the drug gets

released in a steady and within the therapeutic window needed. An optimized drug release profile will also reduce the patient intervention needed and at the same time sustain therapeutic effect in the long run.




Figure 2: Machine Learning Optimization Process for Smart Drug Delivery Device Design

Figure 2 illustrates the machine learning optimization operation that will be implemented in designing the smart drug delivery device. This starts with data collection which entails the collection of performance data of initial CAD designs and simulations (e.g. fluid dynamics, rate of drug release) data. Then, the data is cleaned, normalized, and preprocessed before being trained to machine learning models. This data is chosen and trained using different machine learning algorithms, like neural networks and genetic algorithms, to learn about correlations between design parameters and device operation. Trained models are then used to optimize design options available on the device such as drug reservoir size, and pump power to achieve desired performance results. The optimum design is then examined on the performance parameter like R^2 , RMSE, and MAE to meet the required standards. Cost is also an important aspect of optimisation. Although the primary objective in this case is to develop a device that is more high-performing the device should also be cost-effective to produce such that it can be produced in greater amounts and made available to more patients. The design is optimized through machine learning and CAD tools in order to achieve a balance between performance and cost as well as reduce wastage, and maximize the value of the materials and resources. The device should pass the criteria of usability, this is a very important consideration towards its success in the real life. It has to be designed in a way that is easily usable and allows the patients to work with the device without difficulties. The presence of such features would be considered as part of the optimization process, such as the user interfaces, sensor monitoring and maintenance needs that can be useful in enhancing the user

Machine Learning and CAD-Based Design Optimization of Smart Drug Delivery Devices

experience. These measures are design to ensure that the device is not only efficient, but also sensible in giving medication.

The extensive simulation and testing process is applied in order to test out the optimized design of the smart drug delivery device. The finite element analysis (FEA) can simulate the mechanical behaviour of the device in terms of stress, strain, and pressure distribution. FEA will also provide details of the behavior of the device in various circumstances that will then allow one to know what could be weak in the design such as structural failure or high stress points that could lead to failure in the device. Simulation tools are also used to model the fluid dynamics of the drug delivery system and ensure smooth running of the pumps and the drug reservoir. Such simulations will have predicted how the drug will go through the system and will provide useful information in the flow rates, pressure and dispersion of the drug. Another improvement on the design is dependent on the simulations performed in order to modify the drug release profile with respect to the precision and reliability. Once the simulations are passed to pass the design, prototyping follows the physical processes and tests on the performance of the device under real conditions are conducted. The tests include the monitoring of the ability of the devices to deliver the correct dosage, discharge period, dosage precision and the length of the gadget. The results of these tests are reinvested in the design process to allow optimisation to proceed before the device could be deemed to be in clinical use.

3. Results and Discussion

The Computer-Aided Design (CAD) tools and machine learning approaches to the design and optimization of the smart drug delivery device provided very positive performance improvement over the traditional drug delivery systems. The authors provide the results in the form of several figures to emphasize the efficiency of the optimized design in a range of different areas, including drug release profile, rate of flow, efficiency of a device, and its ability to sustain the provided structure. Drug release profile at different times was simulated and modeled on the optimized and traditional drug delivery devices. It showed a more regulated and efficient rate of drug release in the optimized design as shown in Figure 3 with cumulative drug release being faster than in the traditional design. The optimized system presented a steeper curve, and the drug was more effectively released and according to the requirements of the therapeutic needs.

Conversely, the conventional design took a slower release curve, which might not be accurate on the dosage needed by the patients. The optimized design also increases the rate of release faster and more controlled because of the inclusion of machine learning algorithms that optimized the design parameters, including the size of the reservoir, the pump set-up, and how the release occurs, which guarantees a higher efficiency of the drug delivery.




Figure 3: Drug release profile comparison between optimized and traditional designs over time.




Figure 4: Flow rate comparison of drug delivery system over time.

Machine Learning and CAD-Based Design Optimization of Smart Drug Delivery Devices




Figure 5: Comparison of device efficiency based on drug release accuracy.




Figure 6: Stress distribution on the drug delivery device under operational conditions (using finite element analysis).

Figure 4 shows the comparison of flow rate in the optimized and traditional designs that indicate that there is a significant enhancement in flow control of the optimized system. It was easier to regulate the flow rate in the optimized design as a fine-tuned pump system can modify the flow rate according to the therapeutic requirement delivering drugs more precisely. The classic design, on the contrary, characterized itself with a comparatively smooth yet less responsive flow pattern. The sinusoidal variations in the flow of this optimized system can be ascribed to the machine learning algorithms that optimized the performance of the pump based on the real-time data and allowed tweaking the performance according to the needs of the body. This increased flow rate would greatly control rate of drug delivery, making the drug more precise in terms of therapeutic effect and reducing side effects. Another important performance metric was device efficacy, quantified in the form of drugs release accuracy. The optimization of the two devices versus the traditional devices is a comparison made in figure 5 during five testcases. The streamlined machine was

always reported to be more efficient than the traditional system and the efficiency rating of the completed case scored more than 90 percent in all the experimented cases. In comparison, the traditional device was less efficient with a range ranging between 85 and 89. Optimized design has the benefit of having machine learning programming embedded into it to constantly check and adjust various parameters of the devices to achieve even greater accuracy of releasing the drug. This efficiency is crucial in the process of ensuring that the appropriate level of medication is given to the patients at the appropriate time which is required to sustain the desired effect of treatment, and improve patient outcomes.

Mechanical integrity of the device has been tested by means of Finite element analysis (FEA) which simulates stress patterns at the working conditions. Figures 6 and 7 below show a plot of the drug delivery device stress in terms of a surface plot. This was analyzed to demonstrate that the optimized design had higher distributed stress profile of the device and none of the points was highly stressed. This has been done by the geometry optimization and careful choice of material with the assistance of CAD tools. The traditional design, however, had concentrations of stress areas that could result in the failure of the machine or reduced life span. The findings of the distribution of the stresses applied to the design point to the merits of the optimized design which can be easier to sustain the stresses at work and ensure a longer and more dependable operation.

Though the results were promising, there were a number of challenges experienced when designing and optimizing it. The complexity of combining machine learning algorithms and the CAD design process was one of the primary challenges. Although machine learning models can greatly enhance optimization, training of the models using accurate data is lengthy and involves a huge amount of real-world data on performance. Also, the high computational demand was a limiting factor, which needed to be used to compute both the CAD simulations and machine learning optimization. The other difficulty was to make sure that the simulated stress distribution was correct in the real world scenario in the device. Despite the useful insights FEA gave about the mechanical performance of the device, the simulations have to be tested with physical tests, which may create variation and affect the ultimate outcomes.

Despite these challenges, the optimized design exhibited an apparent benefit in terms of drugs released

Machine Learning and CAD-Based Design Optimization of Smart Drug Delivery Devices

accuracy, flow control and structural integrity as compared to the conventional designs. Introducing machine learning mechanisms and CAD was a great concept in enhancing the functionality of the drug delivery device. These innovations show the possibility to create new generation smart drug delivery systems, which are more efficient, reliable, and easy to use by the patient. More optimization and real world testing will be necessary to streamline the design, and make sure that it will support the clinical requirements necessary to be used widely.

4. Conclusion

In conclusion, the combination of CAD and machine learning in optimization of the design of smart drug preparation devices have become a very successful strategy that has resulted in remarkable performance enhancements. The optimized design proved better drug release accuracy whereby the cumulative drug release was faster and more controlled than traditional designs. Moreover, the streamlined system had better flow control, which offered more accurate drug delivery with time. The efficiency of the devices was also significantly better with the specific design increasing the accuracy of drug release over 90% in several tests, compared to the lower efficiency in the traditional systems. The stress distribution analysis also verified the soundness of the optimized design, by indicating that in comparison with the conventional devices, the optimized design is able to resist the operational stresses more effectively. These developments explain how the next-generation drug delivery systems can be developed and deliver better therapeutic results. Further improvements in the machine learning models using bigger datasets will be developed in the future, optimization of machine components to be easily made will be carried out and real world tests will be implemented to prove the results. It will assist in ensuring that the optimized designs can be easily adapted into clinical uses towards more personalized and effective drug delivery solutions.

References

1. B. D. Martin, "Design and Optimization of Drug Delivery Systems Using CAD," *International Journal of Drug Delivery*, vol. 12, no. 5, pp. 45-56, 2021.
2. S. K. Gupta, A. R. Patel, and R. V. Shukla, "Machine Learning in Optimization of Drug Release Profiles," *Journal of Pharmaceutical Sciences*, vol. 103, no. 9, pp. 3102-3111, 2020.
3. T. S. Smith and P. N. Watson, "Finite Element Analysis for Drug Delivery Device Design," *Journal of Biomechanical Engineering*, vol. 142, no. 8, pp. 105-112, 2021.
4. J. L. Zhang, F. Y. Wei, and Z. T. Wang, "Advanced Drug Delivery Systems: A CAD and FEA Approach," *Medical Engineering & Physics*, vol. 43, no. 2, pp. 88-98, 2019.
5. M. P. Kim and H. T. Lee, "Utilizing Machine Learning in Drug Delivery Device Design Optimization," *International Journal of Biomedicine*, vol. 21, no. 4, pp. 332-340, 2020.
6. M. P. Williams, "CAD Optimization Techniques for Personalized Drug Delivery Systems," *Journal of Computational Medicine*, vol. 7, no. 3, pp. 174-181, 2018.
7. G. M. Harris and R. S. Thomas, "Machine Learning Algorithms for Drug Delivery Systems: Application and Challenges," *Pharmaceutical Technology*, vol. 72, no. 3, pp. 21-29, 2019.
8. A. J. Tan, "Integration of Machine Learning with CAD in Smart Drug Delivery Devices," *Journal of Medical Devices*, vol. 12, no. 1, pp. 56-67, 2020.
9. L. H. Xu, T. Y. Lee, and J. L. Chen, "Optimization of Drug Delivery Systems Using Genetic Algorithms," *Computers in Biology and Medicine*, vol. 62, pp. 134-140, 2018.
10. S. R. Patel and R. H. Lee, "CAD and Machine Learning Optimization in Medical Device Design," *Journal of Engineering in Medicine*, vol. 49, no. 2, pp. 212-221, 2020.
11. R. L. Walker and D. M. Yu, "Modeling of Drug Release Profiles Using Machine Learning Algorithms," *International Journal of Drug Design*, vol. 16, no. 4, pp. 290-298, 2019.
12. V. S. Kumar and J. K. Mathur, "Finite Element Simulation for Drug Delivery Device Performance," *Journal of Pharmaceutical Engineering*, vol. 12, no. 6, pp. 121-129, 2020.
13. A. D. Green and S. M. Wilson, "A Review of CAD and Machine Learning in Drug Delivery Systems," *Advanced Drug Delivery Reviews*, vol. 68, no. 3, pp. 25-35, 2019.

Machine Learning and CAD-Based Design Optimization of Smart Drug Delivery Devices

14. F. E. Johnson, "Design of Smart Drug Delivery Systems Using CAD and Optimization Techniques," *Biomedical Engineering Letters*, vol. 7, no. 5, pp. 167-176, 2020.
15. H. R. Sanchez, "Optimization of Implantable Drug Delivery Devices," *Journal of Medical Systems*, vol. 44, no. 2, pp. 106-116, 2018.
16. N. V. Lee and K. Y. Koh, "Machine Learning Approaches for Optimization of Medical Device Design," *Journal of Mechanical Design*, vol. 142, no. 1, pp. 75-83, 2020.
17. L. A. Miller and H. C. Zimmerman, "Optimizing Drug Delivery Using CAD-Based Design and Machine Learning," *Biotechnology Advances*, vol. 25, no. 7, pp. 512-519, 2021.
18. R. K. Sharma and P. M. Singh, "Evaluation of Stress Distribution in Drug Delivery Devices Using Finite Element Analysis," *Journal of Biomechanics*, vol. 53, pp. 211-218, 2018.
19. S. W. Mitchell, "Computational Fluid Dynamics and FEA for Drug Delivery Device Optimization," *Journal of Computational Medicine*, vol. 10, no. 4, pp. 77-83, 2021.
20. J. T. Holt and E. D. Miller, "Machine Learning in the Design of Biodegradable Drug Delivery Systems," *Advanced Materials Research*, vol. 27, no. 8, pp. 63-72, 2019.