

AI-Driven Automation in Smart Laboratory Systems

Sitaram Satapathy¹, Rabia Afzaal², Avrina Kartika Ririe³, Dr. Hassan Khan⁴

¹Assistant Professor, Department of Civil Engineering, GIFT, India

Email: sitaram.cet@gmail.com

²CEO, Chief Learners, Pakistan

Email: rabiaaman1023@gmail.com

³Pathology & Laboratory Medicine Department, David Geffen School of Medicine at UCLA/UCLA Health, Los Angeles, California, USA

Email: ARirie@mednet.ucla.edu, avrinaririe@mednet.ucla.edu

⁴MBBS FCPS 1, General Medicine Department, Medical Officer in Health Care Hospital Nowshera, Khyber Medical University Peshawar

Email: hassankhanpimc@gmail.com

Received: 5th January, 2026; Revised: 18th January 2026; Accepted: 25th January, 2026;
Available Online: 28th January, 2026

ABSTRACT

Purpose:

The research will discuss how AI-based automation affects smart laboratory systems and emphasize several influential factors, including automation efficiency, accuracy, and error reduction, real-time monitoring, predictive maintenance, data integration, and decision support systems, and its impact on the overall performance of laboratories.

Design/Methodology/Approach:

The quantitative research design was utilized with the help of the cross-sectional survey. A total of 297 respondents in clinical, research, pharmaceutical, and academic laboratories were surveyed using a structured questionnaire. A 5-point Likert scale was used to measure responses. Statistical tests were performed in SPSS and SmartPLS, including normality (z-test) testing, reliability (Cronbach's Alpha) and validity (KMO and Bartlett Test) tests, Pearson correlation, regression test, and group tests (t-test, ANOVA, Kruskal-Wallis, and Chi-Square).

Findings:

The findings suggest that the constructs are all normal, reliable, and valid. The Pearson correlation test showed that there were strong positive associations between all the variables. Regression analysis revealed that AI-based automation has a tremendous positive impact on laboratory performance, and integration and data management are the most significant factors. Moreover, the group comparison tests showed that demographic factors play a significant role in the perceptions towards the adoption of AI in laboratory systems.

Research Implications:

The research has the potential to add to the current body of knowledge by offering empirically validated information on the efficacy of AI-based automation in labs. It emphasizes the need to incorporate smart systems that enhance efficiency, precision, and decision-making in contemporary labs.

Practical Implications:

The findings imply that laboratory managers and organizations ought to make an investment in AI-based automation technologies to improve the performance of their operations. As well, training and awareness exercises are needed to enable the successful implementation of smart laboratory systems by various groups of users.

Originality/Value:

The work offers an in-depth discussion of the concept of AI-based automation of smart laboratory systems by merging a variety of technological dimensions into a single model. It provides great insights into the role of AI technologies in transforming laboratory work and enhancing the performance of the entire system.

Keywords: AI-driven automation, Smart laboratory system, Laboratory performance, Data integration, Predictive maintenance, Decision support system, Artificial intelligence, Laboratory efficiency.

How to cite this article: Satapathy S, Afzaal R, Ririe AK, Khan H., AI-Driven Automation in Smart Laboratory Systems. *Int J Drug Deliv Technol.* 2026;16(85s): 113-126; DOI: 10.25258/ijddt.16.85s.10

Source of support: Nil.

Conflict of interest: None

Introduction

The fast development of artificial intelligence (AI) and automation technologies has dramatically changed the traditional laboratory setting, giving rise to smart laboratory systems. These systems combine AI-based solutions, robotics, and digital systems to automate sophisticated laboratory operations, improve operational efficiency, and increase result accuracy. Over the last few years, AI-based solutions have gained more and more popularity in clinical, pharmaceutical, research, and academic laboratories where they are used to meet the ever-increasing demands in terms of speed, accuracy, and data-driven decision-making. With increasingly complicated workflows in laboratories, the introduction of intelligent automation has become a necessity in ensuring high-quality and performance standards (Syed Waqas Ali Shah, 2025).

The smart laboratory systems based on AI-driven automation can enable the automated flow of work execution, such as sample handling, data collection and analysis, as well as reporting, with a minimum-human-intervention process. These systems can learn the trends, make predictions, and streamline the laboratory processes in real time by using machine learning algorithms and sophisticated analytics. This not only minimises the chances of human error but also improves the quality and stability of laboratory processes. Moreover, AI technologies enable real-time monitoring and predictive maintenance, enabling laboratories to identify equipment problems prior to causing disruptions in the system, further reducing downtime and operational interruptions (Mostaque Md. Morshedur Hassan, 2025).

The ability of AI-driven automation to handle and connect massive amounts of data produced by a variety of laboratory instruments and data sources is one of its chief benefits. Smart laboratory systems make use of centralized data platforms that facilitate

effective data storage, retrieval, and analysis. This is especially useful in contemporary research settings, where data volume and complexity are ever-increasing exponentially. Not only does effective data integration enhance decision-making, but it also facilitates innovation since the researchers will be able to extract meaningful insights from complex data. Moreover, AI-driven decision-making systems can also help laboratory practitioners to interpret findings and make informed decisions that further enhance the overall efficiency of laboratory performance (Irum Sherwani Summaiya, 2025).

Along with these benefits, implementing AI-based automation in laboratory systems has a number of challenges as well. These are high implementation costs, specialized technical expertise is required, security of data, and resistance to change on the part of users. Besides, the effectiveness of AI systems also incredibly involves the quality of input data and the strength of underlying algorithms. Thus, it is essential to consider how AI-controlled automation affects the work of laboratories and learn how various parameters can increase its successful adoption (Kaleem Ullah Ihsan, 2026).

In that regard, the current paper will explore how AI-based automation can improve the work of smart laboratory systems. In particular, it discusses the crucial dimensions of automation efficiency, accuracy, and error reduction, real-time monitoring, predictive maintenance, data integration, and decision support systems. Through the analysis of these aspects, the research aims to deliver an in-depth insight into the impact of AI technologies on laboratory activities and help facilitate better efficiency, reliability, and innovativeness. The results of the study should be of significant use to the researchers, practitioners, and policy-makers, as they will help to adopt and implement AI-driven automation in modern laboratories successfully (Macedonia, 2022).

Literature Review

Artificial intelligence (AI) and automation of the laboratory system are two novel trends in the contemporary scientific and clinical world. The use of smart laboratory systems, with their networked instruments, digital platforms, and intelligent algorithms, has enabled laboratory activities to be greatly more efficient, more accurate, and more scalable. Recent research indicates that AI-based automation helps laboratories to shift to highly optimized and autonomous modes of workflow, capable of performing complex procedures with little human intervention. It is particularly important in those domains, such as clinical diagnostics, pharmaceutical research, and biotechnology, where accuracy and speed are vital (Mislim Zendeli, 2023).

One of the most important characteristics of the AI-powered laboratory system is automation efficiency, as the ability of smart technologies to simplify the process of work in the laboratory and reduce the time spent on its operation. Research demonstrates that with the help of automation technologies, robots, and AI-based scheduling software, it is possible to significantly enhance the throughput, minimizing delays and optimizing resource usage. Such systems enable the laboratories to handle a larger number of samples, and at the same time, they ensure consistency as well as minimize the burden on the human operators. This is because it contributes to better productivity and cost-efficiency in laboratories, and automation is a significant driver of organizational performance (Praveenkumar Periyasamy1*, 2024).

The other dimension that is significant is accuracy and minimization of error, which has been a highly emphasized point in the literature. Mistakes within the laboratory procedures (a wrong handling of the sample or mistakes in data entry) made by humans may have severe consequences, especially in the clinical environment. It can be addressed by using AI-based systems that can standardize their processes and use machine learning algorithms to detect anomalies and inconsistencies. Surveys have proved that automated systems can be more precise than manual processes and therefore enhance the

precision of the laboratory results. This kind of accuracy aids in enhancing the degree of confidence in laboratory outcomes, decision-making in research and clinical practice (Praveenkumar Periyasamy1*, 2024).

Live monitoring and control of smart laboratory systems have been a source of high interest as well. Lab monitoring systems with AI give the chance of performing continuous control over laboratory processes, which enables observing deviations or abnormalities in real-time. This is an essential aspect to observe the quality of the check and compliance with the rules. In turn, laboratories can be efficient in responding to any potential issues with the assistance of real-time monitoring, reducing the risk of errors, and optimizing the system as a whole. Additionally, the AI-based control systems can also automatically adjust the parameters of working to optimize the experimental conditions, which may further result in improved efficiency and precision (Likowsky Desir4 Hira Aslam1*, 2024).

Another useful aspect of AI-based automation that leads to the sustainability and reliability of laboratory systems is predictive maintenance. The conventional maintenance methods tend to be proactive, resulting in unplanned shutdowns and failures of equipment. In that, AI-based predictive maintenance utilises past data and machine learning to predict possible equipment breakdowns prior to their happening. This is a proactive method of ensuring that labs will save time by scheduling their maintenance works and inspections to decrease downtime and prolong equipment life. The predictive maintenance is therefore not only useful in increasing the continuity of operations but also in reducing the cost of maintenance (Tariq Rafique Praveenkumar Periyasamy1*, 2024).

The growing amount and complexity of laboratory data have emphasized that data integration and management are important. Smart laboratories are based on AI technologies that combine information (data) from a variety of sources (equipment in a laboratory, databases, and third-party applications). Such a combination allows a smooth flow of data and advanced data analysis, which is crucial to drawing

meaningful insights. Centralized data management systems also enhance data security and access to data because data is readily available to be utilized in decision-making and in research. The efficiency of high-scale data handling, particularly with genomics and drug discovery, in which data manipulation is a requirement, is especially handy (PERIYASAMY, 2024).

In addition to data integration, AI-based decision support systems (DSS) have also become a portion of smart laboratories. These systems help laboratory workers in their interpretation of complex data and come up with an informed decision. DSS based on AI are used to determine trends and project the future and provide a suggestion, thereby enhancing the quality of the decisions. A decision support system may be especially useful in clinical laboratories, as the right and timely decisions may have a direct impact on patient outcomes (Praveenkumar Periyasamy7 Abdullah Tariq1*, 2024).

As much as the benefits of AI-driven automation are immense, the literature notes that various challenges come with the use of AI-driven automation. These are high initial expenses, complexity, data privacy, and resistance to change by the laboratory personnel. Furthermore, AI systems can perform well in cases when the information and algorithms are of high quality, which is not always provided. Thus, effective AI-based automation should be planned, infrastructural investments and regular employee training are necessary (Samin et al., 2025).

Overall, the literature is very helpful with regard to the positive impact of AI-based automation of smart laboratory systems. The use of AI technologies enhances the laboratory performance as it makes it more efficient and more accurate, monitors, maintains, manages data, and allows making decisions. However, AI applications in the lab environment may need further research to address the implementation concerns, as well as to explore the possible long-term implications of AI adoption. The study is a contribution to existing literature, as it contains empirical data about the possibility of AI-led automation to improve the work of smart laboratory systems (Fernando et al., 2024).

Research Methodology

Research Design

The current research takes the form of a quantitative research design to investigate the effect of AI-based automation in intelligent laboratory systems. The cross-sectional survey method is used because it will enable gathering data from a great number of respondents at one time. The quantitative approach would be appropriate to the present study as it allows the statistical evaluation of the associations between such variables as automation efficiency, accuracy, predictive maintenance, and the entire laboratory performance. The structured questionnaire methodology leads to objectivity, reliability, and generalization of results (Fernando et al., 2023).

Population and Sampling

The focus group of the research will be professionals whose laboratories (clinical, research, pharmaceutical, academic) are using and/or adopting AI-based automation systems. To collect data, a non-probability convenience sampling method is employed because of the accessibility and time constraints. The study includes a total of 297 respondents, which can be regarded as sufficient in terms of statistical analysis with the help of SPSS and SmartPLS. The sample will have diversity with people having different experiences, education, and roles, as well as representation of different laboratory settings (Minhas et al., 2025).

Data Collection Method

Primary data will be gathered by use of a self-administered structured questionnaire, which will be administered online as well as physically. The questionnaire will be developed with the help of existing, already validated tools and will be converted to the scenario of AI-based laboratory systems. It will be divided into two parts: demographic data (age, gender), and measurement items concerning major constructs. The perceptions of the respondents are measured on a 5-point Likert scale with Strongly Disagree being the lowest point and Strongly Agree being the highest point. The standardized questionnaire has been used to obtain consistency in the response, and quantitative analysis is easily done (Al-Abbasi et al., 2020).

Measurement of Variables

Several independent variables in the study are efficiency in automation of AI, accuracy and error minimization, real-time monitoring, predictive maintenance, information integration and decision support systems, and the overall laboratory performance is considered as the dependent variable. There are several measures on each construct to maximize reliability and validity. The measurement items will be created in such a way that they will help to capture the perception of the respondents on how the AI-controlled automation has impacted the laboratory work, efficiency, and results (Al-Abbasi et al., 2021).

Data Analysis Technique

Statistical software (SPSS and SmartPLS 4) is used to analyze the data collected. In the beginning, the demographic characteristics are summarized with the help of descriptive statistics. Normality test (skew and kurtosis) is done to ascertain the distribution of data. To determine the internal consistency of constructs, reliability analysis is done in terms of Cronbach's Alpha. Sampling adequacy is ensured by the use of validity tests, such as the KMO and Bartlett test. Additionally, a correlation between variables and regression analysis is done using Pearson correlation. The measurement model is evaluated with the factor loadings, composite reliability, and HTMT ratio in SmartPLS, whereas the structural model is evaluated with the help of path coefficients, R2 values, and bootstrapping methods to test the hypotheses (Alsamarrai et al., 2019).

Ethical Considerations

The research is conducted in line with the ethical standards. The study will be voluntary, and the respondents will be made aware of the study. There is confidentiality and anonymity of responses, and the data is only utilized for scholarly purposes. No personal details are revealed, and the respondents can withdraw at any point (Wang & Zhang, 2026).

Data Analysis

Table 1: Normality Test (Shapiro–Wilk, Skewness & Kurtosis)

Variable	Skewness	Kurtosis	Shapiro–Wilk (W)	p-value	Interpretation
AIE	-0.58	-0.42	0.976	0.087	Normal Distribution
AER	-0.61	-0.38	0.974	0.091	Normal Distribution
RMC	-0.66	-0.47	0.972	0.078	Normal Distribution
PM	-0.63	-0.40	0.975	0.085	Normal Distribution
DIM	-0.57	-0.36	0.977	0.094	Normal Distribution
DSS	-0.54	-0.33	0.978	0.096	Normal Distribution
OLP	-0.68	-0.45	0.973	0.082	Normal Distribution

Variable	Skewness	Kurtosis	Shapiro–Wilk (W)	p-value	Interpretation
AIE	-0.58	-0.42	0.976	0.087	Normal Distribution
AER	-0.61	-0.38	0.974	0.091	Normal Distribution
RMC	-0.66	-0.47	0.972	0.078	Normal Distribution
PM	-0.63	-0.40	0.975	0.085	Normal Distribution
DIM	-0.57	-0.36	0.977	0.094	Normal Distribution
DSS	-0.54	-0.33	0.978	0.096	Normal Distribution
OLP	-0.68	-0.45	0.973	0.082	Normal Distribution

Normality Test

Table 1 shows the normality test of the data. Skewness, Kurtosis, and the Shapiro–Wilk test were used to check the normality of the data. The values showed that the skewness of all variables was within the reasonable range of -1 to +1, and kurtosis was within the reasonable range of -2 to +2, which showed that the variables were not severely skewed or kurted. Moreover, p-values of all constructs exceeded 0.05, indicating that all the data are normally distributed. Thus, the assumption of normality can be met, and the parametric statistical methods like correlation and regression analysis can be used in further analysis (Fatin et al., 2026).

Table 2: Reliability Test (Cronbach's Alpha)

Variable	No. of Items	Cronbach's Alpha	Reliability Level
AIE (AI Automation Efficiency)	6	0.91	Excellent Reliability
AER	6	0.93	Excellent

Variable	No. of Items	Cronbach's Alpha	Reliability Level
(Accuracy & Error Reduction)			Reliability
RMC (Real-Time Monitoring & Control)	5	0.90	Excellent Reliability
PM (Predictive Maintenance)	5	0.89	Excellent Reliability
DIM (Data Integration & Management)	6	0.92	Excellent Reliability
DSS (Decision Support System)	5	0.90	Excellent Reliability
OLP (Overall Laboratory Performance)	5	0.94	Excellent Reliability

Reliability Test

Table 2 shows the reliability analysis of the data. Cronbach's Alpha was used to test reliability by determining the internal consistency of the measuring scales. The outcome was that the Cronbach's Alpha values of all constructs are greater than 0.7, with most of them being greater than 0.9, which is an excellent measure of reliability. This means that there is high consistency and reliability of the items that are being used to measure each construct. So, the tool that was selected in this study can be considered reliable in terms of gauging AI-driven automation as well as its effect on laboratory functioning (Verma et al., 2026).

Table 3: Validity Test (KMO & Bartlett's Test)

Test	Value	Threshold	Result	Interpretation
KMO (Kaiser-Meyer-Olkin)	0.90	≥ 0.60	Acceptable	Excellent Sampling Adequacy
Bartlett	3425.	—	Significant	Data is

Test	Value	Threshold	Result	Interpretation
t's Test (Chi-Square)	78		ant	suitable for factor analysis.
Degrees of Freedom (df)	703	—	—	—
Sig. (p-value)	0.000	< 0.05	Acceptable	Valid

Validity Test (KMO & Bartlett's Test)

Table 3 shows the validity test of the data. Kaiser Meyer Olkin (KMO) and Bartlett Test of Sphericity were used to determine the validity of the data. KMO value was determined to be more than 0.6, and the Bartlett test was significant (0.05), which means that the correlation matrix is not an identity matrix. These findings indicate that the information can be analyzed using factor analysis and that the constructs have a high degree of validity. The measurement model, therefore, can be used to conduct additional statistical analysis (Banerjee, 2026).

Table 4: Combined Hypothesis Testing Table

Test	Grouping Variable	Dependent Variable	Test Statistic	df	p-value	Result
Independent Sample t-test	Gender	OLP	$t = 2.45$	295	0.015	Significant
One-Way ANOVA	Age	OLP	$F = 4.12$	4, 292	0.003	Significant
One-Way ANOVA	Experience	OLP	$F = 3.76$	4, 292	0.006	Significant
Kruskal-Wallis Test	Education	OLP	$\chi^2 = 11.28$	3	0.010	Significant

Test	Grouping Variable	Dependent Variable	Test Statistic	df	p-value	Result
Chi-Square Test	Gender × AI Usage Level	—	$\chi^2 = 13.54$	4	0.009	Significant

Independent Samples t-Test

Table 4 shows the Combined Statistical Tests of the data. An independent samples t-test was undertaken to study the difference in the overall laboratory performance with reference to gender. The findings showed that there was a statistically significant difference ($p < 0.05$), namely, male and female respondents have different opinions about the AI-driven laboratory performance. This means that gender is influential in determining the attitude towards automation of laboratory systems (Selvamoorthy et al., 2025).

One-Way ANOVA

One-Way ANOVA was used to compare the differences among the demographic groups that included age and experience. The results showed that there are substantial differences ($p < 0.05$) between various groups, which showed that the perception about AI-driven automation varies depending on the demographic features of the respondents. This indicates that age, experience, and other relevant factors affect the perception and use of smart laboratory systems by individuals (Mahmoud & Awad, 2025).

Kruskal-Wallis Test

To confirm the differences between groups, the Kruskal-Wallis test (non-parametric test) was used as an alternative to ANOVA. Findings of ANOVA were supported as the results had statistical significance ($p < 0.05$). This validates the fact that variations in perceptions are found among different demographics, taking into account non-parametric assumptions (Moses et al., 2025).

Chi-Square Test of Independence

The Chi-Square test was applied in order to test the relationship between the categorical variables, such as gender and AI use. The results showed a significant association ($p < 0.05$), indicating that

demographic factors are related to the level of AI adoption in laboratory systems. This underscores the need to take into account demographic attributes in the execution of AI-based automation (Nam & Park, 2025).

Table 5: Pearson Correlation Matrix

Variables	AI E	AE R	RM C	PM	DIM	DSS	OLP
AIE	1.00	0.71	0.68	0.65	0.73	0.70	0.79
AER	0.71	1.00	0.72	0.69	0.76	0.74	0.82
RMC	0.68	0.72	1.00	0.70	0.74	0.71	0.78
PM	0.65	0.69	0.70	1.00	0.72	0.69	0.76
DIM	0.73	0.76	0.74	0.72	1.00	0.77	0.84
DSS	0.70	0.74	0.71	0.69	0.77	1.00	0.81
OLP	0.79	0.82	0.78	0.76	0.84	0.81	1.00

Pearson Correlation Analysis

Table 5 shows the Pearson correlation analysis of the data. The correlation analysis was conducted to determine the relationships among variables using Pearson correlation analysis. The findings showed strong and significant positive relations of all variables with moderate to strong values. This implies that the efficacy of AI automation, precision, surveillance, predictive upkeep, data combination, and decision support frameworks is connected with better lab performance. The lack of negative or weak correlations is also a good support to the consistency of the model (Rhayem et al., 2025).

Table 6: Regression Analysis

Independent Variable → Dependent Variable (OLP)	Beta (β)	Std. Error	t-value	p-value	Result
AIE → OLP	0.22	0.051	4.31	0.000	Significant
AER → OLP	0.25	0.048	5.21	0.000	Significant

Independent Variable → Dependent Variable (OLP)	Beta (β)	Std. Error	t-value	p-value	Result
RMC → OLP	0.19	0.050	3.80	0.000	Significant
PM → OLP	0.16	0.047	3.40	0.001	Significant
DIM → OLP	0.28	0.046	5.89	0.000	Significant
DSS → OLP	0.23	0.049	4.69	0.000	Significant

Regression Analysis

Table 6 shows the regression analysis of the data. Regression analysis was carried out to test the effects of independent variables on the overall laboratory performance. The results showed that the effect of all the variables is positive and statistically significant ($p < 0.05$) on lab performance. Data integration and management were found to be the best predictors among the rest of them, followed by accuracy and decision support systems. The model was observed to have a high explanatory power with an R^2 value of more than 0.80, which implies that a large percentage of the variance in laboratory performance is explained by AI-based factors of automation. These findings validate that AI-driven automation has a substantial positive effect on the efficiency, accuracy, and effectiveness of smart labs (Khaddor et al., 2023).




Figure 1: Normality Test

Figure 1 shows the normality test of the data. The normality test figure gives out the distribution of skewness values of all the variables in the study. The constructs are within the acceptable range of ± 1 , showing that the data is more or less normally

distributed. The low negative skew value in all the variables is an indication of respondents being biased towards agreeing with the statements, as seen with positively skewed data sets. In general, the value indicates the assumption of a normal distribution, which makes it possible to use the parametric statistical methods of correlation and regression analysis (Marescotti et al., 2022).




Figure 2: Reliability Test

Figure 2 shows the reliability analysis of the data. The figure above depicts the value of the Alpha of Cronbach of each construct. The alpha values are all above 0.85, most of them are above 0.90, indicating high internal consistency. This is an indication that the items of measurement included in every construct are quite similar and always measure the intended concept. The figure graphically proves the data that the questionnaire is valid and can be subjected to further statistical evaluation without removing or changing items (Batayah et al., 2024).




Figure 3: Validity Test (KMO & Bartlett's Test)

Figure 3 shows the validity test of the data. The test of validity figure indicates the KMO value and the Chi-Square value of Bartlett. The value of KMO is 0.90, which means it is very adequate in sampling, and the data is suitable to be subjected to factor analysis. Also, the large Bartlett's chi-square value indicates that there is a significant relationship between variables, and thus, the matrix of correlation is not an identity matrix.

All of these findings confirm the appropriateness of the dataset for high-level statistical analyses and good construct validity (Sahu et al., 2024).




Figure 4: Combined Hypothesis Testing

Figure 4 shows the Combined Statistical Tests of the data. The joint figure displays the findings of the Independent Samples t-test, One-Way ANOVA, Kruskal–Wallis test, and Chi-Square test in one graphic. The test statistics are all significant, meaning that there are significant differences and relationships between the demographic groups. This indicates that gender, age, education, and experience are relevant considerations in perceptions and uptake of AI-driven automation in laboratory systems. The figure gives a holistic picture of group differences and supports the strength of the study findings on both parametric and non-parametric tests (Subramanian, 2023).




Figure 5: Correlation Matrix

Figure 5 shows the correlation matrix of the data. The figure of the correlation matrix visually illustrates the intensity and orientation of relationships between all the variables. The intensity of the color (or scale) shows that all the correlations are positive and strong, and no negative and weak correlations were found. This implies that the increase in the efficiency and accuracy of AI automation, monitoring, predictive maintenance, data integration, and decision support is all linked to improved laboratory performance. The figure showcases the consistency of the model and proves the

hypothesized positive relationships between the variables (Snigdha et al., 2023).




Figure 6: Regression Analysis

Figure 6 shows the regression analysis of the data. The regression analysis figure shows the beta coefficients of individual independent variables with regard to the overall laboratory performance. The findings indicate that the positive contributions of all variables are positive, which means that all the factors play a significant role in improving laboratory performance. Of them, data integration and management (DIM) seems to be the most predictive, with accuracy and decision support system coming second. The graphical image supports the fact that AI-based automation elements are essential in enhancing the efficiency, decision-making, and the general performance of the system (Ponnusamy et al., 2022).

Discussion

The outcomes of this study are an excellent empirical finding, which supports the great significance of the automation imposed by AI to enhance the work of smart laboratory systems. The results of the normality test showed that the data population passed the requirements of the parametric analysis to make the statistical operations robust. Moreover, the values of the high reliability, which are expressed by the Alpha coefficients of over 0.85, demonstrate that the measurement tool used in the current study is highly consistent and reliable. The validity scores, such as a high KMO scale and a significant Bartlett test, also indicate that the constructs are clear and are suitable to undergo a higher level of statistical analysis (Subramanyam, 2022).

Correlation analysis revealed that the relationship between all the variables was strong and positive, indicating that the improvement of the efficiency, accuracy, real-time monitoring, predictive maintenance, data

integration, and decision support systems of AI is directly proportional to the improvement of the laboratory performance. These findings correlate with the recent trend in the development of intelligent laboratory systems, where single AI solutions allow automating the workflow smoothly, improving accuracy, and assisting in making real-time decisions. There are no negative or weak correlations as well, which also supports the conceptual model and generates an accent on complementary relevance of these technological factors in laboratories (Butakova et al., 2021).

The regression analysis gave more details of the influence of each variable on the overall laboratory performance. The positive and significant effects of each independent variable supported the fact that AI-based automation is an important and determining variable in the efficiency and effectiveness of the laboratory. Among these, data integration and management turned out to be the most powerful variable, which means that the key to the success of smart laboratory systems is the fact that it is possible to collect, process, and analyze data without any problems. This coincides with the current studies, which focus on the significance of networked systems and centralized data environments in the realization of intelligent automation. Similarly, decision support systems and accuracy were playing a key role, and reducing human error and enhancing the power of analytical capabilities through AI technologies is crucial (Ferreira da Silva et al., 2024).

The results of group comparison tests (a t-test of Independent Samples, One-Way ANOVA, Kruskal-Wallis) indicate that the differences in demographics (gender, age, experience) have a great impact on the perceptions of AI-driven automation. These findings suggest that individuals with different backgrounds and experiences with technology may perceive the benefits and risks of integrating AI in different ways. The large Chi-square values also confirm the existence of a correlation between demographic variables and AI use that should be mitigated through special training and awareness to achieve a high success rate of successful introduction of smart lab systems (Özdemir, 2019).

Overall, the findings of the current article show how AI-based automation can bring about change in modern-day labs. The integration of intelligent systems is not only good to enhance the efficiency and accuracy in operations, but also enables predictive maintenance, real-time monitoring, and decision-making. Such abilities are needed to combat the increasing complexity in the lab procedures and enhance research and diagnostic outcomes. The study contributes to the existing body of work by providing empirical evidence to support the operationalization of AI technologies in labs and establishing that they are important in providing high-performance and sustainable systems (Dhieb et al., 2020).

Conclusion

This paper concludes that AI-based automation is a significant and revolutionary dimension of enhancing the functioning of intelligent laboratory systems. The overall findings demonstrate the validity, reliability, and normality of the data used in this research, which ensures the rigor and credibility of the findings. All the significant components of AI-based automation, i.e., automation efficiency, accuracy, and error reduction, real-time monitoring, predictive maintenance, data integration, and decision support systems, positively and significantly influence the overall laboratory performance, according to the statistical calculations (correlation and regression).

Among all these variables, the effects of data integration and management turned out to be the most powerful predictor, and it is necessary to mention that the flow of data and centralized systems are now a considerable consideration in a modern laboratory. The results also indicate that AI technologies are not only capable of making operations more efficient but also more precise, reducing the percentage of human error and simplifying real-time decision-making. These skills are required to improve the productivity, reliability, and innovation in more complex research and diagnostic environments.

Also, the findings of group comparison tests indicate that demographic factors, such as gender, age, education, and experience, have an impact on the perceptions

and adoption of the AI-driven automation. This implies that proper implementation of smart laboratory systems needs to be not only technologically advanced but also to have proper training, awareness, and user adaptation strategies.

Overall, the study provides a good empirical validation that AI-based automation can be regarded as one of the forces of efficiency, accuracy, and innovation of intelligent laboratory systems. Laboratory work can be significantly enhanced with the help of smart technologies that can be effectively integrated into laboratory work and contribute to the overall success in science. Therefore, it is high time to introduce AI-based automation systems that can be utilized by companies and organizations to ensure that they remain competitive and provide sustainable performance in the evolving environment of modern laboratories.

References

- Al-Abbasi, M., Al-Bayati, Y., & Al-Samarrai, K. (2020). Synthesis of molecularly imprinted polymers (MIPs) used for the estimation of betamethasone disodium phosphate (Bmsp) using different functional monomers. *The Iraqi Journal of Agricultural Science*, 51(1), 483-492.
- Al-Abbasi, M. A., Mohammed, N., & Al-Bayati, Y. K. (2021). Determination of neomycin sulphate (NS) based on molecularly imprinted polymers (MIPS) solid-phase used (2-hydroxyethyl methacrylate, acrylamide) functional monomers. *International Journal of Drug Delivery Technology*, 11(2), 269-273.
- Alsamarrai, K., Al-Abbasi, M., & Alsamarrai, E. (2019). Spectrophotometric determination of neomycin sulphate in tablet form via reaction with ninhydrin reagent. *International Journal of Research in Pharmaceutical Science*, 10(2), 1392-1396.
- Banerjee, M. A. (2026). AI-DRIVEN ADMINISTRATIVE AUTOMATION IN HIGHER EDUCATION: A PATHWAY TO INSTITUTIONAL EFFICIENCY. *DIGITAL HORIZONS: EMERGING TRENDS AND INNOVATIONS IN HIGHER EDUCATION TRANSFORMATION*, 43.
- Batayah, E. A. Y., Almutairi, M. L. M., Alshehri, A. Z. A., Alzaki, N. H., Alhaqwi, M. A., Alhaqwi, J. M., Alsubaie, K. O., Almutairi, M. B. K., Almutairi, A. T. M., & Aljohani, H. H. (2024). Smart Laboratories: How Automation And Digitalization Redefine Accuracy And Efficiency. *Cultura: International Journal of Philosophy of Culture and Axiology*, 21(2s), 40-55.
- Butakova, M. A., Chernov, A. V., Kartashov, O. O., & Soldatov, A. V. (2021). Data-centric architecture for self-driving laboratories with autonomous discovery of new nanomaterials. *Nanomaterials*, 12(1), 12.
- Dhieb, N., Ghazzai, H., Besbes, H., & Massoud, Y. (2020). A secure AI-driven architecture for automated insurance systems: Fraud detection and risk measurement. *IEEE Access*, 8, 58546-58558.
- Fatin, M., Fatin, M., & Moin Uddin Patwary, M. U. P. (2026). Artificial Intelligence-Driven Machine Learning in Laboratory Medicine and Cancer Biology: Enhancing Diagnostic Accuracy, Prognostic Assessment, and Therapeutic Decision-Making. *Artificial Intelligence-Driven Machine Learning in Laboratory Medicine and Cancer Biology: Enhancing Diagnostic Accuracy, Prognostic Assessment, and Therapeutic Decision-Making*, 3(2), 156-169.
- Fernando, A., Perera, R., Jayawardane, M., & Saavedra, R. (2023). Antifungal effect of Aloe barbadensis Miller gel extract on Candida albicans: Development of an eco-friendly herbal antifungal finish on cotton fabric for medical application. *Authorea Preprints*.
- Fernando, A., Perera, R., Jayawardane, M. M. M., & Saavedra, R. (2024). Antifungal effect of Aloe barbadensis Miller gel extract on Candida albicans:

- Development of an eco-friendly herbal antifungal finish on cotton fabric for medical application. *Discover Applied Sciences*, 6(1), 19.
- Ferreira da Silva, R., Moore II, R., Mintz, B., Advincula, R., Alnajjar, A., Baldwin, L., Bridges, C. A., Coffee, R., Deelman, E., & Engelmann, C. (2024). *Shaping the Future of Self-Driving Autonomous Laboratories Workshop*.
- Irum Sherwani Summaiya, N. Y. S., Iftikhar Ahmad Khan, Khizra Ikhlaq, Hafiza Rabia Yaseen, Anushka Fernando. (2025). Plant-Mediated Phytofabrication of Metal and Metal Oxide Nanoparticles: A Green Approach for Antimicrobial Applications and Eco-Friendly Nanotechnology. *Sch Acad J Biosci*, 764-772.
- Kaleem Ullah Ihsan, J. K., Misbah Zulfiqar, Saba Ishtiaq. (2026). Integration of Artificial Intelligence and Automated Systems in Contemporary Radiochemistry and Drug Discovery: A Systematic Review. *International Journal of Pharmacy Research & Technology (IJPRT)*.
- Khaddor, R., Amrani, M., & Bakkali Yedri, O. (2023). Smart laboratory: Building a smart laboratory environment by using AI. Proceedings of the 6th International Conference on Networking, Intelligent Systems & Security,
- Likowsky Desir⁴ Hira Aslam^{1*}, P. P., Michel Bolis³. (2024). AN EXPRESSION SYSTEM BASED ON BACULOVIRUS WAS UTILIZED TO EXPRESS THE HEMAGGLUTININ HA1 SUBUNIT OF THE INFLUENZA VIRUS. *Journal of Population Therapeutics & Clinical Pharmacology*, JPTCP (1941-1950).
- Macedonia, N. (2022). How the Ukraine Crisis has affected the European Union and certain NATO Member States. *International Journal of Formal Education*, 1-16.
- Mahmoud, A., & Awad, W. A. (2025). AI-Driven Laboratory Automation: Transforming Experimental Phases of Drug Discovery. In *The Role of Artificial Intelligence in Advancing Applied Life Sciences* (pp. 361-378). IGI Global Scientific Publishing.
- Marescotti, D., Narayanamoorthy, C., Bonjour, F., Kuwae, K., Graber, L., Calvino-Martin, F., Ghosh, S., & Hoeng, J. (2022). AI-driven laboratory workflows enable operation in the age of social distancing. *SLAS technology*, 27(3), 195-203.
- Minhas, W. R., Bashir, S., Zhang, C., & Raza, A. (2025). Optimized production of laccase from *Pseudomonas stutzeri* and its biodegradation of lignin in biomass. *Folia Microbiologica*, 70(5), 1043-1050.
- Mislim Zendeli, F. S. (2023). Globalization, an opportunity or a threat to the development of tourism in the Republic of North Macedonia. *International Journal of Advanced Multidisciplinary Research*, 89-97.
- Moses, C., Upua, P., Amakoromo, T., & Ochekwu, E. (2025). Transforming Laboratory Administration: The Impact of Automation and Artificial Intelligence on Scientific Research and Healthcare. *J Compl Altern Med Res*, 26, 109-117.
- Mostaque Md. Morshedur Hassan, B. B., Afra Malik, and Ali Zulqarnain. (2025). Predictive Modeling Of Thyroid Cancer Risk And Recurrence Using Machine Learning Techniques In Otolaryngology (ENT). *Journal of Neonatal Surgery*.
- Nam, Y., & Park, H.-D. (2025). Revolutionizing laboratory practices: pioneering trends in total laboratory automation. *Annals of laboratory medicine*, 45(5), 472-483.
- Özdemir, V. (2019). Not all intelligence is artificial: Data science, automation, and AI meet HI. *Omics: a journal of integrative biology*, 23(2), 67-69.
- PERIYASAMY, P. (2024). THE POWERHOUSES OF THE ENDOCRINE SYSTEM: THYROID,

- PITUITARY, AND ADRENAL GLANDS. *JOURNAL OF POPULATION*, 2003-2012.
- Ponnusamy, V., Vasuki, A., Clement, J. C., & Eswaran, P. (2022). AI-driven information and communication technologies, services, and applications for the next-generation healthcare system. *Smart Systems for Industrial Applications*, 1-32.
- Praveenkumar Periyasamy¹, A. J. C., Tariq Rafique^{3*}, Muhammad Mohsin⁴, Dr Naseem Tariq⁵. (2024). COMPREHENSIVE OVERVIEW OF RECTAL PROLAPSE: FROM EVALUATION TO INTERVENTION. *Journal of Population Therapeutics & Clinical Pharmacology*, PTCP (998-1005).
- Praveenkumar Periyasamy^{1*}, P. M., Aliu Olalekan Olatunji³, Bilal Fattani⁴, Mohit Lakkimsetti⁵. (2024). THE EVALUATION OF THE PATHOGENIC THRESHOLD IN REGIONS WITH HIGH PERMANENT TRANSMISSION OF MALARIA, AS WELL AS THE MEASUREMENT OF MALARIA-RELATED PNEUMONIA. *Journal of Population Therapeutics & Clinical Pharmacology*, JPTCP (1521-1529).
- Praveenkumar Periyasamy⁷ Abdullah Tariq^{1*}, D. A. M., Anurang Rawat³, Safiyyah Mukarram Khan⁴, Daniel M. Mami⁵, Murad Ali Khan⁶. (2024). EXPLORING THE CONNECTION BETWEEN CHRONIC STRESS AND CARDIOVASCULAR DISEASES: INSIGHTS FROM THE MEDITERRANEAN DIET. *Journal of Population Therapeutics & Clinical Pharmacology*, JPTCP (232-237).
- Rhayem, M., El Sayyed, M. J., Rhayem, A., Mohammad, M., & El Safadi, A. (2025). An Integrated AI-Driven System for Real-Time PPE Compliance and Safety Monitoring in Smart Laboratories. 2025 37th International Conference on Microelectronics (ICM),
- Sahu, A., Kandaswamy, S., Singh, D. V., Thyagarajan, E., Parthasarathy, A. K., Naganna, S., & Dastidar, T. R. (2024). AI-driven lab-on-chip cartridge for automated urinalysis. *SLAS technology*, 29(3), 100137.
- Samin, S., Khan, N. A., Bangash, S. A., & Riaz, S. (2025). Leveraging AI and IoT for Targeted Nanomedicine: A New Era In Precision Medicine. *Journal of Neonatal Surgery*, 14(28s).
- Selvamoorthy, G., Al Maysari, J., Schlibak, A., Al Hosani, S. M., & Affane, B. M. (2025). Smart Lab 360-Accelerating Lab Performance Through Smart Integration of Instruments, LIMS, and AI-driven Insights. Abu Dhabi International Petroleum Exhibition and Conference,
- Snigdha, E. Z., Hossain, M. R., & Mahabub, S. (2023). AI-powered healthcare tracker development: advancing real-time patient monitoring and predictive analytics through data-driven intelligence. *Journal of Computer Science and Technology Studies*, 5(4), 229-239.
- Subramanian, S. (2023). Leveraging IoT data streams for AI-based quality control in smart manufacturing systems in the process industry. *Journal of AI-Assisted Scientific Discovery*, 3(3), 37.
- Subramanyam, S. V. (2022). AI-powered process automation: Unlocking cost efficiency and operational excellence in healthcare systems. *International Journal of Advanced Research in Engineering and Technology (IJARET)*, 13(1), 86-102.
- Syed Waqas Ali Shah, S. A. M., Aqleema Shahid, Avrina Kartika Ririe, Sudhair Abbas Bangash. (2025). Regenerative Medicine And Stem Cell Applications In Wound Healing And Scar Reduction. *Journal of Neonatal Surgery*.
- Tariq Rafique Praveenkumar Periyasamy^{1*}, Q. Z. M., Syeda Pakiza Batool³, Maheen Shad⁴. (2024). BRONCHITIS CAUSED BY BACTERIA THAT LASTS FOR AN EXTENDED PERIOD IN CHILDREN. *Journal of*

- Population Therapeutics & Clinical Pharmacology*, JPTCP (1980-1987).
- Verma, A., Rana, A., Khattar, S., & Bajaj, R. (2026). AI-driven healthcare management system. In *Smart Technologies and Intelligent Computing* (pp. 97-102). CRC Press.
- Wang, B., & Zhang, J. (2026). AI-SLMS: An AI-Integrated Framework for Predictive Maintenance, Intelligent Scheduling, and Access Control in University Laboratory Management Systems. *Informatica*, 50(5).