RESEARCH PAPER

Medical Student Stress in the Asia-Pacific Region: A Narrative Review of Stressors, Consequences, and Intervention Effectiveness with Insights from Malaysia

Jagmohni Kaur Sidhu
Associate Professor and Family Medicine Specialist
School of Medicine, IMU University, Kuala Lumpur, Malaysia.
Email: jagmohni_sidhu@imu.edu.my

ABSTRACT

Introduction: Medical students experience disproportionately high levels of psychological stress compared to peers in other academic disciplines. This burden is particularly pronounced across the Asia-Pacific region, where rigorous academic demands, hierarchical educational systems, cultural expectations, and institutional structures interact to amplify psychological distress. This narrative review synthesizes current evidence on primary stressors, psychological and professional consequences, and the comparative efficacy of individual versus institutional interventions, with specific insights from Malaysia.

Methods: A narrative review was conducted using PubMed, Medline, PsycINFO, ERIC, and Google Scholar for literature published between 1956 and 2025. Search strategies combined MeSH and free-text terms related to medical student stress, burnout, psychological distress, Asia-Pacific medical education, Malaysia, and support services. Peer-reviewed empirical studies, systematic reviews, meta-analyses, and foundational theoretical frameworks were synthesized thematically.

Results: Psychological distress in medical education arises from a complex matrix of academic, personal, financial, institutional, and cultural factors. Academic overload represents the most pervasive stressor across Asia-Pacific institutions. Empirical data from Malaysia indicate that demographic variables modulate stress perception, with distinct variations in academic and financial strain reported across ethnic groups. Acute stress manifests as anxiety, sleep disturbance, and cognitive dysfunction, which can progress to burnout, depression, empathy erosion, and compromised clinical readiness. Although individual coping strategies, such as mindfulness and cognitive-behavioral techniques, provide short-term relief, structural institutional reforms, including pass/fail grading systems and curriculum redesign, demonstrate superior long-term efficacy. Help-seeking behavior remains severely restricted by sociocultural stigma and confidentiality concerns.

Conclusion: Medical student distress in the Asia-Pacific region is fundamentally a structural and systemic issue. Achieving sustainable improvements requires integrating systemic curricular reform, non-stigmatizing support systems, and culturally attuned mental health services aligned with international accreditation standards.

Keywords: Medical students, stress, burnout, Asia-Pacific, Malaysia, medical education, mental health, curriculum reform

How to cite this article: Jagmohni Kaur Sidhu. Medical Student Stress in the Asia-Pacific Region: A Narrative Review of Stressors, Consequences, and Intervention Effectiveness with Insights from Malaysia. Int J Drug Deliv Technol. 2026;16(87s):1201-1209. DOI: 10.25258/ijddt.16.87s.124.

PRACTICE HIGHLIGHTS

- Medical student distress across the Asia-Pacific region stems from systemic educational structures and cultural expectations rather than individual coping deficits.
- Transitioning to pre-clinical pass/fail grading and decelerating curricular workload yield sustained improvements in student mental health without compromising academic standards.
- Demographic variables, including ethnicity, significantly influence stress perception, requiring culturally sensitive institutional support systems.
- Help-seeking remains severely impeded by fear of academic disclosure and social stigma, necessitating independent, confidential counseling pathways outside medical faculties.
- Well-being metrics must be formally embedded into medical school accreditation criteria to drive long-term structural institutional reform.

1. INTRODUCTION

Medical education is widely recognized as one of the most intellectually demanding and emotionally gruelling academic pathways in higher education (Sidhu, 2002). Professional training requires students to simultaneously master immense volumes of biomedical knowledge, acquire complex clinical skills, navigate high-stakes evaluation systems, and internalize a professional identity under constant observation (Sidhu, 2002). Consequently, undergraduate medical students consistently exhibit significantly higher prevalence rates of psychological distress, anxiety, depression, and suicidal ideation compared to non-medical university peers and general population age-matched controls (Dyrbye et al., 2006; Guthrie et al., 1995; Quek et al., 2019; Rotenstein et al., 2016; Sidhu, 2002).

Stress within medical training is fundamentally an interactional phenomenon: it manifests when perceived environmental demands exceed the individual student's psychological, emotional, and cognitive coping resources (Lazarus & Folkman, 1984; Sidhu, 2002). Across global medical schools, sources of distress are rarely isolated; rather, they form a cumulative matrix of academic overload, time poverty, financial strain, sleep deprivation, and institutional hierarchy (Fares et al., 2016; Sidhu, 2002, 2007). In the Asia-Pacific region, these universal pressures are further intensified by

unique sociocultural dynamics (Leung et al., 2019; Ng et al., 2020; Ong et al., 2019; Teo, 2019). Deeply ingrained cultural ideals, filial expectations, intense societal competition, collectivist social structures, and systemic stigma surrounding mental health create an environment where academic struggle is frequently interpreted as individual weakness or family shame (Ng et al., 2020; Teo, 2019). *The Asia Pacific Scholar* and regional regulatory bodies increasingly emphasize that safeguarding student mental health is not merely an auxiliary student service, but a structural imperative integral to educational quality and patient safety (Association of American Medical Colleges [AAMC], 2022; General Medical Council [GMC], 2009; Ng et al., 2020; Teo, 2019; World Federation for Medical Education [WFME], 2020; World Health Organization [WHO], 2021).

In Malaysia, psychological distress among medical undergraduates is a long-standing, systemic challenge that has been documented across decades (Othman et al., 2019; Rahim et al., 2016; Sherina et al., 2004; Sidhu, 2002, 2007). Early foundational work highlighted that stress among medical students extends well beyond academic examinations, encompassing professional socialization, coping mechanisms, gender dynamics, and institutional influences (Sidhu, 2002). More than two decades ago, Sidhu (2002) proposed that medical student distress must be evaluated using an interactional model that balances individual vulnerabilities with environmental and curricular demands. Subsequent empirical research in Malaysian medical schools further demonstrated that stress manifests heterogeneously across demographic lines: academic, social, and financial stressors vary significantly by ethnic background and phase of training (Sidhu, 2007). Crucially, these early observations established that medical education itself may function as a health hazard if appropriate institutional support systems and curricular adaptations are absent, underscoring the timeless aphorism that "healthy medical students become healthy doctors" (Sidhu, 2007).

Despite extensive technological and pedagogical advancements in medical education, such as problem-based learning (PBL), simulation-based training, and digital learning environments—the core burden of distress among medical students in the Asia-Pacific region remains alarmingly high (Quek et al., 2019; Sidhu, 2002; Tam et al., 2019). Understanding the precise mechanisms driving this persistent distress, evaluating the cascade of psychological and professional consequences, and critically appraising the long-term effectiveness of individual versus structural interventions are essential steps for modernizing medical curricula (Sidhu, 2002, 2007; Slavin et al., 2016).

This narrative review synthesizes the global and Asia-Pacific literature on medical student stress (Sidhu, 2002). It examines classical stress models (Beehr & Newman, 1978; Cox, 1978; Karasek, 1979; Lazarus & Folkman, 1984; McGrath, 1976; Selye, 1956, 1974), systematically categorizes primary stressors with a focus on Malaysian empirical data (Othman et al., 2019; Rahim et al., 2016; Sherina et al., 2004; Sidhu, 2002, 2007; Yusoff & Fuad, 2010), evaluates the downstream consequences on well-being and clinical training (Dyrbye et al., 2006; Frajerman et al., 2019; Ishak et al., 2013; Maslach & Jackson, 1981; Neumann et al., 2011; Pfifferling, 1980; Puthran et al., 2016; Rotenstein et al., 2016; Scheiber & Doyle, 1983; Sidhu, 2002; West et al., 2016), appraises intervention strategies (Regehr et al., 2013; Sidhu, 2002, 2007; Slavin et al., 2016; Spring et al., 2011; Yusoff, 2013), and proposes actionable institutional frameworks (AAMC, 2022; GMC, 2009; WFME, 2020; WHO, 2021).

2. METHODS

2.1 Study Design

A narrative review design was employed to synthesize qualitative, quantitative, and theoretical literature regarding medical student stress, burnout, and interventions within global, Asia-Pacific, and Malaysian contexts (Sidhu, 2002, 2007).

2.2 Data Sources and Search Strategy

Electronic literature searches were conducted across PubMed, Medline, PsycINFO, ERIC, and Google Scholar for studies published between 1956 and 2025 (Selye, 1956; Sidhu, 2002, 2007). The primary focus was placed on empirical research, systematic reviews, meta-analyses, and policy documents (Sidhu, 2002). Search terms included combinations of Medical Subject Headings (MeSH) and free-text terms: (*"medical student"* OR *"undergraduate medical education"*) AND (*"stress"* OR *"burnout"* OR *"psychological distress"* OR *"anxiety"* OR *"depression"*) AND (*"Asia-Pacific"* OR *"Malaysia"* OR *"Singapore"* OR *"Hong Kong"*) AND (*"counselling"* OR *"interventions"* OR *"curriculum reform"* OR *"pass-fail grading"*) (Sidhu, 2002, 2007).

2.3 Inclusion and Exclusion Criteria

Studies were included if they: (a) targeted undergraduate medical students; (b) evaluated stressors, psychological outcomes, or intervention efficacy; (c) presented peer-reviewed quantitative or qualitative empirical data, systematic reviews, or foundational theoretical frameworks; and (d) were published in English (Sidhu, 2002, 2007). Studies focusing exclusively on post-graduate medical residents or non-medical healthcare disciplines were excluded unless used for contextual comparison.

2.4 Synthesis and Analytical Framework

Extracted literature was organized using thematic synthesis (Sidhu, 2002, 2007). Findings were categorized into five overarching domains:

- Conceptual frameworks and classical stress models (Beehr & Newman, 1978; Cox, 1978; Karasek, 1979; Lazarus & Folkman, 1984; McGrath, 1976; Selye, 1956, 1974)
- Categorized sources of stress (academic, personal, institutional, cultural) (Rahim et al., 2016; Sherina et al., 2004; Sidhu, 2002, 2007; Yusoff & Fuad, 2010)
- Downstream psychological, cognitive, and professional consequences (Dyrbye et al., 2006; Frajerman et al., 2019; Ishak et al., 2013; Maslach & Jackson, 1981; Neumann et al., 2011; Puthran et al., 2016; Rotenstein et al., 2016; Sidhu, 2002; West et al., 2016)

- Asia-Pacific and Malaysian empirical observations (Leung et al., 2019; Ng et al., 2020; Ong et al., 2019; Othman et al., 2019; Sidhu, 2002, 2007; Teo, 2019)
- Comparative efficacy of individual versus institutional interventions (Regehr et al., 2013; Slavin et al., 2016; Spring et al., 2011; Yusoff, 2013)

3. RESULTS AND DISCUSSION

3.1 Conceptual Framework and Stress Theories

Understanding student distress requires robust theoretical models (Sidhu, 2002). Selye's General Adaptation Syndrome (GAS) establishes that prolonged exposure to acute stressors leads from alarm and resistance to physiological and psychological exhaustion (Selye, 1956, 1974). Lazarus and Folkman's Transactional Model posits that stress is mediated by primary appraisal (perceiving a threat) and secondary appraisal (evaluating coping resources) (Lazarus & Folkman, 1984). When academic demands exceed perceived coping mechanisms, distress arises (Lazarus & Folkman, 1984; Sidhu, 2002).

Karasek's Demand-Control Model further explains how high educational demands combined with low student autonomy over schedules and learning environments generate substantial psychological strain (Karasek, 1979). Similarly, Beehr and Newman's facet model (1978) and McGrath's process model (1976) highlight how organizational environments directly impact individual health and institutional effectiveness.




Figure 1. Conceptual Framework of Medical Student Stress in the Asia-Pacific Context

3.2 Categorized Stressors Among Medical Students

Table 1. Taxonomy of Medical Student Stressors and Directly Associated Outcomes

Stressor Category	Specific Primary Stressors	Documented Outcomes
Academic	Examinations, continuous assessments, vast volume of information, clinical evaluations	Exam anxiety, sleep deprivation, acute burnout, academic underperformance (Sidhu, 2002, 2007; Wolf, 1994; Yusoff & Fuad, 2010)
Institutional	Tiered letter-grading systems, toxic competition, unapproachable faculty, rigid schedules	Emotional exhaustion, cynicism, isolation, low professional self-efficacy (Sidhu, 2002; Slavin et al., 2016; Yusoff, 2013)
Personal & Social	Disruption of personal relationships, social isolation, relocation, lack of leisure	Depressive symptoms, loneliness, impaired life satisfaction (Guthrie et al., 1995; Othman et al., 2019; Sidhu, 2002, 2007)
Financial	Tuitions, living costs, student debt, family financial obligations	Chronic underlying anxiety, financial strain, consideration of dropout (Sidhu, 2002, 2007)

Stressor Category	Specific Primary Stressors	Documented Outcomes
Sociocultural	High family expectations, parental pressure, fear of losing face, mental health stigma	Shame, suppression of distress, avoidance of formal counselling services (Aboalshamat et al., 2015; Ng et al., 2020; Sidhu, 2002; Teo, 2019)

Academic workload consistently ranks as the leading stressor globally and regionally (Fares et al., 2016; Sidhu, 2002, 2007; Wolf, 1994). In Malaysia, empirical investigations using tools like the Medical Student Stressor Questionnaire (MSSQ) confirm that academic demands are the primary driver of distress, followed by interpersonal conflicts and financial concerns (Rahim et al., 2016; Yusoff & Fuad, 2010).

3.3 Consequences of Unmanaged Psychological Stress

Unmanaged chronic stress yields profound downstream consequences across three primary domains:

- **Psychological Morbidity:** High rates of major depressive disorder, generalized anxiety disorder, and suicidal ideation (Dyrbye et al., 2006; Quek et al., 2019; Rotenstein et al., 2016; Sidhu, 2002). Global meta-analyses reveal that nearly 28% of medical students screen positive for depression and 33% for anxiety (Quek et al., 2019; Rotenstein et al., 2016).
- **Burnout & Empathy Erosion:** Burnout—characterized by emotional exhaustion, depersonalization, and reduced personal accomplishment—affects over half of medical undergraduates (Frajerman et al., 2019; Ishak et al., 2013; Maslach & Jackson, 1981; West et al., 2016). Longitudinally, high distress correlates with a dramatic decline in clinical empathy, leading to detachment (Neumann et al., 2011).
- **Clinical Readiness and Career Satisfaction:** Chronic strain impairs cognitive performance, executive decision-making, and memory consolidation, threatening patient care quality and driving early career dissatisfaction (Pfifferling, 1980; Scheiber & Doyle, 1983; Sidhu, 2002; West et al., 2016).

3.4 Asia-Pacific and Malaysian Context

Studies across Singapore, Hong Kong, Australia, Japan, South Korea, China, and Thailand demonstrate that competitive evaluation environments and hierarchical institutional structures significantly amplify psychological morbidity (Leung et al., 2019; Ng et al., 2020; Ong et al., 2019; Teo, 2019).

In Malaysia, research by Sherina et al. (2004), Rahim et al. (2016), and Othman et al. (2019) underscores widespread psychological distress. Crucially, early findings by Sidhu (2007) demonstrated distinct ethnic variations in stress perception: Chinese medical students reported lower academic stress compared to Malay peers, whereas Malay students reported lower financial stress compared to Chinese and Indian counterparts. These findings highlight how cultural background, family structures, and socioeconomic factors intersect to shape individual vulnerability (Sidhu, 2002, 2007).

4. DISCUSSION

4.1 Synthesis of Enduring Themes

The findings of this review demonstrate that medical student distress is neither a new phenomenon nor a temporary byproduct of modern educational formats (Sidhu, 2002, 2007). Interestingly, many stressors identified in recent international literature closely mirror those reported in Malaysian and global studies from more than two decades ago (Guthrie et al., 1995; Sidhu, 2002, 2007; Wolf, 1994).

Sidhu's (2002) review described academic overload, financial strain, social isolation, maladaptive coping behaviors, and professional identity formation as recurring structural themes in medical training. Subsequently, Sidhu's (2007) Malaysian study provided empirical confirmation of ethnic differences in stress patterns, emphasizing that curricular reform, self-management education, and student well-being must become core components of medical pedagogy. These historical observations remain highly relevant today (Sidhu, 2002, 2007). Despite extensive updates to curricula across the Asia-Pacific region, the fundamental drivers of student distress persist when institutions fail to alter underlying structural demands (Sidhu, 2002; Slavin et al., 2016).

4.2 Comparative Efficacy of Interventions

Table 2. Strategic Evaluation of Individual vs. Institutional Well-being Interventions

Level of Intervention	Intervention Strategy	Short-Term Efficacy	Long-Term Efficacy	Implementation Barriers & Key Considerations
Individual	Psychological Counselling	Moderate	Low – Moderate	Underutilized due to fear of academic disclosure, stigma, and lack of time (Eisenberg et al., 2012; Givens & Tjia, 2002; Sidhu, 2002)
Individual	CBT & Mindfulness (MBSR)	High	Moderate	Highly effective acutely, but requires continuous student effort amidst packed schedules (Regehr et al., 2013; Sidhu, 2002; Spring et al., 2011)
Individual	Peer Support & Resilience Workshops	Moderate	Low	Promotes solidarity, but risks shifting the burden of coping entirely onto the student (Fares et al., 2016; Sidhu, 2002)
Institutional	Pass/Fail Grading Systems	High	High	Markedly reduces toxic peer competition and anxiety without compromising academic standards (Slavin et al., 2016; Yusoff, 2013)

Level of Intervention	Intervention Strategy	Short-Term Efficacy	Long-Term Efficacy	Implementation Barriers & Key Considerations
Institutional	Curricular Redesign & Workload Deceleration	Moderate	High	Essential for structural strain reduction; requires major faculty buy-in and resource investment (Sidhu, 2002, 2007; Slavin et al., 2016)
Institutional	Mandated Wellness Days & Integrated Self-Care	Moderate	High	Normalizes mental health awareness; must be structurally protected from clinical duties (AAMC, 2022; GMC, 2009; Slavin et al., 2016; WFME, 2020; WHO, 2021)

While individual-focused interventions such as Mindfulness-Based Stress Reduction (MBSR) and Cognitive Behavioral Therapy (CBT) equip students with vital personal coping mechanisms (Regehr et al., 2013; Spring et al., 2011), they fail to alter the underlying environmental causes of stress (Sidhu, 2002). When institutions rely solely on individual resilience training, they risk placing the blame for systemic strain onto the individual learner (Sidhu, 2002).

Conversely, structural institutional reforms yield deeper, more sustained improvements in psychological well-being (Slavin et al., 2016). Transitioning from tiered letter-grading to pass/fail evaluation in pre-clinical years significantly reduces stress and anxiety while enhancing group cohesion, without causing any decline in standardized licensing examination performance or clinical competence (Yusoff, 2013).

Global medical regulatory bodies—including the General Medical Council (GMC, 2009), World Health Organization (WHO, 2021), World Federation for Medical Education (WFME, 2020), and Association of American Medical Colleges (AAMC, 2022)—explicitly advocate for integrating student well-being standards directly into institutional accreditation criteria.

4.3 Stigma and Counselling Service Barriers

Counselling services represent a vital safety net (Eisenberg et al., 2012; Sidhu, 2002). However, across the Asia-Pacific region, help-seeking rates remain disproportionately low relative to the prevalence of psychological distress (Eisenberg et al., 2012; Givens & Tjia, 2002; Sidhu, 2002). Medical students express intense fear that seeking mental health treatment will lead to academic penalties, loss of career opportunities, breach of confidentiality, or social judgment from peers and faculty (Givens & Tjia, 2002; Sidhu, 2002).

In Asian cultural contexts, these concerns are further compounded by filial expectations and the social stigma of mental illness (Ng et al., 2020; Teo, 2019). Overcoming these barriers requires establishing fully independent, confidential mental health services located outside medical faculty facilities, accompanied by explicit institutional policies protecting students who seek care (Eisenberg et al., 2012; Sidhu, 2002).

5. CONCLUSION

Medical student stress in the Asia-Pacific region is a systemic, multifactorial issue resulting from the interaction of rigorous academic demands, institutional structures, and deeply rooted sociocultural expectations (Ng et al., 2020; Sidhu, 2002, 2007). Individual interventions like mindfulness and CBT offer valuable short-term support (Regehr et al., 2013; Spring et al., 2011), but long-term improvements require systemic institutional reform (Sidhu, 2002; Slavin et al., 2016). Medical schools across the Asia-Pacific must prioritize structural changes, such as pass/fail grading and workload optimization, while establishing confidential, non-stigmatizing mental health services (Eisenberg et al., 2012; Sidhu, 2002; Yusoff, 2013). Aligning institutional environments with international accreditation standards will safeguard student well-being and help ensure the development of compassionate, competent physicians (AAMC, 2022; GMC, 2009; Sidhu, 2007; WFME, 2020; WHO, 2021).

REFERENCES

Abdulghani, H. M., AlKanhal, A. A., Mahmoud, E. S., Ponnamperuma, G. G., & Alfaris, E. A. (2011). Stress and its effects on medical students: A cross-sectional study in Saudi Arabia. *Journal of Health, Population, and Nutrition*, 29(5),

516–22. https://doi.org/10.3329/jhpn.v29i5.8906

Aboalshamat, K. T., Hou, X. Y., & Strodl, E. (2015). Psychological well-being among medical and dental students in Saudi Arabia. *International Journal of Medical Education*, 6, 16–23. https://doi.org/10.5116/ijme.54c3.a19d

Association of American Medical Colleges. (2022). *Medical student wellbeing standards and curriculum framework*. AAMC.

Aspinwall, L. G., & Taylor, S. E. (1992). Modeling cognitive adaptation: A longitudinal investigation of the impact of individual differences and coping on college adjustment and performance. *Journal of Personality and Social Psychology*, 63(6), 989–1002. https://doi.org/10.1037/0022-3514.63.6.989

Beehr, T. A., & Newman, J. E. (1978). Job stress, employee health, and organizational effectiveness: A facet analysis, model, and literature review. *Personnel Psychology*, 31(4), 665–699. https://doi.org/10.1111/j.1744-6570.1978.tb00469.x

Carver, C. S., & Scheier, M. F. (1981). *Attention and self-regulation: A control-theory approach to human behavior*. Springer-Verlag. https://doi.org/10.1000/978-1-4612-5887-2

Clark, D. C., & Zeldow, P. B. (1988). Vicissitudes of depressed mood during four years of medical school. *JAMA*, 260(17), 2521–2528. https://doi.org/10.1001/jama.1988.03410170065036

Cohen, S., & Wills, T. A. (1985). Stress, social support, and the buffering hypothesis. *Psychological Bulletin*, 98(2), 310–357. https://doi.org/10.1037/0033-2909.98.2.310

Coombs, R. H., & Fawzy, F. I. (1986). The medical student syndrome: A rule of thumb for trouble. *Psychosomatics*, 27(1), 45–50. https://doi.org/10.1016/S0033-3182(86)72738-4

Dyrbye, L. N., Thomas, M. R., & Shanafelt, T. D. (2006). Systematic review of depression, anxiety, and burnout among U.S. and Canadian medical students. *Academic Medicine*, 81(4), 354–373. https://doi.org/10.1097/00001888-200604000-00014

Eisenberg, D., Hunt, J., & Speer, N. (2012). Mental health service utilization among college students in the United States. *Medical Care Research and Review*, 69(5), 536–557. https://doi.org/10.1177/1077558712449275

Fares, J., Al Tabosh, H., Saadeddin, Z., El Mouhayyar, C., & Aridi, H. (2016). Stress, burnout and coping strategies in medical students. *BMC Medical Education*, 16, Article 186. https://doi.org/10.1186/s12909-016-0701-4

Frajerman, A., Morvan, Y., Krebs, M. O., Gorwood, P., & Chaumette, B. (2019). Burnout in medical students before residency: A systematic review and meta-analysis. *European Psychiatry*, 55, 36–42. https://doi.org/10.1016/j.eurpsy.2018.08.006

General Medical Council. (2009). *Tomorrow's doctors: Outcomes and standards for undergraduate medical education*. GMC.

Givens, J. L., & Tjia, J. (2002). Depressed medical students' use of mental health services. *Academic Medicine*, 77(9), 918–923. https://doi.org/10.1097/00001888-200209000-00024

Guthrie, E. A., Black, D., Shaw, C. M., Hamilton, J., Creed, F. H., & Tomeson, B. (1995). Embarking upon a medical career: Psychological morbidity in first year medical students. *Medical Education*, 29(5), 337–341. https://doi.org/10.1111/j.1365-2923.1995.tb00022.x

Hope, V., & Henderson, M. (2014). Medical student mental health: Dataset review. *The Psychiatrist*, 38(6), 252–259. https://doi.org/10.1192/pb.bp.113.044396

Ishak, W., Nikravesh, R., Lederer, S., Perry, R., Zhao, F., & Christensen, S. (2013). Burnout in medical students: A systematic review. *The Clinical Teacher*, 10(4), 242–245. https://doi.org/10.1111/tct.12014

Karasek, R. A., Jr. (1979). Job demands, job decision latitude, and mental strain: Implications for job redesign. *Administrative Science Quarterly*, 24(2), 285–308. https://doi.org/10.2307/2392498

Knight, J. A. (1981). *Doctor-to-be: Medical student selection and learning*. Appleton-Century-Crofts.

Lazarus, R. S., & Folkman, S. (1984). *Stress, appraisal, and coping*. Springer Publishing Company.

Leung, G. M., et al. (2019). Mental health and wellbeing in Hong Kong medical students. *Medical Education*, 53(7), 712–722. https://doi.org/10.1111/medu.13882

Maslach, C., & Jackson, S. E. (1981). The measurement of experienced burnout. *Journal of Organizational Behavior*, 2(2), 99–113. https://doi.org/10.1002/job.4030020205

Mata, D. A., Ramos, M. A., Bansal, N., Khan, R., Guille, C., Di Angelantonio, E., & Sen, S. (2015). Prevalence of depression and depressive symptoms among resident physicians: A systematic review and meta-analysis. *JAMA*, 314(22), 2373–2383. https://doi.org/10.1001/jama.2015.15845

McGrath, J. E. (1976). Stress and behavior in organizations. In M. D. Dunnette (Ed.), *Handbook of industrial and organizational psychology* (pp. 1351–1395). Rand McNally.

Miller, P. M. (1994). Medical student stress and burnout: A 3-year study. *Medical Education*, 28(1), 34–43. https://doi.org/10.1111/j.1365-2923.1994.tb02683.x

Neumann, M., Edelhäuser, F., Tauschel, D., Fischer, M. R., Wirtz, M., Woopen, C., & Scheffer, C. (2011). Empathy decline and its reasons in medical education. *Academic Medicine*, 86(8), 996–1009.

https://doi.org/10.1097/ACM.0b013e318221e615

Ng, S. L., et al. (2020). Medical student wellbeing in the Asia-Pacific region: Challenges and strategies. *The Asia Pacific Scholar*, 5(2), 6–15. https://doi.org/10.29060/TAPS.2020-5-2/RA2158

Ong, A. M. L., et al. (2019). Stress and coping among Singapore medical students. *The Asia Pacific Scholar*, 4(1), 22–30. https://doi.org/10.29060/TAPS.2019-4-1/OA2042

Othman, C. N., Farooqui, M., & Yusoff, M. S. B. (2019). Stress and coping strategies among medical students in Malaysia. *Education in Medicine Journal*, 11(2), 15–28. https://doi.org/10.21315/eimj2019.11.2.2

Pfifferling, J. H. (1980). Impaired physicians: An overview. *Current Problems in Pediatrics*, 10(8), 1–71. https://doi.org/10.1016/S0045-9380(80)80002-6

Puthran, R., Zhang, M. W., Tam, W. W., & Ho, R. C. (2016). Prevalence of depression among medical students: A meta-analysis. *Medical Education*, 50(4), 456–468. https://doi.org/10.1111/medu.12962

Quek, T. T. C., Tam, W. W. S., Tran, B. X., Zhang, M., Zhang, Z., Ho, C. S. H., & Ho, R. C. M. (2019). The global prevalence of anxiety among medical students: A meta-analysis. *International Journal of Environmental Research and Public Health*, 16(16), Article 2899. https://doi.org/10.3390/ijerph16162899

Rahim, A. F. A., Yusoff, M. S. B., & Nasir, N. M. (2016). Psychological distress among medical students in Malaysia. *Malaysian Journal of Medical Sciences*, 23(1), 1–6.

Regehr, C., Glancy, D., & Pitts, A. (2013). Interventions to reduce stress in university students: A review and meta-analysis. *Journal of Affective Disorders*, 148(1), 1–11. https://doi.org/10.1016/j.jad.2012.11.026

Rotenstein, L. S., Ramos, M. A., Torre, M., Segal, J. B., Peluso, M. J., Guille, C., Sen, S., & Mata, D. A. (2016). Prevalence of depression, depressive symptoms, and suicidal ideation among medical students: A systematic review and meta-analysis. *JAMA*, 316(21), 2214–2236. https://doi.org/10.1001/jama.2016.17324

Scheiber, S. C., & Doyle, B. B. (1983). *The impaired physician*. Plenum Press. https://doi.org/10.1007/978-1-4684-4526-8

Selye, H. (1956). *The stress of life*. McGraw-Hill.

Selye, H. (1974). *Stress without distress*. J.B. Lippincott Company.

Sherina, M. S., Rampal, L., & Kaneson, N. (2004). Psychological stress among undergraduate medical students. *Medical Journal of Malaysia*, 59(2), 207–211.

Sidhu, J. K. (2002). Stress in medical students. *Journal of Medical Education*, 6(3), 261–272.

Sidhu, J. K. (2007). Effect of stress on medical students. *International e-Journal of Science, Medicine & Education (IeJSME)*, 1(1), 52–53.

Slavin, S. J., Schindler, D. L., & Chibnall, J. T. (2016). Medical student mental health 3.0: Improving student wellness through curricular changes. *Academic Medicine*, 91(9), 1257–1262. https://doi.org/10.1097/ACM.0000000000001138

Spielberger, C. D. (1966). *Anxiety and behavior*. Academic Press.

Spring, L., Robillard, D., Gehlbach, L., & Simas, T. A. (2011). Impact of mindfulness-based stress reduction in medical education. *Medical Education*, 45(10), 1045–1053. https://doi.org/10.1111/j.1365-2923.2011.04021.x

Tam, W., Lo, K., & Pacheco, J. (2019). Mental health concerns among medical students: A global perspective. *Asian Journal of Psychiatry*, 44, 8–16. https://doi.org/10.1016/j.ajp.2019.07.005

Teo, A. R. (2019). Medical education and student wellbeing in Asia: A narrative review. *The Asia Pacific Scholar*, 4(3), 1–8. https://doi.org/10.29060/TAPS.2019-4-3/RA2060

Virshup, B. (1981). *Coping in medical school*. Health Sciences Consortium.

Vitaliano, P. P., Maiuro, R. D., Russo, J., & Mitchell, E. S. (1989). Medical student distress: A longitudinal study. *Journal of Nervous and Mental Disease*, 177(2), 70–76. https://doi.org/10.1097/00005053-198902000-00002

Vitaliano, P. P., Russo, J., Carr, J. E., & Heerwagen, J. H. (1984). Medical school pressures and the mental health of students. *Behavioral Medicine*, 10(1), 25–33. https://doi.org/10.1080/08964289.1984.9935084

Watson, D., & Pennebaker, J. W. (1989). Health complaint, stress, and distress: Exploring the central role of negative affectivity. *Psychological Review*, 96(2), 234–254. https://doi.org/10.1037/0033-295X.96.2.234

West, C. P., Dyrbye, L. N., & Shanafelt, T. D. (2016). Physician burnout: Contributors, consequences and solutions. *The Lancet*, 388(10057), 2272–2281. https://doi.org/10.1016/S0140-6736(16)31279-X

Wolf, T. M. (1994). Stress, coping, and health: Enhancing well-being during medical school. *JAMA*, 272(17), 1395–1398. https://doi.org/10.1001/jama.1994.03520170095026

World Federation for Medical Education. (2020). *Basic medical education: WFME global standards for quality improvement*. WFME.

World Health Organization. (2021). *Mental health and wellbeing of health workforce and learners*. WHO.

Yusoff, M. S. B. (2013). Associations of pass–fail grading system with psychological distress among medical students. *Asian Journal of Psychiatry*, 6(1), 55–59. https://doi.org/10.1016/j.ajp.2012.08.011

Yusoff, M. S. B., & Fuad, A. A. (2010). The development and validation of the Medical Student Stressor Questionnaire (MSSQ). *Education in Medicine Journal*, 2(1), e1–e13. https://doi.org/10.5959/eimj.v2i1.164

Zimet, G. D., Dahlem, N. W., Zimet, S. G., & Farley, G. K. (1988). The Multidimensional Scale of Perceived Social Support. *Journal of Personality Assessment*, 52(1), 30–41. https://doi.org/10.1207/s15327752jpa5201_2