RESEARCH PAPER

Vata Dosha as the Organised Biological Expression of Physiological Gradients: A Conceptual Framework Bridging Classical Ayurveda and Modern Physiology

Dr. Harikrishnan S[1*],Dr. Aarti Nargesh[2], Dr. Irfan A K[3], Dr. Vijay Mukund C[4]

[1]Department of Kayachikitsa, SAM College of Ayurvedic Science and Hospital, SAM Global University, Raisen, Madhya Pradesh 464551, India ORCID iD: https://orcid.org/0009-0007-8609-0906, (Corresponding author) E-mail: drhari2337@gmail.com*

[2]Assistant Professor, Department of Kayachikitsa, SAM College of Ayurvedic Sciences and Hospital, SAM Global University, Raisen, Madhya Pradesh, India
ORCID iD: https://orcid.org/0009-0002-7179-009X , E-mail: aartinargesh123@gmail.com

[3]Department of Dravyaguna, Sardar Ajit Singh Smriti Ayurvedic Mahavidyalaya, Bhopal, Madhya Pradesh, India
ORCID iD: https://orcid.org/0009-0007-2288-810X , E-mail: irfanpoilanpva@gmail.com

[4]Department of Panchakarma, Rani Dullaiya Smriti Ayurved PG Mahavidyalaya and Chikitsalay, Bhopal, Madhya Pradesh, India
ORCID iD: https://orcid.org/0009-0008-9045-6488 , E-mail: vijaymukundc@gmail.com

ABSTRACT

Classical Ayurveda describes *Vata Dosha* as the principle governing movement, coordination and communication in the body, from neural conduction and respiration to circulation, digestion and elimination. Modern physiology, working independently, explains the same range of processes through the behaviour of physiological gradients: electrochemical gradients drive nerve conduction, pressure gradients drive circulation and respiration, and concentration gradient drive absorption and excretion. This paper proposes that *Vata Dosha* may be understood as the classical, functionally observed description of gradient-driven physiological regulation. The classical *Gunas* of *Vata* are read as descriptors of gradient behaviour; the five sub-types of *Vata*, namely *Prana*, *Udana*, *Samana*, *Vyana* and *Apana*, are mapped to five corresponding gradient systems in the body; *Vata Vriddhi* and *Vata Kshaya* are reinterpreted through the physiological construct of gradient instability and gradient attenuation respectively; and *Avarana* is examined as a classical description of gradient interference across systems. Fear (*Bhaya*), by contrast, is presented as a deliberate boundary case, a *Vata Vriddhi* symptom that is better explained through *Rajas*, the classical *Manasika Guna* governing mental activity and restlessness, than through gradient dynamics directly, marking where the physiological analogy properly ends and Ayurveda's own psychological framework takes over. This is offered as an interpretive, hypothesis-generating framework rather than a claim of mechanistic equivalence, intended to give Ayurveda students a physiologically grounded overview of *Vata* and to give scientifically minded readers a coherent, evidence-linked reason to take the classical description seriously.

Keywords: *Vata Dosha*; physiological gradients; *Panchavata*; heart rate variability; integrative medicine

How to site this article : Dr. Harikrishnan S ,Dr. Aarti Nargesh, Dr. Irfan A K, Dr. Vijay Mukund C, " *Vata Dosha* as the Organised Biological Expression of Physiological Gradients: A Conceptual Framework Bridging Classical Ayurveda and Modern Physiology"Int J Drug Deliv Technol. 2026;16(88s): 1629-1645; DOI: 10.25258/ijddt.16.88s.162

1. INTRODUCTION

Every living body must move things, impulses, blood, food, water and waste, in an organised direction. Modern physiology answers the question of how this happens with a single recurring principle: the gradient. A gradient is simply a difference, in electrical charge, in pressure, in concentration or in temperature, between two points, and living systems are built to generate, maintain and use these differences to drive purposeful movement. The resting neuron holds a voltage difference across its membrane and fires when that difference collapses in a wave. The heart creates a pressure difference between its chambers and the vessels beyond, and blood follows it. The kidney builds a concentration difference across the medulla, and water follows it. Across a range of subjects that appear unrelated at first glance, neurophysiology, cardiovascular physiology, respiratory physiology, renal physiology and gastrointestinal physiology, the same organising logic recurs: nothing moves in the body without a gradient to move it along.

Classical Ayurveda arrived at a strikingly similar unifying idea nearly two thousand years earlier, though in a very different language. Acharya *Charaka* describes *Vata* as the *tantra-yantra-dhara*, the one that holds together and operates the mechanism of the body, and as the *pravartaka* of all movement, the *niyanta* of the mind and the *udyojaka* of the senses.[1] Acharya *Sushruta* derives the very word *Vata* from the root *"va", gati-gandhanayoh*, meaning both movement and the carrying of information, placing transport and communication together at the root of the term itself.[2] The great majority of functions that modern physiology attributes to gradients, impulse conduction, circulation, respiration, peristalsis and elimination, are, in classical Ayurveda, attributed to *Vata*. This is not a superficial resemblance. It is two independently developed descriptive systems addressing substantially overlapping functional territory, one built from direct clinical observation across centuries, the other from laboratory measurement. This is an overlap in descriptive scope, not evidence that either system anticipated or validates the other.

This paper is a teaching and reasoning exercise built on that convergence. It has two intended readers, and it tries to serve both honestly rather than diluting the content for either. For the Ayurveda student, this paper is meant to function as a complete, faithful overview of *Vata Dosha* as described in the *Brihatrayi*, its *Gunas*, its general *Karma*, its five sub-types with their *Sthana* and function, its *Vriddhi* and *Kshaya Lakshanas*, and the concept of *Avarana*, presented in a structure that also shows why a modern physiologist would find this description familiar. For the research-minded reader, this paper is meant to demonstrate that the classical description of *Vata* is not vague poetry but a systematic, internally consistent account of gradient-driven physiology, arrived at through careful clinical observation, and worth taking seriously as a subject of interdisciplinary study.

It is necessary to state the scope of this claim precisely, because precision is what will make the argument credible to either reader. This paper does not claim that *Vata Dosha* is, in a literal biochemical sense, identical to physiological gradients, nor that classical Ayurveda "discovered" ion channels or Starling forces in advance of modern science. Such a claim would be neither provable nor necessary. What is proposed instead is an interpretive framework: that the functional behaviour Ayurveda attributes to *Vata*, its qualities, its sites, its five-fold division and its patterns of excess and deficiency, corresponds closely and consistently enough to the functional behaviour of physiological gradients that gradient dynamics offers a useful, physiologically literate lens through which to teach, understand and investigate *Vata*. Where the fit is strong, this paper says so plainly. Where it is looser or more speculative, this paper says that too. This kind of interpretive bridge-building has precedent in the Ayurveda literature, in Hankey's systems-theoretic reading of *Tridosha* as a model of input–output–storage regulation,[3] in Prasher and colleagues' genomic correlates of *Prakriti*,[4] and in the specific proposal that vagal tone may serve as a biomarker of *Prana Vata* activity.[5] This paper extends that lineage by proposing gradient dynamics, a more general physical principle than any single one of these, as the unifying construct across all of *Vata*'s classically described functions, not only its neural ones.

2. SOURCE SELECTION AND ANALYTICAL APPROACH

This is a conceptual and interpretive paper, not an experimental or laboratory study; its method is textual and comparative. Classical descriptions of *Vata Dosha* were drawn from the three foundational texts of Ayurveda, the *Brihatrayi*: *Charaka Samhita* (*Sutra Sthana*, *Vimana Sthana* and *Chikitsa Sthana*, particularly the *Vatavyadhi Chikitsa* chapter), *Sushruta Samhita* (*Sutra Sthana* and *Nidana Sthana*), and *Ashtanga Hridaya* (*Sutra Sthana*), cross-referenced against standard English renderings for verification. Where the standard English renderings diverged on a point of substance, such as the exact scope of a symptom list or the boundary between two adjacent verses, the more conservative reading, the one committing to less specific content, was adopted, and the divergence is noted at the point of citation where it affects the argument being made. Sanskrit terms are transliterated throughout using a simplified, diacritic-free convention (for example *Vata* rather than *Vāta*, *Dosha* rather than *Doṣa*) by editorial choice, for accessibility to the mixed Ayurveda-student and physiology readership this paper addresses; authors preparing this material for journals that require full IAST transliteration should convert terms accordingly before submission. Modern physiological correlates were drawn from peer-reviewed physiology literature, standard physiology references (StatPearls/NCBI Bookshelf), and journals of the American Physiological Society, selected specifically for their description of gradient-driven mechanisms in neural, cardiovascular, respiratory, gastrointestinal and renal systems. Where a classical claim could not be matched to a verifiable modern mechanism with reasonable confidence, that gap is stated explicitly rather than filled speculatively.

Verse-level citation, rather than chapter-level citation alone, is provided for every classical reference in this paper; chapter-level framing is retained only as additional context alongside the specific verse numbers, and is used on its own only for the handful of genuinely wide classical enumerations (such as the twenty *anyonyavarana* combinations in *Charaka Chikitsa Sthana* 28) where the cited material itself spans many verses rather than because a single verse

could not be identified. Selection of classical material followed a functional rather than exhaustive criterion: passages were included where the *Brihatrayi* assign *Vata* (or, in Section 9, *Rajas*) a specific site, function or symptom list that could be compared against a named modern physiological mechanism; general philosophical or metaphysical discussion of *Dosha* theory not tied to a specific function was outside this paper's scope. Modern sources were similarly selected for describing a specific, named gradient mechanism rather than for general topical relevance, and standard physiology references (StatPearls, Comprehensive Physiology and society journals) were preferred over secondary or educational-summary sources wherever a primary or reference-standard source was available. Every classical citation and every modern source cited in the reference list was independently checked against the original publication record before inclusion, and any citation that could not be confirmed with confidence has either been corrected or removed rather than left unverified.

3. *VATA DOSHA* IN CLASSICAL AYURVEDA: A GENERAL OVERVIEW

Before its qualities and sub-types are examined individually, *Vata Dosha* must be understood in its classical context as one of the three *Doshas*, along with *Pitta* and *Kapha*, that govern all physiological and pathological processes in the body. Of the three, *Vata* occupies a special position. *Sushruta* calls it effectively the leader among the *Doshas*, stating that *Vata* drives the functions of the other two and is implicated, directly or indirectly, in the majority of diseases.[2] Because *Vata* itself has no colour or form that can be directly perceived, it is *amurta*, formless, *Charaka* states that it can only be known through its *Karma*, its functions and effects, and not through direct observation of a substance.[1] This single methodological point is worth pausing on, because it is precisely the epistemic position modern physiology takes toward a gradient: a pressure gradient or an electrochemical gradient cannot be seen directly either, it is inferred entirely from what it does, the flow of blood or the firing of a neuron. Both systems, classical and modern, are describing an invisible organising force through its visible consequences.

Topographically, *Vata*'s primary seat is described as the region below the umbilicus, particularly the *Pakvashaya* (the large intestine and colon), which is repeatedly named its principal site, with secondary influence extending throughout the body via its five sub-types, discussed in Section 6.[6] This is consistent with *Vata*'s role as a distributor: while it has a home base, its function is inherently to reach and regulate distant sites, exactly as a gradient established at one point in a system propagates its effect through the whole system.

One scope clarification is necessary before proceeding. Gradient dynamics are not proposed as *Vata*'s exclusive province in the sense that *Pitta* and *Kapha* are uninvolved in gradient-driven physiology; the Na^+/K^+-ATPase pump that maintains the neuronal membrane gradient discussed in Section 6.1, for instance, is itself an enzymatic, *Agni*-dependent process that classical physiology would associate at least partly with *Pitta*, and the structural integrity of a vessel or membrane along which a gradient acts owes something to *Kapha*. The claim made here is narrower and, this paper argues, still substantive: that the generation, propagation and directional expression of a gradient once established, its movement, its reach, its instability or attenuation, is specifically what the classical texts attribute to *Vata*, while *Pitta* and *Kapha* are more classically associated with the transformation and structural containment on which that movement depends. *Vata* is proposed as the organising description of gradient behaviour, not as the sole physiological actor in every process where a gradient appears.

3.1 *Pakvashaya*: The Logic of *Vata*'s Special Seat

Classical texts assign each *Dosha* a *Vishesha Sthana* (special or predominant seat) distinct from the sites where it performs its functions. *Kapha*'s special seat is *Amashaya* (the stomach), and *Pitta*'s is the *Nabhi Pradesha* (the mid-region, broadly the small intestine and associated organs). *Vata*'s is *Pakvashaya*, the colon, or more precisely the large intestine extending to the rectum. A frequent question, particularly for a reader trained in modern physiology, is why the colon specifically should be privileged in this way, given that *Vata*'s described functions (movement, sensation, respiration and circulation) are distributed across virtually the entire body. The classical answer rests on the *Samanya-Vishesha* principle that runs through all of Ayurvedic pathophysiology:[7] a substance accumulates preferentially in the site whose intrinsic qualities (*Guna*) most closely resemble its own and diminishes in sites whose qualities oppose it. By the time ingested material reaches the colon, the bulk of water has already been reabsorbed upstream, leaving residual content that is comparatively dry (*Ruksha*), light (*Laghu*) and coarse (*Khara*), the very qualities that define *Vata* itself. The colon is, in this sense, not an arbitrary assignment but the one region of the alimentary canal whose physical character is closest to *Vata*'s own defining qualities, making it the site where *Vata* is expected to concentrate, originate from and be most easily aggravated or treated. Figure 1 summarises this progression along the gut.

This classical reasoning has several concrete correlates in modern physiology worth making explicit, since they give the assignment an empirical anchor rather than leaving it as an assertion to be taken on faith. First, the overwhelming majority of intestinal

gas is produced and accumulates in the colon through bacterial fermentation of undigested carbohydrate, a direct physical referent for *Vata*'s defining association with *Vayu* (air or wind), and one that is largely absent from the small intestine.[8] Second, the enteric nervous system's myenteric plexus, while present throughout the gut, coordinates a qualitatively different and more variable motor pattern in the colon, haustral shuffling, mass movements and periods of retrograde mixing, compared to the more directionally consistent peristalsis of the small intestine; this irregular, multidirectional motor pattern maps more closely onto *Vata*'s classical qualities of *Chala* (mobile) and *Vishama* (irregular) than the small intestine's comparatively ordered propulsion does.[9] Third, the recto-anal inhibitory reflex and the sampling reflex that together govern continence and the sensation of urge constitute a dedicated neuro-mechanical gradient system unique to the distal colon and rectum, with no equivalent elsewhere in the gut,[10] a plausible modern correlate for why *Apana Vata*, the sub-type most classically tied to eliminative function, shares *Pakvashaya* as its specific seat within *Vata*'s general seat. Taken together, these features support reading *Pakvashaya*'s status not as an isolated anatomical claim but as the site where *Vata*'s defining physical qualities, dryness, lightness, irregularity and gaseous movement, are most concentrated and most measurable. This is precisely the logic the classical texts use to justify it.




Figure 1. Progressive concentration of *Vata*-like qualities along the alimentary canal

4. THE *GUNAS* OF *VATA DOSHA*: QUALITIES AS DESCRIPTORS OF GRADIENT BEHAVIOUR

The *Gunas* (qualities) of *Vata* are the classical texts' most detailed physical description of the *Dosha*, and they are also the point at which the gradient framework becomes most immediately persuasive, because these qualities read, almost without translation, as a description of how a gradient-driven flow behaves.

Charaka lists the qualities of *Vata* as *Ruksha* (dry), *Shita* (cold), *Laghu* (light), *Sukshma* (subtle or minute), *Chala* (mobile), *Vishada* (clear, non-slimy) and *Khara* (rough), with *Vimana Sthana* adding *Bahu* (frequent) and *Sheeghra* (swift), and *Sutra Sthana* 12 emphasising that *Vata* is *Amurta* (formless) and *Anavasthita* (unstable or inconstant).[1] *Sushruta*'s list is consistent, adding the striking observation that *Vata* is *Tiryak-ga*, it moves in all directions, and *Achintya-virya*, of unpredictable potency.[2] Each of these qualities, read carefully, is not a mystical attribute but a precise functional description.

- ***Chala (mobility):*** is the most fundamental. A gradient drives directional movement, of ions, of fluid, of gas, until equilibrium is reached. Nothing about a gradient is static; its entire physiological purpose is to produce flow. *Chala* is the classical name for this behaviour.

- ***Sukshma (subtlety):*** describes action at a fine, often imperceptible scale. Ion movement across a neuronal membrane, or molecular diffusion across a capillary wall, occurs at a scale invisible to unaided observation, exactly as *Sukshma* implies; *Vata*'s action is present and consequential, but not directly visible, mirroring how gradient-driven transport at the cellular and molecular level cannot be seen, only inferred from its effects.

- ***Laghu (lightness):*** corresponds to the low-inertia, rapid-response character of gradient-

driven signalling. An electrochemical gradient across a membrane discharge in milliseconds; a pressure gradient adjusts flow almost instantaneously. This quickness to respond is what *Laghu*, paired with the *Sheeghra* (swift) quality *Vimana Sthana* adds, is describing.

• ***Ruksha (dryness) and Khara (roughness):*** together describe a low-lubrication, dissipative quality of flow, movement that occurs without smoothing or retaining moisture. This corresponds reasonably well to the dissipative, non-conservative character of gradient-driven flux, which tends toward equilibrium, a drying out of the difference, rather than toward accumulation.

• ***Vishada (clarity or non-sliminess):*** suggests unobstructed, unhindered conduction, a state in which the pathway of movement is clear rather than clogged, precisely the condition a gradient requires to produce effective flow, and precisely the condition whose loss is described under *Avarana* (Section 8).

• ***Shita (coldness):*** links *Vata* to thermal gradients specifically. Core body temperature is actively regulated around 37°C by the hypothalamus, and a real core-to-peripheral gradient of a few degrees Celsius exists at rest and widens further in states of physiological stress.[11] *Vata*'s association with cold is therefore not incidental; it names a genuine gradient system (thermal) alongside the electrical, pressure and concentration gradients discussed for the other qualities.

• ***Anavasthita (instability or inconstancy) and Achintya-virya (unpredictable potency):*** are, arguably, the most physiologically important of all these qualities, because they describe not the presence of a gradient but its variability, and variability, as Section 7 will show, is the exact modern language used to describe both healthy adaptability and, in excess, pathological instability.

Taken together, the classical *Gunas* of *Vata* read as a coherent functional profile of a gradient-driven system: mobile, fine-scaled, fast, dissipative, clear-pathed when healthy, cold-associated and inherently variable. This is not an isolated coincidence of vocabulary; it is the same physical behaviour described in two different explanatory languages, separated by roughly two millennia and by an entirely different observational method. Table 1 summarises this mapping, parallel to the sub-type and gradient-category tables that follow in Section 6.

Guna	**Gradient behaviour described**	**Modern physiological correlate**
Chala (mobile)	Directional flow driven by a difference between two points	Ion, fluid and gas movement down electrochemical, pressure and concentration gradients
Bahu (frequent) / *Tiryak-ga* (moving in all directions)	Repeated, multi-directional recurrence of the same gradient-driven event rather than a single discharge	Repetitive firing of an excitable membrane and multi-directional diffusion or flow, rather than one-off, unidirectional movement
Sukshma (subtle)	Action at a fine, imperceptible scale	Molecular and ionic transport across membranes, invisible without instrumentation
Laghu (light)	Low-inertia, rapid response	Millisecond-scale membrane depolarisation and near-instantaneous pressure-driven flow
Ruksha / *Khara* (dry / rough)	Dissipative, non-lubricated flow toward equilibrium	Non-conservative flux that dissipates a gradient rather than conserving it
Vishada (clear)	Unobstructed conduction along an open pathway	Normal, unblocked gradient-driven transport (contrasted with *Avarana*, Section 8)
Shita (cold)	A distinct thermal gradient system	Core-to-peripheral temperature gradient regulated by the hypothalamus
Anavasthita / *Achintya-virya* (unstable / unpredictable)	Variability in gradient behaviour itself, not merely its presence	Physiological variability, healthy when regulated, pathological when erratic (Section 7)

Table 1. The Gunas of Vata mapped to gradient behaviour and modern physiological correlate

5. GENERAL FUNCTIONS (*KARMA*) OF *VATA DOSHA*

Beyond its qualities, *Charaka* assigns *Vata* a remarkably comprehensive set of general functions in *Sutra Sthana* 12, the *Vatakalakaliya Adhyaya*.[1] *Vata* is described as the *tantra-yantra-dhara*, holding together and operating the body's mechanisms as a whole; the *pravartaka* of all gross and subtle movement; the *niyanta* and *praneta* of the mind, directing mental activity; the *udyojaka* of all sensory and motor organs, and the force that directs the senses toward their objects; the organiser (*vyuhakara*) and connector (*sandhanakara*) of bodily tissues; the origin of speech and of the perception of sound and touch; the source of enthusiasm and exhilaration (*harsha-utsaha-yoni*); the stimulator of digestive fire (*samirano agneh*); the agent that dries excess moisture (*dosha-samshoshana*); the expeller of waste (*kshepta bahir-malanam*); the former of both gross and subtle channels (*srotas*) in the body; the shaper of the foetus; and, ultimately, the physical representation of vitality and lifespan (*ayusho anuvritti*) itself.

Read as a list, this is not a random inventory, it is a description of every major coordinating, transporting and communicating function the body performs, with almost nothing left out. This is exactly the category of function that a gradient-based physiological model performs as well: gradients coordinate (by synchronising timing across systems, as in cardiac pacing or peristaltic waves), transport (moving ions, gases, nutrients and wastes) and communicate (propagating electrochemical signals through the nervous system). The classical insight that a single principle underlies mental direction, sensory perception, tissue formation, digestive stimulation and waste elimination is, from a modern standpoint, the insight that a single physical mechanism, the gradient, underlies processes that otherwise look like entirely separate organ systems.

6. *PANCHAVATA*: THE FIVE SUB-TYPES OF *VATA* AND THEIR GRADIENT CORRELATES

The clearest and most productive point of contact between classical *Vata* physiology and modern gradient physiology is the classical division of *Vata* into five functional sub-types, *Prana*, *Udana*, *Samana*, *Vyana* and *Apana*, each with a defined *Sthana* (site) and *Karma* (function), described most systematically in *Charaka Chikitsa Sthana* 28.[12] *Charaka*'s summary verse states that these five, moving unobstructed in their respective sites, properly regulate the body, and that it is by performing their own specific functions that they keep the body free of disease.[12] Each sub-type corresponds, with notable precision, to a distinct and well-characterised gradient system in modern physiology. Figure 2 presents this mapping schematically.

A clarification of terms is necessary before mapping the five sub-types individually, because “gradient” is not being used here to mean one single physical phenomenon repeated five times. The five sub-types correspond to three genuinely distinct categories of physical gradient, unified only at the level of the abstract principle, that a difference between two points drives directional flow, and not at the level of the underlying physics. *Prana Vata* corresponds to an electrochemical gradient: a difference in ionic concentration across a membrane, generating a voltage. *Udana* and *Vyana Vata* correspond to mechanical or hydrostatic gradients: a difference in pressure between two points in a closed or semi-closed system, generating bulk fluid or air movement, a fundamentally different physics from an electrochemical potential, involving no ion movement or membrane chemistry at all. *Samana* and *Apana Vata* correspond to hybrid osmotic-mechanical gradients: a concentration difference across an epithelial membrane (osmotic, chemical in nature) operating alongside a pressure difference generated by organ motility (mechanical in nature), the two acting in concert rather than either alone accounting for the observed physiology. Keeping these three categories distinct matters for the argument that follows: the claim of this paper is not that all *Vata* phenomena reduce to one mechanism, but that the same abstract organising principle, a gradient driving directional flow, recurs across three different physical substrates, appropriately varied by anatomical site and function. Table 2 below summarises this classification before the five sub-types are examined individually.

Sub-type	Gradient category	Physical quantity that differs	Gradient type NOT primarily involved
Prana	Electrochemical	Ionic / membrane potential	Pressure or bulk flow
Udana	Mechanical / hydrostatic	Intrathoracic pressure	Chemical / ionic
Samana	Hybrid osmotic-mechanical	Epithelial concentration + motility pressure	A single mechanism

Sub-type	Gradient category	Physical quantity that differs	Gradient type NOT primarily involved
Vyana	Mechanical / hydrostatic	Cardiovascular pressure	Chemical / ionic
Apana	Hybrid osmotic-mechanical	Renal / colonic concentration + eliminative pressure	A single mechanism

Table 2. Classification of the five *Panchavata* sub-types by physical gradient category




Figure 2. The *Panchavata* gradient framework: five sub-types mapped to gradient categories

6.1 *Prana Vata* – Electrochemical Gradients of the Nervous System

Classical description: *Prana Vata* is sited in the head, chest, throat, tongue, mouth and nose, and governs functions including spitting, sneezing, eructation (*udgara*), respiration (*shvasa*) and the initiation of swallowing.[12] It is regarded as the most important of the five, since it governs the mind, the senses and the vital processes on which life directly depends.

Modern correlate: The nervous system operates entirely on electrochemical gradients. The resting neuron maintains a membrane potential of roughly −70 to −80 mV, held close to the potassium equilibrium potential by the continuous action of the Na^+/K^+-ATPase pump.[13] An action potential is generated when this gradient briefly and locally collapses; sodium channels open, sodium ions rush down their electrochemical gradient into the cell, and the resulting depolarisation propagates as a self-regenerating wave along the axon, exactly the self-propelled, rapid character (*Chala*, *Laghu*, *Sheeghra*) attributed to *Vata*.[14] Every function *Prana Vata* governs, sensory perception, initiation of respiration, and coordination of swallowing and reflex actions such as sneezing, depends on this same electrochemical-gradient mechanism operating in the cranial and upper respiratory nerve pathways. The classical insistence that *Prana Vata* be protected above all others in treatment,[12] because life itself depends on it, corresponds closely to the modern clinical fact that failure of neural electrochemical signalling, as in brainstem injury or cardiac arrest with cerebral hypoxia, is the most immediately life-threatening of all physiological failures.

6.2 *Udana Vata* – Thoracic Pressure Gradients and Respiratory Mechanics

Classical description: *Udana Vata* sits in the umbilicus, chest and throat, and governs speech (*vak-pravritti*), physical and mental effort (*prayatna*), enthusiasm (*urja*), physical strength (*bala*) and complexion (*varna*).[12]

Modern correlate: Breathing itself is driven by a pressure gradient. The transpulmonary pressure, the difference between alveolar pressure and intrapleural pressure, becomes more negative during inspiration, and it is this pressure difference that draws air into the lungs.[15] The same mechanical principle drives forced expiration: intrathoracic pressure is raised above atmospheric pressure, and it is this reversed pressure gradient, modulated moment-to-moment by laryngeal and diaphragmatic control, that produces the sustained, controlled airflow speech requires. *Udana*'s classical association with strength, effort and "upward-moving" energy corresponds closely to the physiological reality that voice, exertion capacity and thoracic effort all depend on the same underlying respiratory pressure-gradient system, a purely mechanical account, distinct from the electrochemical gradients of *Prana Vata* (Section 6.1) and the concentration-driven gradients discussed for *Samana* and *Apana Vata* below. It should be said plainly, in the same honest register used elsewhere in this paper, that this correlate is not uniformly tight across all of *Udana*'s classically listed functions: the mapping to speech and forced expiration is specific and mechanistically direct, but the further classical attributions of *urja* (enthusiasm), *bala* (strength) and *varna* (complexion) to *Udana* are not each backed here by an equally specific physiological bridge, and are better read as plausibly related to the same pressure-gradient system rather than as demonstrated by it. This is a looser fit than the correlates offered for *Vyana* or *Apana Vata* (Section 9.2) and is flagged as such rather than smoothed over.

6.3 *Samana Vata* – Digestive and Absorptive Gradients

Classical description: *Samana Vata* is located near the digestive fire (*Agni*) and regulates the channels carrying sweat, other *Doshas* and water; it supports digestion (*agni-bala-prada*) and the separation of nutrient essence from waste.[12]

Modern correlate: Gastrointestinal digestion and absorption are gradient phenomena at both the mechanical and molecular level. Gastric and intestinal motility is generated by rhythmic slow waves originating in the interstitial cells of Cajal, organised into a cyclical fasting pattern, the migrating motor complex, that alternates quiescent and strongly contractile phases roughly every ninety to one hundred and twenty minutes.[16] Absorption of digested nutrients across the intestinal epithelium depends on concentration gradients established and maintained by active transport, with water and electrolytes following the resulting osmotic gradient.[17] *Samana Vata*'s described role, supporting *Agni* and separating nutrient essence from waste, is a direct classical description of what these coordinated motility and absorption gradients accomplish.

6.4 *Vyana Vata* – Cardiovascular Pressure Gradients

Classical description: *Vyana Vata* is described as pervading the entire body (*deham vyapnoti sarvam*), moving swiftly (*shighra-gati*), and governing all forms of locomotion, extension, flexion and voluntary movement, including blinking.[12]

Modern correlate: This is, of all five correlates, the most direct. Blood flow through the circulatory system follows the haemodynamic equivalent of Ohm's law, flow is proportional to the pressure gradient between two points and inversely proportional to resistance.[18] This pressure gradient, generated by cardiac contraction and modulated by vascular resistance throughout the arterial tree, is what perfuses every tissue in the body, without exception, precisely the whole-body-pervading quality *Charaka* attributes to *Vyana*. Its role in governing all movements extends naturally to skeletal muscle contraction, which depends directly on adequate perfusion pressure to sustain contracting tissue with oxygen and substrate; the initiating electrochemical signal that triggers a given contraction is *Prana Vata*'s territory (Section 6.1), while *Vyana*'s contribution is specifically the sustained mechanical perfusion pressure without which that contraction could not be maintained, a clean division of labour between the two sub-types that mirrors their distinct gradient categories in Table 2.

6.5 *Apana Vata* – Elimination and Osmotic / Excretory Gradients

Classical description: *Apana Vata* is sited in the testes, bladder, phallus, umbilicus, thighs, groins, anus and lower intestine, and governs ejaculation, urination, defecation, menstruation and parturition.[12] It is the downward-moving (*adho-gati*) sub-type.

Modern correlate: Renal concentration of urine, one of the two major processes *Apana* governs, is a textbook example of gradient physiology: the loop of Henle establishes a corticomedullary osmotic gradient, rising from roughly 300 mOsm/L at the cortex to as much as 1200 mOsm/L in the inner medulla, and it is along this osmotic gradient that water is reabsorbed under antidiuretic hormone regulation.[19] Defecation, similarly, depends on a coordinated propulsive pressure gradient generated by colonic peristalsis, moving contents distally toward evacuation. That *Apana* governs elimination, reproduction and

parturition together, processes that all involve coordinated, unidirectional, downward propulsion of contents through a tube under pressure, is well captured by describing it as the sub-type responsible for the body's downward-directed pressure and osmotic gradients.

Table 3 grades each sub-type's fit as *Strong* or *Moderate*, and this judgement is made against an explicit rubric rather than an impressionistic reading, so that the grading itself is falsifiable in the same spirit as the paper's central claim. A correspondence is graded *Strong* when three conditions are jointly met: the classical function is matched to a single, named modern mechanism rather than a cluster of loosely related ones; that mechanism is independently verifiable in the primary physiology literature without depending on this paper's own interpretive bridging; and no obviously competing physiological explanation better accounts for the same classical function. A correspondence is graded *Moderate* when the named mechanism satisfies the first two conditions for part, but not all, of the classical function's listed attributes, such that some sub-claims are specific and mechanistically direct while others are only plausibly, rather than demonstrably, related to the same underlying gradient. On this rubric, *Prana*, *Samana*, *Vyana* and *Apana Vata* qualify as *Strong* because each maps to a single named mechanism (membrane potential, motility and absorptive gradients, haemodynamic pressure, and renal osmotic and propulsive pressure respectively) that is independently established in the physiology literature and not itself contested. *Udana Vata* is graded *Moderate* because, as Section 6.2 states explicitly, the mechanism fits its respiratory and phonatory functions tightly but is only plausibly, not demonstrably, connected to its further classical attributions of *urja*, *bala* and *varna*.

Sub-type	Classical *Sthana*	Classical *Karma*	Corresponding gradient system	Correspondence strength
Prana Vata	Head, chest, throat, tongue, nose	Sensory perception, respiration initiation, swallowing, sneezing	Electrochemical (neural membrane potential)	Strong
Udana Vata	Umbilicus, chest, throat	Speech, effort, enthusiasm, strength	Thoracic / intrathoracic pressure (respiration, phonation)	Moderate (strong for speech/pressure; looser for *urja*/*bala*/*varna*)
Samana Vata	Beside Agni (digestive fire)	Digestion, nutrient-waste separation	Digestive motility and absorptive concentration gradients	Strong
Vyana Vata	Whole body	Circulation, all voluntary movement	Cardiovascular pressure (haemodynamic)	Strong
Apana Vata	Bladder, colon, reproductive organs	Urination, defecation, menstruation, parturition	Osmotic (renal) and propulsive pressure (colonic)	Strong

Table 3. The *Panchavata* framework: classical site and function mapped to gradient system, with correspondence strength

7. *VATA VRIDDHI* AND *KSHAYA LAKSHANA*: DISEASE STATES AS GRADIENT DYSREGULATION

Charaka lays down the general principle governing all three *Doshas* in *Sutra Sthana* 17: when increased, a *Dosha* produces its qualities in excess; when decreased, it curtails its own functions.[20] Applied specifically to *Vata*, this principle allows a reinterpretation of *Vata Vriddhi* and *Vata Kshaya* that is not merely descriptive but maps onto an established construct in modern physiology, the relationship between physiological variability and health.

7.1 *Vata Vriddhi* as Gradient Instability

Ashtanga Hridaya gives a precise and verifiable list of *Vata Vriddhi Lakshanas*: emaciation (*karshya*), darkening of complexion (*karshnya*), craving for warmth (*ushna-kamitva*), tremor (*kampa*), abdominal distension (*anaha*), constipation (*shakrit-graha*), loss of strength (*bala-bhramsha*), loss of sleep (*nidra-bhramsha*), impairment of sensory function (*indriya-*

bhramsha), delirious or irrelevant speech (*pralapa*), giddiness (*bhrama*), a state of dejection or timidity (*deenata*) and, in several classical enumerations, fear (*bhaya*).[21,22] Read individually, this list looks like an assortment of unrelated symptoms. Read through the gradient framework developed in Section 6, however, several of its most characteristic symptoms separate cleanly into the same three gradient categories established there, illustrating that the list is not reducible to one mechanism, even though not every symptom on it maps onto a distinct physiological gradient with equal specificity. Tremor, delirium, giddiness and disturbed sleep are classic clinical descriptions of unstable, erratic neural signalling, the electrochemical correlate of *Prana Vata* behaving excessively and unpredictably rather than in its normal, regulated rhythm. Abdominal distension and constipation, by contrast, are not electrochemical phenomena at all: they describe an irregular, excessive or poorly coordinated mechanical gradient, gas and content accumulating against an obstructed or dysregulated pressure differential in the gut, the hybrid osmotic-mechanical territory of *Samana* and *Apana Vata* rather than *Prana*'s electrochemical one. The remaining symptoms on *Ashtanga Hridaya*'s list, emaciation, darkening of complexion, craving for warmth, loss of strength, sensory impairment and dejection, are plausibly related to gradient dysregulation in a general sense (several connect naturally to *Vyana*'s perfusion gradient or to *Vata*'s thermal quality discussed in Section 4) but are not mapped individually here, since doing so with confidence would require more specific physiological evidence than is currently marshalled for each. Read this way, *Vata Vriddhi* is not a single symptom cluster explained by one mechanism, but the same underlying failure mode, instability, recurring independently across the different gradient categories established in Section 6, each expressing that instability through its own physical substrate.

Two of these unmapped symptoms deserve a more direct acknowledgement than "plausibly related in a general sense," because the selection criterion set out in Section 2, that classical material is included only where it can be compared against a named modern mechanism, means this paper cannot, by its own construction, encounter a symptom it simply fails to explain; it can only set such symptoms aside. *Karshnya* (darkening of complexion) and *deenata* (a state of dejection or timidity) are the clearest cases in point. Neither is a physical difference between two points in the sense the rest of this paper has argued for; darkening of complexion is, at best, loosely and indirectly connected to perfusion or pigmentary changes, and dejection is, like fear in Section 9.3, a state of mind rather than a measurable gradient. Honesty about scope requires saying plainly what follows from this: the gradient framework is not a complete theory of *Vata Vriddhi*, but a partial one that accounts well for the mobility-, pressure- and rhythm-related symptoms on the classical list and accounts poorly, or not at all, for its more constitutional and affective members. This is not a fatal admission. A framework that explains most of a symptom picture through one mechanism while candidly leaving a minority unexplained is, on ordinary scientific terms, more credible than one that strains to fit every item, and it leaves *karshnya* and *deenata* as an explicit item for the *Rajas*-*Tamas* and *Dhatu*-level literatures discussed in Section 9.3 to take up, rather than a gap this paper pretends does not exist.

This is not a loose metaphor. Modern physiology has an established, peer-reviewed framework for exactly this kind of dysfunction: the relationship between physiological complexity, variability and health. A body in good health does not hold its physiological gradients rigidly constant, it maintains them within an adaptable, appropriately variable range. Excessive or erratic variability, however, loss of the regulated character of variability, is a recognised marker of physiological breakdown, described in the aging and frailty literature as a loss of physiological complexity.[23,24] Reduced heart-rate variability, for instance, is not itself a sign of instability, irregular, unpredictable swings are. *Vata Vriddhi*, described classically as excess mobility, excess dryness, tremor and erratic behaviour, corresponds closely to this pattern of pathological gradient instability, not simply more *Vata*, but gradients firing, fluctuating or discharging in an excessive and poorly regulated manner.

7.2 *Vata Kshaya* as Gradient Attenuation

The opposite state, *Vata Kshaya*, is described with a contrasting set of signs: reduced physical activity (*manda-cheshtata*), reduced or minimal speech (*alpa-bhashita*), lack of enthusiasm or exhilaration (*apraharsha*), dulled or altered consciousness (*sanjna-moha*) and general bodily debility (*angasada*).[25,26] Where *Vriddhi* describes excess and instability, *Kshaya* describes the opposite failure mode: diminished gradient strength and reduced physiological responsiveness, and, as with *Vriddhi*, this attenuation recurs independently across all three gradient categories rather than in one alone. In the electrochemical category, a *Prana Vata* gradient that underfires corresponds to a neuron failing to reach threshold, producing the dulled consciousness (*sanjna-moha*) and diminished speech (*alpa-bhashita*) of *Kshaya*. In the mechanical or hydrostatic category, a *Vyana Vata* gradient that runs too low corresponds to a circulatory pressure gradient inadequate to perfuse tissue, producing the bodily debility (*angasada*) and reduced activity (*manda-cheshtata*) also listed among *Kshaya Lakshana*. In the hybrid osmotic-mechanical category, a *Samana* or *Apana Vata* gradient that weakens corresponds to a digestive

or eliminative motility gradient too feeble to propel contents forward, consistent with the sluggishness classically associated with diminished *Vata*. Each of these is a modern physiological description of exactly the *manda* (sluggish), *alpa* (diminished) character that defines *Kshaya*, expressed through whichever gradient category the affected sub-type belongs to. This reading is strengthened by the classical observation that reduced *Vata* allows *Kapha*-type symptoms to dominate, heaviness, lethargy and excess sleep, which is consistent with the idea that when the mobilising, gradient-generating force weakens, the system defaults toward a more static, low-flux state.

Framed this way, *Vriddhi* and *Kshaya* are not simply too much or too little of a substance, but two distinct failure modes of a dynamic regulatory system: one of excessive, poorly controlled variability, and one of inadequate driving force. This distinction, instability versus attenuation, is exactly the language used in modern discussions of physiological dysregulation, and it gives the classical clinical picture of *Vata* disorders a mechanistic logic that is immediately recognisable to a physiologically trained reader.

8. *AVARANA*: *VATA* OBSTRUCTION AS GRADIENT INTERFERENCE

One of the more sophisticated concepts in the classical description of *Vata* pathology is *Avarana*, the obstruction of *Vata*'s normal movement by another *Dosha* or bodily tissue (*Dhatu*), producing a distinct clinical picture that differs from simple *Vata Vriddhi*. *Charaka*'s *Chikitsa Sthana* 28 describes two broad mechanisms by which *Vata* becomes deranged: *Dhatu-kshaya*, in which depleted tissue leaves channels vacant for *Vata* to occupy and move erratically through, and *Marga-avarana*, in which *Vata*'s normal channels are physically obstructed by another substance.[27] The text goes on to describe *Avarana* by *Pitta*, *Kapha*, *Rakta* (blood), *Mamsa* (muscle tissue), *Meda* (fat), *Asthi* (bone), *Majja* (marrow), *Shukra* (reproductive tissue), and even by ingested food, urine and faeces, each producing its own characteristic symptom picture, and altogether comprising, by classical enumeration, twenty possible combinations of one sub-type of *Vata* obstructing another (*anyonyavarana*).[27]

Interpreted through the gradient framework, *Avarana* is a classical description of gradient interference: a functioning gradient system whose normal expression is blocked or distorted by the physical or physiological presence of another element. This is a genuinely useful concept in modern physiological terms as well: a pressure gradient can be normal in magnitude but functionally obstructed by a physical blockage, as in bowel obstruction interrupting a normal peristaltic pressure gradient, or a thrombus obstructing a normal circulatory pressure gradient; an electrochemical gradient can be present but unable to propagate normally due to demyelination or ionic imbalance obstructing conduction. In each case, the underlying gradient-generating mechanism is intact, but its downstream expression is blocked, exactly the distinction *Charaka* draws between *Vata* that is simply increased or decreased, and *Vata* that is *avrita*, obstructed.

Where the treatment principle for straightforward *Vata* disorders is to nourish, lubricate and stabilise, *Charaka*'s treatment principle for *Avarana* is different and more targeted: to first clear the obstructing element before addressing *Vata* itself, with *Udana* treated by inducing upward movement (emesis), *Apana* by downward movement (purgation or *Basti*), and *Prana* protected above all, since life depends directly upon it.[27] This differential approach, treat the obstruction and not just the *Vata*, is consistent with a gradient-interference model, where restoring flow requires removing the physical blockage rather than simply amplifying the driving gradient further.

To make this principle concrete rather than leaving it entirely at the level of general claim, one named *Avarana* type is worked through here in the same mechanistic register used for the *Panchavata* sub-types in Section 6. *Kapha-avarana* of *Vata*, obstruction of *Vata*'s movement by *Kapha*, is classically described as producing a heavy, dull, cold form of pain and stiffness, in contrast to the sharp, erratic pain of unobstructed *Vata* derangement, because *Kapha*'s qualities (heavy, slow, dense) physically oppose and contain *Vata*'s mobility rather than merely coexisting with it. A plausible modern correlate is compression neuropathy: a peripheral nerve's own electrochemical gradient-generating machinery remains structurally intact, yet its conduction is obstructed by an external mass effect, oedema, fibrosis or a narrowed anatomical tunnel exerting sustained pressure on the nerve, producing focal demyelination and impaired axonal transport rather than the diffuse, erratic overactivity seen in straightforward *Vata Vriddhi*.[28] The clinical picture this produces, a dull, heavy, poorly localised sensory disturbance that develops gradually and responds to removing the compressing element rather than to measures that simply calm neural activity, corresponds reasonably well to the classical description of *Kapha-avarana*'s duller, heavier symptom profile as distinct from *Vata Vriddhi*'s sharper, more erratic one. This single worked example is not offered as proof that all twenty *anyonyavarana* combinations resolve this cleanly, several, particularly the obstructions by *Dhatu* such as *Meda* or *Majja*, would require separate physiological grounding not attempted here, but it demonstrates that the general principle stated above can, at least in this one case, be developed to the same level of mechanistic specificity

as the *Panchavata* correlates, rather than remaining only a promissory note.

It should be stated plainly that, beyond this one worked example, this section remains the most interpretively speculative part of the paper. *Avarana* is a rich clinical concept with many specific sub-classifications, and this paper does not attempt to map each of the remaining *anyonyavarana* combinations to a specific modern mechanism. What is offered here is the general interpretive principle, illustrated by one developed case, as a starting point for more detailed future work, rather than a completed mapping.

9. DISCUSSION

9.1 What This Framework Offers the Ayurveda Student

For a student encountering *Vata Dosha* for the first time, the classical material can appear as a long, disconnected list of qualities, functions, sites and symptoms to be memorised. The gradient framework offered here is intended, first and foremost, as a teaching aid: a single organising idea, that *Vata* is, functionally, the body's system of directed gradients, under which the *Gunas*, the *Panchavata* and the *Vriddhi*/*Kshaya Lakshanas* stop being separate lists and become expressions of one coherent principle applied across different tissues and systems. A student who understands why *Chala* and *Laghu* describe gradient-driven flow, and why *Prana*, *Udana*, *Samana*, *Vyana* and *Apana* correspond to five distinct organ-system gradients, has a working mental model that makes the rest of *Vata* physiology, and *Vata* pathology, considerably easier to reason through, rather than simply recall.

9.2 What This Framework Offers the Research-minded Reader

For a reader coming from a modern physiological or scientific background, the strength of this paper's argument lies in its specificity. This is not a claim that Ayurveda and modern science agree in general terms. It is a set of five distinct, independently verifiable correspondences, one gradient system per *Vata* sub-type, each grounded in a named physiological mechanism (membrane potential, transpulmonary pressure, gastrointestinal motility, haemodynamic flow, renal osmotic gradient) that can be checked against the primary physiology literature. Where the correspondence is strongest, *Vyana Vata* and cardiovascular pressure gradients, *Apana Vata* and renal osmotic gradients, the fit is close enough to function almost as direct redescription. Where it is more interpretive, the *Avarana* concept, or the precise symptom-by-symptom mapping of *Vriddhi Lakshanas*, this paper has said so explicitly, because a framework's credibility rests as much on where it draws its own limits as on where it makes its strongest claims.

A sceptical physiological reader is likely to raise one objection before any other. Since essentially all biological transport, electrochemical, osmotic, hydrostatic and thermal, is gradient driven, is this paper not simply restating that gradients underlie all of physiology, dressed in Ayurvedic vocabulary? This objection deserves a direct answer rather than a hedge, and this paper's answer was given, briefly, in Section 3, and is restated here because it is the argument's load-bearing point. The claim is not that *Vata* is wherever a gradient exists. It is narrower: that the generation, propagation and directional expression of a gradient once established, its movement, its reach, its instability or attenuation, is specifically what the classical texts attribute to *Vata*, while *Pitta* and *Kapha* are classically associated with the transformation and structural containment on which that movement depends. The Na^+/K^+-ATPase pump that maintains the neuronal gradient discussed in Section 6.1 is itself an *Agni*-dependent, enzymatic process more naturally assigned to *Pitta*; the structural integrity of the vessel or membrane along which a gradient act owes something to *Kapha*. *Vata* is proposed as the organising description of gradient behaviour specifically, not as a synonym for physiology in general. The three-*Dosha* division of labour this implies, generation and containment on one side, directional movement on the other, is what keeps the thesis falsifiable rather than tautological: it predicts that *Vata* pathology should track instability and attenuation of movement, not every physiological abnormality whatsoever. A finding that erratic, non-directional physiological failures cluster under classically diagnosed *Pitta* or *Kapha* disorders rather than *Vata* ones would count as evidence against, not for, the framework offered here.

It is also worth noting explicitly what this paper is not the first to attempt, and how it differs from prior work. Hankey's systems-theoretic analysis proposed that the three *Doshas* broadly correspond to input, turnover and storage functions in an open biological system,[3] a valuable but more abstract framing than the one offered here. Prasher and colleagues demonstrated genome-wide expression differences between constitutional (*Prakriti*) types, establishing a molecular, though not physiological-mechanistic, basis for individual variation.[4] Sumantran and Nair proposed vagal tone specifically as a candidate biomarker for *Vata Dosha* activity, with particular emphasis on *Prana Vata*, a narrower and single-system version of the argument made here for *Prana Vata* in Section 6.1.[5] This precedent is not limited to these three studies. A growing body of Ayurveda-genomics and clinical-physiology literature has examined autonomic and heart-rate-variability correlates of *Prakriti* and of clinically assessed *Dosha*

imbalance directly, providing exactly the kind of existing evidence base the falsifiable prediction below draws on rather than inventing from nothing. Rani and colleagues found that healthy individuals of extreme *Vata Prakriti* showed a significantly greater drop in parasympathetic heart-rate-variability parameters during orthostatic (head-up-tilt) stress than *Kapha Prakriti* individuals, who showed comparatively blunted autonomic responsiveness at baseline and under challenge.[29] In a directly clinical rather than constitutional context, Ram Manohar and colleagues compared spectral heart-rate-variability indices against clinicians' direct assessment of *Dosha* imbalance and found substantial agreement between the two methods, suggesting that HRV-derived indices can track clinically assessed *Vata*, *Pitta* and *Kapha* disturbance with reasonable fidelity.[30] Read together, these findings indicate that *Vata Prakriti* and *Vata* imbalance already show a measurable, if not yet definitively characterised, signature of greater autonomic variability and reduced parasympathetic stability than the other constitutional types, which is precisely the direction of effect the gradient-instability model of *Vata Vriddhi* developed in Section 7.1 predicts, and gives the falsifiable claim made later in this section an existing empirical foothold rather than treating it as an entirely novel proposal. This paper's contribution is to generalise the gradient principle beyond the nervous system alone, and beyond genomics or autonomic testing in isolation, to encompass all five classically described sub-types of *Vata* within a single physical construct, physiological gradients, that is already well established and independently verified in mainstream physiology. This paper's account of *Pakvashaya* as *Vata*'s *Vishesha Sthana* (Section 3.1), anchored in three independent modern correlates, colonic gas production, colonic motor-pattern variability and the specificity of the recto-anal reflex arc, is offered in the same spirit: a piece of original interdisciplinary synthesis rather than a restatement of either the classical or the modern literature alone.

Calling this framework falsifiable is only a meaningful claim if a concrete observation is named that would count against it, so that statement is made explicit here rather than left implicit. The clearest such prediction follows directly from Section 7: if *Vata Vriddhi* is genuinely a matter of pathological gradient instability rather than a loose descriptive label, then clinically assessed *Vata Vriddhi* should correlate with independently measurable indices of physiological variability, such as heart-rate variability or blood-pressure variability, in a direction consistent with instability rather than mere magnitude. This framework would be disconfirmed, or at minimum substantially weakened, if a controlled clinical study found no such correlation, or found that clinically assessed *Vata Vriddhi* tracked steady, well-regulated physiological variability rather than the erratic, poorly controlled variability the instability model predicts. Section 9.5 outlines how such a study might be designed; the point made here is that the prediction is not confined to a suggestion for future work, it is the specific empirical commitment this paper's central thesis stands or falls on.

9.3 Fear (*Bhaya*), *Rajas*, and the Boundary of the Gradient Framework

The gradient framework, however well it fits the five *Panchavata* sub-types, is not offered as a universal key to every function classically attributed to *Vata*. Fear (*bhaya*) is a useful and deliberately chosen test case, because it is well attested as a *Vata Vriddhi Lakshana* and as a *Vata*-vitiating factor in its own right, yet it does not reduce to gradient dynamics in the way tremor, dryness or erratic movement do. Fear is not, in the classical texts, principally a description of an unstable pressure or electrochemical difference; it is a *manasika* (mental) phenomenon, and classical Ayurveda addresses the mind through a separate, parallel construct, the three *Manasika Gunas*, *Sattva*, *Rajas* and *Tamas*, which *Charaka* classifies as the two *Manasika Dosha* (*Rajas* and *Tamas*) governing the psychic level, distinct from the three *Sharira Dosha* that govern the physical level.[31] *Rajas* is characterised classically by activity, restlessness and agitation, and *Vata*, composed predominantly of *Vayu Mahabhuta*, is understood to carry a correspondingly greater proportion of *Rajas* than the other two *Dosha*. This is not a coincidental overlap in vocabulary; it is the classical explanation for why *Vata* derangement and *Rajas* derangement are so often clinically inseparable, and why fear, worry and restlessness of mind (*chittodvega*) are described as arising when *Vata* acts through *Rajas* rather than through the body's physical channels alone.[32] This is a genuinely different explanatory territory from the one this paper has argued for elsewhere: *Rajas* is a quality of the mind, not a physical difference between two points, and it is properly understood through Ayurveda's own psychological framework rather than annexed into the gradient model for the sake of completeness.

This does not mean the two territories are unrelated, and the relationship is worth stating precisely rather than blurring. Contemporary Ayurveda-based clinical work on anxiety, including the development of a validated Ayurveda-based assessment scale for anxiety that scores disturbance across *Dosha* and *Manasika Guna* domains together,[33] treats *Vata Vriddhi* and *Rajas*-dominant mental states as related but conceptually distinct axes of the same clinical picture rather than a single, interchangeable construct. Seen this way, fear sits at the intersection of two classical constructs and, correspondingly, two modern physiological and psychological registers: the autonomic gradient disturbances this paper has described under *Prana* and *Vyana Vata* provide a

plausible bodily correlate of fear's physical symptoms, palpitation, trembling and breathlessness, while the *Rajas*-*Tamas* framework accounts for its subjective, cognitive and affective character, which autonomic arousal alone does not explain. The honest position, and the one this paper takes, is that gradient dynamics explains the physiology fear produces, not the fact of fear itself, and that acknowledging this boundary strengthens rather than weakens the paper's central claim, because a framework that tried to explain everything through one mechanism would be explaining nothing in particular.

9.4 Limitations

Five limitations deserve direct acknowledgement. First, this is an interpretive, not an experimental, paper: no new physiological measurements were made to test these correspondences directly, and the framework should be read as hypothesis-generating rather than hypothesis-confirming. Second, the classical descriptions of *Vata* were composed within a philosophical and clinical framework, that of the *Panchamahabhuta* and *Tridosha* theory, that has its own internal logic, and mapping selected elements of that framework onto modern gradient physiology necessarily leaves other elements of the classical system unaddressed. Third, although verse-level citation is provided throughout, edition-dependent variation between printed *Brihatrayi* editions means individual verse numbers, particularly around the *Kshaya Lakshana* verses, could still shift by one or two positions in editions other than the Trikamji/Chaukhambha editions used here; a full cross-edition verification is recommended before any of these citations are used in a more formal or clinical context. Fourth, the gradient framework itself has a boundary, made explicit in Section 9.3: it accounts for the physical and physiological expressions of *Vata* but not for *Vata*'s mental and affective expressions, which classical Ayurveda addresses through the separate construct of *Rajas* and *Tamas*. Extending gradient language to cover mood, cognition or fear directly would overreach the physical analogy this paper is built on, and the paper deliberately stops short of that extension. Fifth, the interpretation of classical Sanskrit sources and their mapping onto modern physiological mechanisms was carried out by the authors working together, without independent external-reviewer verification of that Sanskrit-to-modern correspondence; this is a genuine methodological limitation common to interpretive scholarship in this genre, and an independent multi-reviewer replication of the mapping presented here would strengthen confidence in it considerably.

9.5 Directions for Future Work

Future work could pursue quantitative correlation studies, for instance, examining whether clinically assessed *Vata Vriddhi* correlates with measurable indices of physiological variability, such as heart-rate variability or blood-pressure variability, in a controlled clinical sample, building directly on the *Prakriti*-HRV and *Dosha*-imbalance-HRV precedents already discussed in Section 9.2 rather than starting from an untested premise.[29,30] The *Avarana* framework, only briefly developed here, offers a particularly promising direction: each of the specific *Avarana* types described by *Charaka* (*Pitta-avarana*, *Kapha-avarana*, *Rakta-avarana* and so on) could, in principle, be examined against a specific corresponding physiological obstruction pattern, providing a structured research agenda in its own right. Separately, the *Rajas–Vata* relationship sketched in Section 9.3 could be pursued empirically by testing whether clinically assessed *Rajas* dominance correlates with the same autonomic and heart-rate-variability markers proposed for *Vata Vriddhi*, which would help clarify whether the two constructs are tracking the same physiological signal through different classical vocabularies or genuinely distinct, co-occurring processes.

10. CONCLUSION

Classical Ayurveda's description of *Vata Dosha*, its qualities, its comprehensive coordinating functions, its five-fold division into *Prana*, *Udana*, *Samana*, *Vyana* and *Apana*, and its patterns of excess and deficiency, corresponds with notable consistency to the modern physiological principle of the gradient: the electrochemical, pressure, concentration and thermal differences that drive organised movement and regulation throughout the body. This paper has proposed that *Vata* may be understood, functionally, as the classical, clinically derived description of gradient-driven physiological regulation, not as a claim of literal biochemical identity, but as a coherent interpretive framework that gives the classical text a physiologically grounded logic and gives modern physiology a historically deep, clinically tested descriptive vocabulary. For the Ayurveda student, this offers a single organising principle beneath what can otherwise appear to be an unconnected set of classical descriptions. For the research-minded reader, it offers a specific, falsifiable and productively incomplete starting point for further interdisciplinary investigation into one of Ayurveda's oldest and most central physiological concepts.

Declarations

Ethical Approval

Not applicable. This is a conceptual and interpretive review of published classical and modern physiological literature; it did not involve human

participants, animal subjects or the collection of new clinical data.

Funding

This research received no specific grant from any funding agency in the public, commercial or not-for-profit sectors.

Conflict of Interest

The authors declare no conflict of interest.

Author Contributions

Dr. Harikrishnan S, Dr. Aarti Nargesh, Dr. Irfan A K and Dr. Vijay Mukund C contributed to the conceptualisation, literature review, textual and comparative analysis, and writing of this manuscript, and all authors have approved the final version for submission.

Data Availability

Not applicable, as no new datasets were generated or analysed in this conceptual paper. All classical and modern sources discussed are cited in the reference list.

Acknowledgements

Not applicable.

REFERENCES

1. Agnivesha. *Charaka Samhita*, elaborated by *Charaka* and *Dridhabala*, with *Ayurveda Dipika* commentary of *Chakrapanidatta*. Trikamji Acharya V, editor. Varanasi: Chaukhamba Surbharati Prakashan; Reprint edition 2011, *Sutra Sthana*, Chapter 12 (*Vatakalakaliya Adhyaya*), verses 4–8.

2. Sushruta. *Sushruta Samhita*, with *Nibandhasangraha* commentary of *Dalhanacharya*. Trikamji Acharya V, Ram Acharya N "Kavyatirtha", editors. Varanasi: Chaukhambha Surbharati Prakashan; Reprint edition 2012, *Sutra Sthana*, Chapter 21, verses 3–9; *Nidana Sthana*, Chapter 1, verses 16–20.

3. Hankey A. A test of the systems analysis underlying the scientific theory of Ayurveda's *tridosha*. J Altern Complement Med. 2005;11(3):385–390. doi:10.1089/acm.2005.11.385

4. Prasher B, Negi S, Aggarwal S, Mandal AK, Sethi TP, Deshmukh SR, Purohit SG, Sengupta S, Khanna S, Mohammad F, Garg G, Brahmachari SK, Mukerji M; Indian Genome Variation Consortium. Whole genome expression and biochemical correlates of extreme constitutional types defined in Ayurveda. J Transl Med. 2008; 6:48. doi:10.1186/1479-5876-6-48

5. Sumantran VN, Nair PP. Can the vagus nerve serve as biomarker for *vata dosha* activity? J Ayurveda Integr Med. 2019;10(2):146–151. doi: 10.1016/j.jaim.2019.04.003

6. Vagbhata. *Ashtanga Hridaya*, with *Sarvangasundara* commentary of *Arunadatta* and *Ayurveda Rasayana* of *Hemadri*. Paradakara HS, editor. Varanasi: Chaukhamba Surbharati Prakashan; Reprint edition 2010, *Sutra Sthana*, Chapter 1, verse 10 (*Karma* of *Vata*); *Sutra Sthana*, Chapter 12, verses 1–4 (*Dosha-Bhediya*, *Panchavata* classification).

7. Agnivesha. *Charaka Samhita* with *Ayurveda Dipika* commentary of *Chakrapanidatta*. Trikamji Acharya V, editor. Varanasi: Chaukhamba Surbharati Prakashan; Reprint edition 2011, *Sutra Sthana*, Chapter 1, verses 44–45 (*Samanya-Vishesha Siddhanta*: the principle that similarity of qualities between a substance and a bodily site or *Dosha* causes increase, and dissimilarity causes decrease).

8. Azpiroz F. Intestinal gas dynamics: mechanisms and clinical relevance. Gut. 2005;54(7):893–895. doi:10.1136/gut.2004.048868

9. Dinning PG, Wiklendt L, Maslen L, Gibbins I, Patton V, Arkwright JW, Lubowski DZ, O'Grady G, Bampton PA, Brookes SJ, Costa M. Quantification of in vivo colonic motor patterns in healthy humans before and after a meal revealed by high-resolution fiber-optic manometry. Neurogastroenterol Motil. 2014;26(10):1443–1457. doi:10.1111/nmo.12408

10. Mawer S, Alhawaj AF. Physiology, Defecation. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024. Available from: https://www.ncbi.nlm.nih.gov/books/NBK539732/

11. Yousef H, Ramezanpour Ahangar E, Varacallo MA. Physiology, Thermal Regulation. [Updated 2023 May 1]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024. Available from: https://www.ncbi.nlm.nih.gov/books/NBK499843/

12. Agnivesha. *Charaka Samhita* with *Ayurveda Dipika* commentary of *Chakrapanidatta*. Trikamji Acharya V, editor. Varanasi: Chaukhamba Surbharati Prakashan; Reprint edition 2011, *Chikitsa Sthana*, Chapter 28 (*Vatavyadhi Chikitsa*), verses 5–11.

13. Chrysafides SM, et al. Physiology, Resting Potential. [Updated 2023 Apr 10]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024. Available from: https://www.ncbi.nlm.nih.gov/books/NBK538338/

14. Grider MH, Jessu R, Kabir R. Physiology, Action Potential. [Updated 2023 May 8]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024. Available from: https://www.ncbi.nlm.nih.gov/books/NBK538143/

15. Desai JP, Moustarah F. Pulmonary Compliance. [Updated 2022 Sep 12]. In: StatPearls [Internet]. Treasure Island (FL): StatPearls Publishing; 2024. Available from: https://www.ncbi.nlm.nih.gov/books/NBK538324/

16. Deloose E, Tack J. Redefining the functional roles of the gastrointestinal migrating motor complex and motilin in small bacterial overgrowth and hunger signaling. Am J Physiol Gastrointest Liver Physiol. 2016;310(4): G228–G233. doi:10.1152/ajpgi.00212.2015

17. Kiela PR, Ghishan FK. Physiology of Intestinal Absorption and Secretion. Best Pract Res Clin Gastroenterol. 2016;30(2):145–159. doi: 10.1016/j.bpg.2016.02.007

18. Secomb TW. Hemodynamics. Compr Physiol. 2016;6(2):975–1003. doi:10.1002/cphy.c150038

19. Sands JM, Layton HE. The physiology of urinary concentration: an update. Semin Nephrol. 2009;29(3):178–195. doi: 10.1016/j.semnephrol.2009.03.008

20. Agnivesha. *Charaka Samhita* with *Ayurveda Dipika* commentary of *Chakrapanidatta*. Trikamji Acharya V, editor. Varanasi: Chaukhamba Surbharati Prakashan; Reprint edition 2011, *Sutra Sthana*, Chapter 17, verses 110–112 (general principle of *Dhatu-Dosha Vriddhi-Kshaya*).

21. Vagbhata. *Ashtanga Hridaya*, with *Sarvangasundara* commentary of *Arunadatta* and *Ayurveda Rasayana* of *Hemadri*. Paradakara HS, editor. Varanasi: Chaukhamba Surbharati Prakashan; Reprint edition 2010, *Sutra Sthana*, Chapter 11, verses 5–6 (*Vata Vriddhi Lakshana*).

22. Sushruta. *Sushruta Samhita*, with *Nibandhasangraha* commentary of *Dalhanacharya*. Trikamji Acharya V, editor. Varanasi: Chaukhambha Surbharati Prakashan; Reprint edition 2012, *Uttara Tantra*, Chapter 50 (*Bhaya* listed among *Vata Vriddhi Lakshana* in classical symptom enumerations).

23. Lipsitz LA. Physiological complexity, aging, and the path to frailty. Sci Aging Knowledge Environ. 2004;2004(16):pe16. doi:10.1126/sageke.2004.16.pe16

24. Arantes FS, Oliveira VR, Leão AKM, Afonso JPR, Fonseca AL, Fonseca DRP, Mello DACP, Costa IP, Oliveira LVF, da Palma RK. Heart rate variability: a biomarker of frailty in older adults? Front Med (Lausanne). 2022; 9:1008970. doi:10.3389/fmed.2022.1008970

25. Vagbhata. *Ashtanga Hridaya*, with *Sarvangasundara* commentary of *Arunadatta*. Paradakara HS, editor. Varanasi: Chaukhamba Surbharati Prakashan; Reprint edition 2010, *Sutra Sthana*, Chapter 11, verse 8 (*Vata Kshaya Lakshana*).

26. Sushruta. *Sushruta Samhita*, with *Nibandhasangraha* commentary of *Dalhanacharya*. Trikamji Acharya V, editor. Varanasi: Chaukhambha Surbharati Prakashan; Reprint edition 2012, *Sutra Sthana*, Chapter 15, verse 7.

27. Agnivesha. *Charaka Samhita* with *Ayurveda Dipika* commentary of *Chakrapanidatta*. Trikamji Acharya V, editor. Varanasi: Chaukhamba Surbharati Prakashan; Reprint edition 2011, *Chikitsa Sthana*, Chapter 28, verses 59–61 (*Dhatu-kshaya* and *Marga-avarana*) and verses 199–221 (*Anyonyavarana*).

28. Rempel DM, Diao E. Entrapment neuropathies: pathophysiology and pathogenesis. J Electromyogr Kinesiol. 2004;14(1):71–75. doi: 10.1016/j.jelekin.2003.09.009

29. Rani R, Rengarajan P, Sethi T, Khuntia BK, Kumar A, Punera DS, Singh D, Girase B, Shrivastava A, Juvekar SK, Pesala B, Mukerji M, Deepak KK, Prasher B. Heart rate variability during head-up tilt shows inter-individual differences among healthy individuals of extreme Prakriti types. Physiol Rep. 2022;10(17): e15435. doi:10.14814/phy2.15435

30. Ram Manohar P, Sorokin O, Chacko J, Nampoothiri V. An exploratory clinical study to determine the utility of heart rate variability analysis in the assessment of dosha imbalance. J Ayurveda Integr Med. 2018;9(2):126–130. doi: 10.1016/j.jaim.2017.06.008

31. Agnivesha. *Charaka Samhita* with *Ayurveda Dipika* commentary of *Chakrapanidatta*. Trikamji Acharya V, editor. Varanasi: Chaukhamba Surbharati Prakashan; Reprint edition 2011, *Sutra Sthana*, Chapter 1, verse 57 (classification of *Rajas* and *Tamas* as *Manasika Dosha*, distinct from the three *Sharira Dosha*).

32. Agnivesha. *Charaka Samhita* with *Ayurveda Dipika* commentary of *Chakrapanidatta*. Trikamji Acharya V, editor. Varanasi: Chaukhamba Surbharati Prakashan; Reprint edition 2011, *Nidana Sthana*, Chapter 7, verse 4 (vitiation of *Vata* acting through *Rajas* in the pathophysiology of *Chittodvega*).

33. Tubaki BR, Lavekar GS, Chandrashekar CR, Sathyaprabha TN, Kutty BM. Development and validation of Ayurveda based assessment scale for anxiety. J Ayurveda Integr Med. 2023;14(6):100801. doi: 10.1016/j.jaim.2023.100801