RESEARCH PAPER

IMPACT OF SOCIAL MEDIA ON DRUG ADDICTION AMONG YOUTH: A CRITICAL REVIEW OF RISK FACTORS, ONLINE INFLUENCES, AND PREVENTION STRATEGIES

Dr Bhinderjeet Kaur[1]; Jashandeep Kaur[1]; Ranjna Rani [2]; Preeti Ratan[3] ; Balwinder Kaur[4]
[1]Assistant Professor, Baba Farid College of Education, Bathinda;
[2]Assistant Professor, Universal College of Education, Mohali;
[3]Assistant Professor, Guru Kashi University, Talwandi Sabo;
[4]Assistant Professor, GN Girls College, Patiala;
***Corresponding Author**
Email: bhinderjeetsandhu@gmail.com
Received:18August,2026; **Revised:**21September,2026; **Accepted:**5thOctober,2026; **Available Online:**2 November, 2026

Abstract
Social media has become an integral part of young people's lives, influencing their communication, social relationships, attitudes, and health-related behaviours. Although digital platforms provide opportunities for education, awareness, and social support, they may also expose young people to content that normalizes substance use and promotes misleading perceptions of peer behavior. This critical narrative review examines the relationship between social media and substance-use behaviors among adolescents and young adults, focusing on online content exposure, peer influence, social norms, psychological vulnerability, family environment, and prevention strategies.
Existing research indicates an association between frequent social media use and substance-use behaviours among adolescents. Purba et al. (2023) reported higher odds of drug use among adolescents with frequent social media use, although the certainty of evidence was limited and causality could not be established. Similarly, longitudinal evidence highlights the influence of peer substance-use norms on adolescent behaviour (Watts et al., 2024). These findings suggest that online environments may contribute to substance-related attitudes and behaviors; however, social media should not be considered an independent cause of drug addiction.
The review also highlights the potential of social media as a tool for health education, prevention campaigns, recovery awareness, and access to support services. It emphasizes the importance of digital literacy, positive peer relationships, supportive family communication, responsible platform practices, and evidence-based prevention programmes. Particular attention is given to the need for India-specific research, including culturally appropriate interventions and studies examining regional and socioeconomic differences. The review concludes that a balanced, evidence-informed approach is necessary to minimize potential online risks while strengthening the positive role of social media in youth health promotion.
Keywords: Social Media, Drug Addiction, Substance Use, Youth, Adolescents, Peer Influence, Online Behavior, Digital Literacy, Prevention Strategies.
How to cite this article: Bhinderjeet Kaur1; Jashandeep Kaur1; Ranjna Rani 2; Preeti Ratan3 ; Balwinder Kaur4. Impact of Social Media on Drug Addiction Among Youth: A Critical Review of Risk Factors, Online Influences, and Prevention Strategies. Int J Drug Deliv Technol. 2026;16(89s):2238-2243. DOI: 10.25258/ijddt.16.89s.215.

Introduction

Social media has become an essential part of modern life, particularly among adolescents and young adults. Platforms such as Instagram, Facebook, YouTube, and other digital networking applications have transformed the ways in which young people communicate, interact, access information, and develop social identities. Although these platforms offer opportunities for learning, entertainment, and social support, their influence on health-related attitudes and behaviours has become an important public-health concern. One emerging concern is the possible relationship between social media exposure and substance-use behaviours among young people. Online platforms frequently contain images, videos, discussions, and personal accounts related to alcohol, tobacco, cannabis, and other psychoactive substances. In some cases, such content may portray substance use as fashionable, entertaining, socially acceptable, or associated with popularity and success. Repeated exposure to these portrayals may influence young people's perceptions of substance use and their understanding of peer behavior.

Adolescence and early adulthood are important developmental stages characterised by identity formation, emotional changes, increasing independence, and a growing influence of peer relationships. During these stages, young individuals may be particularly sensitive to social acceptance and peer approval. Social media can extend these influences beyond face-to-face interactions through comments, likes, shared videos, online communities, and influencer content. Consequently, online environments may contribute to the development of perceived social norms surrounding substance use.

Research has identified an association between frequent social media use and certain health-risk behaviours among adolescents. Purba et al. (2023), in a systematic review and meta-analysis, reported higher odds of drug use among adolescents who frequently used social media. However, the authors highlighted limitations in the certainty of evidence and cautioned against interpreting these associations as proof of causation. Similarly, Boers et al. (2020) reported a positive association between social media use and risky behaviours, including substance use, among adolescents. These findings indicate the importance of examining the relationship while recognizing the limitations of observational research.

Peer influence is another important factor in adolescent substance-use behaviour. Watts et al. (2024) demonstrated through longitudinal evidence that peer substance-use norms are associated with changes in adolescent substance use over time. Although their research was not specifically focused on social media, it provides a useful basis for understanding how online peer interactions and perceived social approval may influence young people's attitudes and decisions.

Importantly, social media does not operate independently of other influences. Family environment, psychological well-being, socioeconomic circumstances, offline friendships, educational experiences, and previous substance-use behavior may also contribute to individual vulnerability. Furthermore, digital platforms can serve positive purposes by spreading health information, challenging misconceptions, encouraging recovery, and connecting young people with support services.

In this context, the present review critically examines the relationship between social media and substance-use behaviours among adolescents and young adults. It explores potential risk factors, online influences, peer relationships, psychological and social vulnerabilities, and the preventive role of digital health education. It also considers the need for culturally appropriate research and prevention strategies in India.

A. Objectives of the Study

1. To examine the existing research on the relationship between social media use and substance-use behaviors among adolescents and young adults.
2. To identify the influence of substance-related online content, digital peer interactions, and perceived social norms on young people's attitudes towards substance use.
3. To analyse individual, psychological, family, and social factors that may increase vulnerability to substance-use behavior.
4. To explore the positive role of social media in substance-use awareness, prevention, health education, and recovery support.
5. To examine the challenges and research gaps in understanding the relationship between social media and substance use, particularly in the Indian context.
6. To suggest evidence-informed prevention strategies for educational institutions, families, public-health organizations, policymakers, and digital platforms.

B. Review Methodology

The present study adopts a critical narrative review approach to examine the relationship between social media use and substance-use behaviours among adolescents and young adults. The review is based on selected published research, including systematic reviews, meta-analyses, and relevant empirical studies. The literature is examined thematically, focusing on social media engagement, exposure to substance-related content, online peer influence, psychological vulnerability, family and social environments, and prevention strategies. Particular attention is given to the research design, findings, and limitations of the available studies.

The review does not claim to be a systematic review because an exhaustive database search, formal screening process, and risk-of-bias assessment have not been independently conducted for this manuscript. The findings are therefore interpreted critically, with due consideration of the limitations of existing evidence and the possibility of confounding and reverse causation.

C. Review of Related Literature

1) Social Media Use and Substance-Use Behavior

The increasing use of social media among adolescents has raised concerns about its possible association with health-risk behaviors, including substance use. Digital platforms provide continuous opportunities for communication and exposure to different forms of information, which may influence young people's attitudes and behavioral choices. Purba et al. (2023) conducted a systematic review and meta-analysis examining social media use and health-risk behaviours among adolescents aged 10–19 years. Their analysis included 126 studies, with 73 contributing to meta-analyses. Frequent or daily social media use was associated with higher odds of drug use (OR = 1.28, 95% CI [1.05, 1.56]). However, the certainty of evidence for several outcomes was low or very low, and the findings did not establish a causal relationship.

Similarly, Boers et al. (2020) conducted a meta-analysis of 27 cross-sectional studies involving 67,407 adolescents. They reported a positive association between social media use and risky behaviors, including substance use (r = .19, 95% CI [.12, .26]). Since the included studies were cross-sectional, the findings cannot establish whether

social media use preceded substance-use behavior. These studies indicate a relationship worth investigating, but they also demonstrate the need to distinguish between general social media engagement and specific online experiences associated with substance use.

2) Exposure to Substance-Related Online Content

Young people may encounter substance-related material through photographs, short videos, influencer posts, advertisements, music, and online discussions. Some content may portray substance use as socially desirable or associate it with entertainment, popularity, and personal freedom. Repeated exposure to such representations may influence perceptions of the acceptability and prevalence of substance use. However, not all substance-related content is harmful. Educational campaigns, recovery experiences, health information, and prevention messages may contribute positively to awareness and informed decision-making.

Purba et al. (2023) also examined exposure to health-risk content and its association with certain risk behaviours. Their findings highlight the importance of considering the nature of online content rather than measuring social media use only through the amount of time spent online. Therefore, research should distinguish between promotional content, peer-generated material, educational information, and recovery-related communication. The influence of online exposure may also depend on individual characteristics and previous experiences.

3) Online Peer Influence and Social Norms

Peer relationships play an important role in shaping adolescent attitudes and behaviours. Social media extends these relationships beyond physical settings through group discussions, comments, shared posts, and online communities. Young people may interpret repeated substance-related posts or visible social approval as evidence that substance use is common among their peers. Such perceptions may not accurately represent actual behaviour within the wider adolescent population.

Watts et al. (2024) conducted a systematic review and meta-analysis of longitudinal studies examining peer influence on adolescent substance use. Their analysis included 99 effect sizes from 27 independent studies and identified a significant average peer-influence effect ($\beta = .147$, $p < .001$). The findings indicate that peer substance-use behaviour and perceived norms are associated with changes in adolescent substance use over time. Although this research was not specifically focused on social media, it provides important evidence for understanding how peer-related processes may also operate in digital environments. Online peer influence can be direct, through encouragement or pressure, or indirect, through the desire to gain social acceptance. At the same time, positive peer relationships can discourage substance use and promote healthy behavior.

4) Psychological Factors and Individual Vulnerability

Psychological and emotional factors may contribute to the relationship between social media engagement and substance-use behaviour. Stress, loneliness, emotional difficulties, impulsivity, and a lack of social support may influence how young people interact with digital platforms and respond to substance-related content.

Some individuals may use social media to seek emotional support or temporary distraction, while others may become involved in online environments that reinforce unhealthy coping behaviors. However, frequent social media use should not automatically be interpreted as a sign of psychological vulnerability or substance-use risk. An important limitation in this area is reverse causation. Young people who already engage in substance use may actively seek related online content or participate in communities where such behavior is discussed. Therefore, the relationship may operate in both directions.

5) Family, School and Social Environment

Substance-use behavior develops within a wider social and environmental context. Family relationships, parental communication, school connectedness, socioeconomic circumstances, and offline peer groups may influence young people's decisions and vulnerability. Supportive family relationships can encourage open communication and help adolescents discuss online experiences, peer pressure, and health concerns. Similarly, educational institutions can promote awareness through age-appropriate health education and digital literacy programmes.

Schools and colleges should help students recognise misleading online portrayals, understand how digital platforms influence content exposure, and identify reliable sources of health information. A supportive environment is particularly important because fear, stigma, and punishment may discourage young people from seeking help.

6) Social Media as a Tool for Prevention and Support

Despite potential risks, social media can play a constructive role in substance-use prevention and health promotion. Digital platforms provide opportunities to share accurate health information, challenge misconceptions, promote positive peer behaviour, and connect young people with support services. Public-health campaigns can use videos, educational posts, interactive discussions, and youth-oriented messages to communicate the harmful consequences of substance use. Recovery-related content may also help reduce stigma and encourage individuals to seek professional assistance.

However, the effectiveness of digital prevention programmes should not be judged solely by the number of views, likes, or shares. Evaluations should examine changes in knowledge, attitudes, perceived social norms, help-seeking behavior, and substance-use outcomes. Social media-based awareness programmes should complement, rather than replace, professional counselling, medical assessment, and appropriate treatment services.

D. Critical Analysis and Thematic Synthesis

The available literature indicates that social media use is associated with certain substance-use behaviors among adolescents. However, the relationship is complex and cannot be explained through social media exposure alone. The findings of Purba et al. (2023) and Vannucci et al., (2020) suggest a positive association between social media engagement and substance-related risk behaviors. Nevertheless, the observational nature of much of the available evidence limits conclusions about causality.

An important issue is the distinction between general social media use and exposure to specific substance-related content. Time spent online does not necessarily indicate exposure to harmful material. The type of content, frequency of exposure, credibility of information, and nature of online interactions may be more relevant in understanding potential influences on behavior. Peer influence represents another important pathway. The findings of Watts et al. (2024) demonstrate that peer substance-use norms are associated with changes in adolescent substance-use behavior over time. In digital environments, visible engagement with substance-related posts may influence perceptions of social approval. However, online peer interactions may also encourage healthy decisions and provide emotional support.

The literature further highlights the importance of individual and contextual factors. Psychological difficulties, family relationships, socioeconomic conditions, previous substance-use experiences, and offline friendships may influence both social media engagement and substance-use behavior. These factors make it difficult to identify social media as an independent cause of addiction. Another limitation concerns differences in research methods and outcome measurements. Studies may examine experimentation, occasional use, regular consumption, harmful use, or clinically diagnosed substance use disorders. These outcomes represent different levels of risk and should not be treated as interchangeable.

E. Discussion

The present review highlights the growing importance of understanding social media as part of the broader social environment influencing young people's health-related decisions. Digital platforms can shape perceptions, provide information, and extend peer interactions. Their potential influence on substance-use behavior depends on the content encountered, the social context of online interactions, and individual vulnerability. The reviewed evidence suggests that frequent social media use is associated with certain substance-use behaviors. However, these associations should be interpreted cautiously. It is possible that online exposure contributes to risky attitudes, while existing substance-use behavior may also influence the type of content individuals seek and engage with.

One important implication is the need to move beyond a narrow focus on screen time. Prevention efforts should address digital content awareness, critical thinking, online peer pressure, and the ability to identify misleading information. Young people should be encouraged to question unrealistic portrayals of substance use and understand that online popularity does not necessarily represent wider social norms. Family and educational institutions also have an important role. Parents and caregivers should maintain open communication with young people about online experiences and substance-related concerns. Schools and colleges should integrate digital literacy with evidence-based health education.

Digital platforms can contribute positively through awareness campaigns, educational resources, and recovery-support information. However, such initiatives should be based on credible evidence, protect young people's privacy, and provide clear pathways to professional assistance.

1) Implications for India

India's diverse social, cultural, linguistic, and socioeconomic environment makes locally relevant research particularly important. The influence of social media on substance-use behaviour may differ according to age, gender, educational background, family circumstances, and rural–urban settings. Educational institutions, colleges, teacher-education departments, and community organizations can play an important role in developing substance-use awareness programmes through social media. Such initiatives should use culturally appropriate messages and regional languages, including Punjabi, Hindi, and other Indian languages.

In Punjab and other regions where substance-use prevention is an important public-health concern, research should examine how online peer interactions, digital content, family environments, and community influences interact with substance-use behaviour. However, international findings should not automatically be generalized to Indian adolescents without locally conducted studies. Public-health organizations and educational authorities should encourage evidence-based awareness programmes, accessible counseling facilities, and non-stigmatizing support services. Collaboration between schools, families, healthcare

professionals, and digital platforms may help strengthen prevention efforts.

F. Research Gaps

Despite increasing academic interest in social media and youth substance use, several important research gaps remain:

1. Limited causal evidence**:** Much of the existing research is observational, making it difficult to establish whether social media exposure precedes substance use.
2. Insufficient platform-specific research: More studies are needed to understand differences between platforms and the influence of particular content formats.
3. Limited Indian evidence: Further research is required among Indian adolescents and young

G. Recommendations

Based on the findings of the reviewed literature, the following recommendations are proposed to reduce potential substance-use risks among young people:

1. Strengthen Digital Literacy: Educational institutions should help students identify misleading online content, understand digital influence, and critically evaluate substance-related information.
2. Promote Positive Peer Relationships: Peer education programmes should encourage healthy social norms, responsible decision-making and supportive friendships.
3. Encourage Family Communication: Parents and caregivers should maintain open, supportive, and non-judgmental discussions about social media exposure, peer pressure, and substance use.
4. Develop Evidence-Based Awareness Campaigns: Schools, colleges, and public-health organizations should use social media to distribute accurate information about substance- related health risks and prevention.
5. Improve Access to Professional Support: Young people experiencing substance-related problems should be directed towards qualified counsellors, healthcare professionals, and appropriate treatment services.
6. Encourage Responsible Platform Practices: Digital platforms should strengthen reporting mechanisms, protect younger users, and reduce the promotion of harmful substance-related content while preserving educational and recovery information.
7. Promote Further Research: Researchers should conduct longitudinal studies and evaluate digital prevention programmes to understand their long-term effectiveness.
8. Develop India-Specific Prevention Strategies: Research institutions and educational organisations should develop culturally appropriate interventions that consider regional languages, social conditions, and differences between rural and urban populations.

H. Limitations of the Review

- The present paper is a critical narrative review based on selected published research and evidence syntheses. It does not represent an exhaustive systematic review of all available literature. An independently conducted comprehensive database search, formal study-selection process, and risk-of-bias assessment have not been undertaken specifically for this manuscript.
- The available evidence is largely observational, which limits the ability to establish causal relationships between social media use and substance-use behaviours. Differences in research methods, participant characteristics, definitions of social media exposure, and substance-use outcomes also make comparisons difficult.
- Furthermore, findings from international studies may not be directly applicable to all Indian populations. Additional research involving culturally diverse Indian adolescents and young adults is required. Future revisions should include an updated literature search and verification of all references against original publisher records.

I. Conclusion

Social media has become an influential part of the lives of adolescents and young adults, shaping their communication, social relationships, attitudes, and access to information. Although digital platforms provide valuable opportunities for education and health awareness, exposure to substance-related content and online peer influences may contribute to certain risk behaviors. The literature reviewed indicates an association between frequent social media use and substance-use behaviors among adolescents. However, current evidence does not establish that social media directly causes drug addiction. Substance-use behavior is multifactor and is influenced by individual characteristics, psychological well-being, peer relationships, family environment, and wider social conditions.

Effective prevention therefore requires a balanced approach that combines digital literacy, evidence-based health education, positive peer relationships, supportive family communication, responsible platform practices, and accessible professional services. In the Indian context, further regionally relevant research and culturally appropriate prevention programmes are particularly important. Future studies should focus on longitudinal research, platform-specific exposure, consistent

measurement, and the evaluation of digital interventions. Overall, social media should be recognised not only as a potential source of risk but also as an important platform for substance-use prevention, health promotion,

J. References

1. Ambekar, A., Agrawal, A., Rao, R., Mishra, A. K., Khandelwal, S. K., & Chadda, R. K. (2019). Magnitude of substance use in India. Ministry of Social Justice and Empowerment, Government of India, and National Drug Dependence Treatment Centre, AIIMS, New Delhi. https://socialjustice.gov.in/writereaddata/UploadFile/Survey%20Report.pdf

2. Boers, E. correction: The correct authors of the study cited in your manuscript are Vannucci, A., Simpson, E. G., Gagnon, S., and Ohannessian, C. M. (2020). Social media use and risky behaviors in adolescents: A meta-analysis. Journal of Adolescence, 79, 258–274. https://doi.org/10.1016/j.adolescence.2020.01.014

3. Donaldson, S. I., Dormanesh, A., Perez, C., Majmundar, A., & Allem, J. (2022). Association between exposure to tobacco content on social media and tobacco use: A systematic review and meta-analysis. JAMA Pediatrics, 176(9), 878–885. https://doi.org/10.1001/jamapediatrics.2022.2223

4. Freeman, J. L., Caldwell, P. H. Y., & Scott, K. M. (2023). How adolescents trust health information on social media: A systematic review. Academic Pediatrics, 23(4), 703–719. https://doi.org/10.1016/j.acap.2022.12.011

5. Lac, A., & Crano, W. D. (2009). Monitoring matters: Meta-analytic review reveals the reliable linkage of parental monitoring with adolescent marijuana use. Perspectives on Psychological Science, 4(6), 578–586. https://doi.org/10.1111/j.1745-6924.2009.01166.x

6. Purba, A. K., Thomson, R. M., Henery, P. M., Pearce, A., Henderson, M., & Katikireddi, S. V. (2023). Social media use and health risk behaviours in young people: Systematic review and meta-analysis. BMJ, 383, e073552. https://doi.org/10.1136/bmj-2022-073552

7. United Nations Office on Drugs and Crime, & World Health Organization. (2018). International standards on drug use prevention (2nd updated ed.). United Nations Office on Drugs and Crime. https://www.who.int/publications/i/item/international-standards-for-drug-use-prevention-second-edition-2018

8. Vannucci, A., Simpson, E. G., Gagnon, S., & Ohannessian, C. M. (2020). Social media use and risky behaviors in adolescents: A meta-analysis. Journal of Adolescence, 79, 258–274. https://doi.org/10.1016/j.adolescence.2020.01.014

9. Watts, L. L., Abo Hamza, E., Bedewy, D. A., & Moustafa, A. A. (2024). A meta-analysis study on peer influence and adolescent substance use. Current Psychology, 43(5), 3866–3881. https://doi.org/10.1007/s12144-023-04944-z

10. World Health Organization. (2018). International standards on drug use prevention (2nd updated ed.). United Nations Office on Drugs and Crime and World Health Organization. https://www.who.int/publications/i/item/international-standards-for-drug-use-prevention-second-edition-2018

11. Trucco, E. M. (2020). A review of psychosocial factors linked to adolescent substance use. Pharmacology Biochemistry and Behavior, 196, 172969. https://doi.org/10.1016/j.pbb.2020.172969

12. Donaldson, S. I., Dormanesh, A., Perez, C., Majmundar, A., & Allem, J. (2022). Association between exposure to tobacco content on social media and tobacco use: A systematic review and meta-analysis. JAMA Pediatrics, 176(9), 878–885. https://doi.org/10.1001/jamapediatrics.2022.2223