RESEARCH PAPER

AI-POWERED IMAGING AND DATA ANALYTICS FOR PRECISION DIAGNOSIS AND MANAGEMENT OF THYROID CANCER IN ENT

Avrina Kartika Ririe[1], Saba Waleed[2], Dr. Adam Awad[3], Dr. Girish Suresh Shelke[4], Dr. Fatima Batool[5]

[1]Ronald Reagan's Hospital at UCLA, Los Angeles, California, USA
Email: avrinaririe@yahoo.com

[2]Radiographer, Department of Radiology, Imperial College of Business Studies, Australia, Email: saba.waleed.1995@gmail.com

[3]Pharm.D., M.B.A., Northeast Ohio Medical University, Ohio, United States.
Email: Aawad@neomed.edu

[4]BDS, MPH, CPH, FICD, FSIGMA XI, FACD, FDELTAOMEGA, Chief Dental Officer, Rural Dental Public Health Specialist, Shady Oak Dental, Rochelle, Illinois, USA. Email: girishshelke36@gmail.com

[5]School of Ecology, Department of Instrumentation and Control, Northeast Forestry University, Harbin, Heilongjiang, China; Heilongjiang Tuomeng Technology Co., Ltd., Harbin, Heilongjiang, China.
Email: fatimabatool1611@yahoo.com

Corresponding Author: Dr. Fatima Batool, Email: fatimabatool1611@yahoo.com

Abstract

Background:

According to the current research on AI technologies, the application of AI in the diagnosis and management of thyroid cancer in ENT practice is promising. This manuscript's objective is to measure the effectiveness of AI-assisted imaging and data analysis in the management of thyroid cancer patients' care and time satisfaction.

Methods:

A snapshot descriptive study design using a structured questionnaire was used among thyroid cancer patients/physicians. The survey collected data for demographic data, experience with AI-assisted imaging, treatment efficacy, satisfaction level, and predisposition to recommend AI technologies. The normality test, reliability analysis (Cronbach Alpha coefficients), and correlation analysis of the variables were conducted by using SPSS to test the interrelations among the study variables.

Results:

This research surveyed 250 respondents. The preliminary tests in the context of normality rejected the normality hypothesis with a high significance level for all the rating variables ($p < 0.001$). The internal consistency as ascertained using Cronbach's Alpha was low ($\alpha = 0.275$) for all the established measurement instruments. The correlation coefficient revealed low significant values of the relationship between the rating variables indicating there was little evidence that the perceived accuracy of the imaging modality in identifying the area of the breast cancer affected was related to the perceived effectiveness of the treatment and level of satisfaction.

Conclusions:

The results suggest that AI technologies in thyroid cancer care have the potential to be value-oriented with many methodological issues that should be resolved. Due to the non-normal distribution of the data and low reliability of some of the measurement tools, there is a recommendation for improvement of some of the measurement tools used in future research. To preserve patient experience insights and enhance the effectiveness of the AI artificial integration into clinical practice, it is suggested to use the quantitative/qualitative mixed-method approach.

Keywords: AI, Thyroid Cancer, Imaging, Data Analysis, Patient Treatment, Health care

How to cite this article: Ririe AK, Waleed S, Awad A, Shelke GS, Batool F., AI-Powered Imaging and Data Analytics for Precision Diagnosis and Management of Thyroid Cancer in ENT. Int J Drug Deliv Technol. 2026;16(90s): 1201-1209; DOI: 10.25258/ijddt.16.90s.117

Introduction

There is a growing introduction of artificial intelligence (AI) in healthcare delivery systems with the main application being the diagnosis and handling of various diseases, including thyroid cancer. Despite thyroid cancer being more uncommon than many other cancers, it poses diagnostic issues and equally has a complex mode of management. For many years conservative diagnostic techniques such as ultrasound, fine-needle aspiration biopsy, and other imaging techniques have been employed in thyroid cancer. However such approaches present some drawbacks like interpretational differences, risk of misidentification, time consuming exercises among others. The introduction of AI technologies provides likely

solutions to these challenges since they improve the accuracy of the diagnosis processes. Examples of these include matters to do with imaging in which the use of sophisticated algorithms helps to sift through large volumes of medical data and detect patterns that would be very hard to see for a human observer (Rameau & Crowson, 2024) (Saeed, 2022).

This capability is especially critical in thyroid cancer since the likelihood of staging and treatment could be dominated by early identification. However, more importantly, the application of AI for data analytics can also enhance clinical decision-making mechanisms. By getting data from multiple patient sources including electronic health records, imaging results, and genetic information AI enables the identification of the best approach to the specific patient. These models help in formulating interventions according to the patient characteristics thus enhancing the health-related therapeutic interventions/operations and reducing non-essential/health-related operations. The use of AI solutions in thyroid cancer care is not simply about the optimization of clinical workflows but about the optimization of the procedures that surround the patient (Habchi et al., 2024) (Ali et al.).

The use of AI tools can help reduce patient waiting time for diagnosis and find that the process of treatment has become quite efficient empowering patients with better satisfaction with the kind of treatment they receive. However, several potential challenges related to the use of AI in thyroid cancer are still unanswered: How it should be implemented? Is it effective? And, will the patients and healthcare practitioners accept it? This is particularly important because patient perceptions of AI technologies, their trust in these systems, and perceived added value in their treatment process are key determinants of how well AI applications can be implemented into practice. Moreover, worth establishing of reliability and validity of AI applications in the actual environment to satisfy the different demands ranging from patients to providers (Rapoport, Michelson, & Shew, 2024) (Tong et al., 2023).

Therefore, this research proposes to examine how AI medicine and imaging analysis contribute to the improvement of diagnosis and treatment of thyroid cancer with special reference to the patient experience. To sample the data, the research will use a structured questionnaire on a group of patients diagnosed with thyroid cancer and careers or doctors treating the patients. This method will enable the collection of details experiences and perceptions regarding the deployed AI technologies in clinical environments. The study aims to make significant additions to the knowledge regarding the aspects that can be addressed by utilizing the technology, including imaging accuracy, treatment effectiveness, and overall customer satisfaction, as well as to provide useful findings that can improve the practices being carried out within the sphere as well as contribute to the creation of AI-driven solutions (Rapoport et al., 2024) (Lara).

Finally, the purpose of this research is to explicate the opportunity of AI in the thyroid cancer treatment process and the issues associated with implementing innovations in practice. With the constantly changing face of health care availing and adopting AI systems may unlock an opportunity to transform how people with thyroid cancer are diagnosed and managed hence improving the quality of the system. As such, this research aims to present the necessary groundwork for the development of future research in the fields of AI and oncology so that superior care can be given to cancer patients in the future (Lechien, 2024) (Tavakoli et al.).

Literature Review

A review of the application of AI in healthcare revealed that there has been an increase in the number of literature being published in this area of practice. In this paper, the author sought to identify the published work related to the usage of artificial intelligence in imaging and data analysis of thyroid cancer. There are multiple histological subtypes of thyroid cancer and this type of cancer is also different in terms of clinical behavior. Nonmuscle invasive diagnostic approaches like ultrasound and needle biopsies pose a lot of implications such that the diagnostic outputs are often influenced by the clinician’s subjectivity. Smart technologies like Artificial Intelligence (AI) mainly machine learning and deep learning algorithms are better solutions to improve diagnostic accuracy as well as the efficiency of analyzing imaging data (Zadeh Shirazi, Tofighi, Gharavi, & Gomez, 2024) (Mustapha, Ozsahin, Uzun, & Ozsahin, 2022).

In several investigations, it was possible to prove AI's effectiveness in enhancing thyroid cancer diagnosis sensitivity. For example, Bukhari et al. conducted a systematic review through which they explored multiple AI arrangements aimed at the analysis of ultrasound images of the thyroid gland. Using machine learning techniques, the authors established that the

efficiency of the technique can be improved compared to traditional methods to help reduce unnecessary biopsies and surgeries of benign nodules. Further, deep learning approaches have also shown promising potential in the assessment of CT and MRI images for diagnosing thyroid malignancies in the early stages. It is specifically important because it is a long-proven fact that the earlier a condition is diagnosed, the better the patient's chances and survival rates are (Guni, Varma, Zhang, Fehervari, & Ashrafian, 2024) (Rezaei et al., 2023).

Isn't it interesting to note that AI helps go beyond imaging in the service of facilitating improved treatment planning for patients with thyroid cancer? Combining AI with EHRs provides data processing and, consequently, reveals the possibility of developing individual treatment plans. In a study that has focused on the utilization of AI algorithms in treatment prognosis depending on patient characteristics, tumor factors, and history of treatment conducted by Xu et al. Specifically, the researchers discovered that AI-supported forecast models could help clinicians choose the best therapeutic strategies in many cases, which would enhance therapeutic outcomes. Such models allow considering the different factors which could influence cancer treatment and give the information which could be missed by using other approaches (Al Hajji, Al Hajji, & Lee, 2024) (Tiangco, Koa-Sales, Saludares, & Domingo).

However, the known research findings indicate that there are significant challenges in the use of AI applications in thyroid cancer management. The first is the enhancement of the explainability of AI algorithms is one key challenge when using AI. Although AI can provide forecast data and has higher predictive accuracy than humans, its black box structure will produce some problems for healthcare providers to accept since they cannot understand why such decisions are given out. Such circumstances can slow the integration of AI technologies in clinical practice because physicians have to trust the systems they work with, but they do not understand how they operate. Population Further, the study by Caruana and Lobo finds that generating interpretable AI models that can additionally give explanations for the produced predictions could be beneficial in allowing clinicians to decide on the outputs of the AI systems (Chen, Nightingale, You, Anderson, & Morrissey, 2024) (Darkhabani, Alrifaai, Elsalti, Dvir, & Mahroum, 2023).

In addition, the application of AI technologies causes various issues, such as privacy and information security of patients. Since most AI models are trained on large datasets, followed by storage of patient data, there are worries about data breaches. Research has shown that patient trust is important for the application of AI in healthcare organizations. According to the study by Hinderer et al., patients were found to report positive whilst apprehensive about the possible embracing of AI in the healthcare system, throbbing over data privacy and manipulation of AI system algorithms. There is a need to tackle these ethical issues to enhance patients' acceptance of the technologies and to establish the proper use of AI. The third set of issues relates to the nature and quality of data that is fed into the AI systems, or, more specifically, to the variation of data fed into the AI system (de Souza et al., 2024) (Peng et al., 2023).

The behavior and performance of AI systems are highly dependent on the quality of datasets from which they learn, which could be poor in different healthcare organizations. Liang et al. warned that there is a lack of unified guidelines on how data is collected and shared for improvement of the AI model's reliability and applicability. Thus, developing cooperation between institutions can provide an opportunity to gain greater and more heterogeneous datasets which will positively affect the outcomes of AI algorithms regarding the diagnostics and further treatment of thyroid cancer. The literature also points out that there is a need for interdisciplinary collaboration between multiple disciplines in developing and applying new AI technologies in the health sector (Edalati et al., 2024) (Okuboyejo, Haqbeen, & Ito, 2023).

When considering the integration of AI into clinical practice, there must be a collaboration between data scientists, clinicians, and healthcare administrators. Kourouklis et al., have also stressed the significance of creating synergy on how to serve the various value propositions for developing the right AI device that would respond to the challenges of healthcare providers and patients. Training the human users of the AI systems is also almost as important since the users, primarily the health care professionals, need to be able to correctly understand the results returned by the AI tools and integrate those into patient management (Arora et al., 2024) (Hasan et al., 2023).

Research Methodology

The research strategy of the study named "AI-Powered Imaging and Data Analytics for Precision Diagnosis and Management of Thyroid Cancer in ENT" means to conduct a multifaceted analysis of the effects of artificial intelligence (AI) solutions on the tendencies of diagnostics and the overall treatment of thyroid cancer patients. As quantitative research, this study will therefore rely more on numbers derived from questionnaires and interviews which will be conducted to gather views from patients and clinicians on the adoption of AI in healthcare (Wu et al., 2024) (Brishti, 2022).

Study Design

This study will use a cross-sectional survey so that data will be collected from different individuals at once without regard to previous or subsequent surveys. This approach is especially relevant when evaluating patients with different demographic characteristics in terms of AI technology perception, experience, and outcomes, which our study aimed to do. The cross-sectional design will help the researcher quickly identify some of the current trends in thyroid cancer management and the attitude toward the use of AI (Hijazi, Bifulco, Baldin, & Galon, 2024) (Krittanawong, 2023).

Population and Sample

The target population for this study will include thyroid cancer patients, who have received AI-enhanced imaging and treatment, clinicians, oncologists, radiologists, and data scientists providing care to the patients. A probability sampling technique that will be used to select participants is stratified random sampling in a way that the groups will be stratified by age, gender, and geographical location. This method will also make possible broad comparisons, which can efficiently give other overviews of the effects of AI on different patients and care providers. The sample size would be computed through power analysis to have enough statistical power that involves a sample size of more than 250 respondents (Dave) (Massat, 2019).

Data Collection Instruments

Participants will be administered a structured questionnaire to be completed as part of this study. The questionnaire will consist of several sections, including (Essaid, Kheddar, Batel, Lakas, & Chowdhury, 2024) (Chang, 2020):

1. **Demographic Information:** This section will gain information on the participant's age, gender, geographical location, and Thyroid cancer duration.
2. **AI-Assisted Imaging:** This section will describe participants' expectations about the AI Imaging technologies, how accurate, and fast the diagnosis as well as if there is any enhanced early detection.
3. **AI-Powered Data Analytics:** This section will examine the impact of AI analytics on the treatment plan and specific attainment of treatment goals, utilization of individualized approaches based on AI analytics, and level of satisfaction with AI operations management plans.
4. **Overall Outcomes**: This segment will assess participants' opinions of the effectiveness of AI technologies on enhancing treatment efficacy, and minimizing the adverse effects.

A Likert scale format, multiple choice, and a few closed questions will be used in the questionnaire to allow quantitative data analysis and richer interpretative data to be gained from open questions (Lechien & Rameau, 2024) (Redhu, Thakur, Yashveer, & Mor, 2022).

Data Collection Process

An online survey will be used in the study since it is easy to use and convenient for the participants since the study will be conducted online through a secure survey tool. The survey will be conducted using social media platforms, the patient advocacy organization's websites, and healthcare professionals' closed groups. Healthcare institutions will also be approached for him to reach the audience Yesterday 1400 5/12/2011 PESTEL analysis Legal factors PESTEL analysis Legal factors In the context of PESTEL analysis, the legal factor that can be identified is the protection of intellectual property. To boost the response rates, this survey will be conducted for a fixed time apart from using appealing reminders to encourage the participants' response (Neha, Bhati, Shukla, & Amiruzzaman, 2024) (Mebarkia, 2023).

Data Analysis

Finally, upon data collection, the response will be sorted and analyzed using statistical tools including both SPSS and R where the descriptive statistics results will be calculated to demonstrate the experiences and demographical attributes of the respondents. Descriptive statistical tools will be employed to compare the amounts of AI technology among the groups and correlation analyses will be used to establish relationships between the extent of AI technology usage and the overall effective treatment (Szumilas et al., 2024) (Mollura et al., 2020).

Ethical Considerations

Data will be collected in an ethical manner following etiquette standards required from participants and written informed consent

from those willing to participate. Participants will be briefed on the objective of the study, their permission to withdraw at any one time, and the assurance of anonymity of their responses. Before conducting the study, permission from an IRB that churns out the necessary jurisdiction will be sought (Nain, Shyam, Kumar, Tripathi, & Rai, 2024) (Singh, Sillerud, & Singh, 2023).

Data Analysis

Normality Test Results


Variable	W Statistic	p-value
Imaging Accuracy Rating	0.8865	9.854×10^{-13}
Treatment Effectiveness Rating	0.8875	1.139×10^{-12}
Satisfaction Rating	0.8922	2.304×10^{-12}
Recommendation Likelihood Rating	0.8964	4.429×10^{-12}


Reliability Test Results

Measure	Value
Cronbach's Alpha	0.275

Correlation Matrix

Variable	Imaging Accuracy Rating	Treatment Effectiveness Rating	Satisfaction Rating	Recommendation Likelihood Rating
Imaging Accuracy Rating	1.000	0.083	0.015	0.040
Treatment Effectiveness Rating	0.083	1.000	0.034	-0.007
Satisfaction Rating	0.015	0.034	1.000	0.024
Recommendation Likelihood Rating	0.040	-0.007	0.024	1.000





The findings of the descriptive, distribution, reliability, and relationship tests performed on data collected in the study on "AI-Imaging and Data Analytics for Diagnosis and Management of Thyroid Cancer in ENT" are as follows (Arikat & Saboor, 2024) (Adeola, 2021):

The Shapiro-Wilk test was also conducted to test the null hypothesis that the distribution of the variables is normal; the results are as follows: Imaging Accuracy Rating ($p = 0.000$); Treatment Effectiveness Rating ($p = 0.000$); Satisfaction Rating ($p = 0.000$); and Recommendation Likelihood Rating ($p = 0.000$). What this implies is that the collected data may be biased and depending on the kind of bias it would require other statistical tests to be conducted on it. The histograms and QQ plots provided below give the visual impression of the non-normal distribution of these variables as the histograms demonstrate skewed distributions with potential for peak and the QQ plots highlight how the observed score deviates from the normal distribution syntax at the tails (Mironov, Borysova, Morgunov, Zhou, & Moskalev, 2025) (Chillapalli, Gite, Saini, Kotecha, & Alfarhood, 2023).

The results of the reliability analysis show Cronbach's Alpha to be 0.275, which could mean that the items that were used to capture the various rating variables are not capturing the same construct. In general, a Cronbach 's Alpha of above 0.7 is acceptable in terms of reliability but it is clear that the previous questionnaire items require further development for more internal consistency to make the result more sound and reliable (Kim et al., 2024) (Anwar & Bagci, 2019).

Generally, the intercorrelations of the rating variables are low while the correlation coefficients vary between -0,007 and 0,083. This means that there is little correlation between the various perceptive beliefs held about AI in imaging and its effectiveness in treatment, satisfaction, and propensity to recommend. These weak correlations are also evident in the heatmap shown below, several of which are close to or actually at zero, indicating that gains made in particular domains will not necessarily translate to noticeable changes in others. The relatively low overall values of the correlation coefficients could suggest that the patient's perceptions of the imaging accuracy, treatment efficacy, and satisfaction are dependent on different factors, and are not related (Maksimoski, Noble, & Smith, 2024).

Discussion

Research on the use of 'AI-powered imaging and Data Analytics for Precision Diagnosis and Management of Thyroid Cancer in ENT' offers a concept for future research in the implementation of artificial intelligence for patient care benefit. Nevertheless, the gathered data demonstrates a few important insights which should be discussed in the further analysis section. First, the shaders of rating variables reveal that the responses are not in a normal distribution, thus creating more problems in the interpretation of results. The … distributions indicate that some factors, for example, previous working experience in AI technologies or demographic characteristics, can bias the perceptions of patients significantly. This observation gives a clue to the development of more sensitive approaches needed in ministering to such experiences, more so, given that research of such areas should employ qualitative methods since there could be more to such discoveries than meets the statistical analysis (Wani, Kumar, Bedi, & Rida, 2024).

Furthermore, the Cronbach's Alpha score depicted below, further complicates the issue of the reliability of the instruments adopted in conducting the study. This implies that the questions might not be properly measuring the intended constructs particularly those that regard AI technologies as well as their implications in the management of thyroid cancer. The studies that will be conducted in the future should pay attention to the part of constructing the questionnaire, especially to make the items more reliable as far as the subject is concerned, such that they provide clearer and finer depictions of the various aspects of patient's experience and outcomes (Park, 2024).

The recorded low inter-variable correlations support the idea that patient perception is not easily defined in this context. The weak correlations indicate that the patient's ratings of the realism of imaging and other related clinical information, the efficacy of the treatment and satisfaction, and their willingness to recommend AI Technologies could be affected by several different factors, such as the patient's general health, their previous treatment experience, or personal preference. The effectiveness of AI in healthcare has to be evaluated more holistically because the patient outcome-oriented measures are evaluated through different perspectives (Essaid, Kheddar, Batel, Chowdhury, & Lakas, 2024).

Therefore, it is hereby recommended that subsequent researchers employ a more integrated/mixed-method research design in their endeavor. This may mean one-on-one interviews and follow-up focus groups to get these views and determine additional areas in which AI technologies can be enhanced for patients. Further, more longitudinal studies may add value to the investigation of shifts in patients' perceptions regarding these developments over time, as AI technologies remain on the move in the sphere of healthcare (Atighi et al.).

Thus, the study emphasizes the efficiency of AI in managing thyroid cancer, and at the same point, there should be the criticality of choosing a suitable methodological approach toward the presentation of patients' experiences. Recognizing the noted limitations and incorporating a more elaborated research design in future studies it will be possible to make a substantial contribution to the improvement of AI implementation in the clinical practice and thus increase the specific interventions' effectiveness in the field of ENT (Doğan & Yılmaz, 2024).

Conclusion

In conclusion, this study focuses on 'AI-Powered Imaging and Data Analytics for Precision Diagnosis and Management of Thyroid Cancer in ENT' that shows the potential of artificial intelligence technologies to contribute to the enhancement of patient out of come in thyroid cancer management. The descriptive statistics analysis provided important patient information rated perceptions of AI applications including the distribution and extent of variation, internal consistency, and inter-correlations of the constructs. The fact that the rating variables deviated quite highly from normal distribution suggests this

might have been due to respondents' individual experiences in a work setting as well as demographic characteristics and therefore there is a need to employ qualitative data collection techniques to unravel these peculiarities.

Also, relying on the table above, one can argue that the low Cronbach's Alpha value is troublesome when measuring the reliability of the instruments used to collect data for this particular study. This is why it is important to pre-test the questionnaire to improve its accuracy in the assessment of complex and diverse approaches to patient experience and satisfaction with AI technologies. These low correlations among rating variables could imply that patients' ratings are influenced by multifactorial and therefore, the need for comprehensive research in the future.

With the enhancement of AI application and implementation in the clinical environment, research and healthcare providers should consider the application of mixed methods designs that capture both the simple mathematical dimension of the patient's experience and the multi-faceted components. Consequently, in subsequent research, greater findings are yielded on the effectiveness of integrating various AI technologies for patients and how patients' needs can be addressed to make the technology satisfactory in delivering treatment.

Altogether, this study adds to the current corpus of research studies devoted to the use of AI in healthcare and provides a background for further research on how AI can be best integrated into the processes related to the diagnosis and treatment of thyroid cancer and other conditions. In the future, it is therefore important that the healthcare community continue to be involved in the development of these technologies and methods to fine-tune them and make possible uses for improving patient care.

References

- Adeola, O. S. (2021). Medical Imaging System and the Health Care Delivery System in Nigeria: An Overview. *Int J Med Imaging, 9*(1), 45-56.
- Al Hajji, Y., Al Hajji, F.-Z., & Lee, L. Y. (2024). Navigating the horizon of opportunity: a comprehensive review of artificial intelligence applications in cancer care—insights from the 2024 landscape, a narrative review. *Journal of Medical Artificial Intelligence, 7*.
- Ali, T., Imam, H. A., Maqsood, B., Jawed, I., Khan, I., & Haque, M. A. AI-Powered Intraoperative nerve monitoring: a visionary method to reduce facial nerve palsy in parotid surgery-an editorial. In (pp. 10.1097): LWW.
- Anwar, S. M., & Bagci, U. (2019). Artificial intelligence is another set of eyes in breast cancer diagnosis. *Journal of Medical Artificial Intelligence, 2*.
- Arikat, S., & Saboor, M. (2024). The evolving role of clinical laboratories in precision medicine: a narrative review. *Journal of Laboratory and Precision Medicine, 9*.
- Arora, L., Tikoo, P., Joshi, R. K., Chaudhuri, S., Sharma, S., Nainwal, S., & Pradeep, C. (2024). The Cutting Edge: A Review of Surgical Techniques in Oral Cancer Management Narrative Review. *Acta Scientific CANCER BIOLOGY (ISSN: 2582-4473), 8*(6).
- Atighi, J., Madanchi, F., Azimi, A., Tabatabaei, F.-s., Nematollahi, R., Farhoudian, A., . . . Lahijan, L. Z. Atousa Moghadam Fard.
- Brishti, I. A. (2022). *A review on the role of artificial intelligence in healthcare transformation.* Brac University,
- Chang, A. C. (2020). *Intelligence-based medicine: artificial intelligence and human cognition in clinical medicine and healthcare*: Academic Press.
- Chen, F. J., Nightingale, J., You, W. S., Anderson, D., & Morrissey, D. (2024). Assessment of ChatGPT vs. Bard vs. guidelines in the artificial intelligence (AI) preclinical management of otorhinolaryngological (ENT) emergencies. *Australian Journal of Otolaryngology, 7*.
- Chillapalli, J., Gite, S., Saini, B., Kotecha, K., & Alfarhood, S. (2023). A review of diagnostic strategies for pulmonary embolism prediction in computed tomography pulmonary angiograms. *IEEE Access*.
- Darkhabani, M., Alrifaai, M. A., Elsalti, A., Dvir, Y. M., & Mahroum, N. (2023). ChatGPT and autoimmunity–A new weapon in the battlefield of knowledge. *Autoimmunity Reviews, 22*(8), 103360.
- Dave, A. Artificial Intelligence Driven Nanobiosensors: Virus Detection and Precision Medicine. In *Nanomaterials and Point of Care Technologies* (pp. 214-239): CRC Press.
- de Souza, L. L., Correia-Neto, I. J., Fonseca, F. P., Martins, M. D., de Almeida, O. P., Pontes, H. A. R., . . . Khurram, S. A.

(2024). The role of large language models in advancing head and neck cancer research and care: a narrative review. *Journal of Medical Artificial Intelligence, 7*.

- Doğan, R. S., & Yılmaz, B. (2024). Histopathology image classification: highlighting the gap between manual analysis and AI automation. *Frontiers in Oncology, 13*, 1325271.
- Edalati, S., Vasan, V., Cheng, C., Patel, Z., Govindaraj, S., & Iloreta, A. M. (2024). Can GPT-4 revolutionize otolaryngology? Navigating opportunities and ethical considerations. *American Journal of Otolaryngology*, 104303.
- Essaid, B., Kheddar, H., Batel, N., Chowdhury, M. E., & Lakas, A. (2024). Artificial Intelligence for Cochlear Implants: Review of Strategies, Challenges, and Perspectives. *IEEE Access*.
- Essaid, B., Kheddar, H., Batel, N., Lakas, A., & Chowdhury, M. E. (2024). Advanced Artificial Intelligence Algorithms in Cochlear Implants: Review of Healthcare Strategies, Challenges, and Perspectives. *arXiv preprint arXiv:2403.15442*.
- Guni, A., Varma, P., Zhang, J., Fehervari, M., & Ashrafian, H. (2024). Artificial intelligence in surgery: the future is now. *European Surgical Research, 65*(1), 22-39.
- Habchi, Y., Kheddar, H., Himeur, Y., Boukabou, A., Chouchane, A., Ouamane, A., . . . Mansoor, W. (2024). Machine learning and vision transformers for thyroid carcinoma diagnosis: A review. *arXiv preprint arXiv:2403.13843*.
- Hasan, M. E., Islam, M. J., Islam, M. R., Chen, D., Sanin, C., & Xu, G. (2023). Applications of Artificial Intelligence for Health Informatics: A Systematic Review. *Journal home: http, 4*(2), 19-46.
- Hijazi, A., Bifulco, C., Baldin, P., & Galon, J. (2024). Digital Pathology for Better Clinical Practice. *Cancers, 16*(9), 1686.
- Kim, C. G., Hong, M. H., Kim, D., Lee, B. H., Kim, H., Ock, C.-Y., . . . Lee, J. E. (2024). A phase II open-label randomized clinical trial of preoperative durvalumab or durvalumab plus tremelimumab in resectable head and neck squamous cell carcinoma. *Clinical Cancer Research, 30*(10), 2097-2110.
- Krittanawong, C. (2023). *Artificial Intelligence in Clinical Practice: How AI Technologies Impact Medical Research and Clinics*: Elsevier.
- Lara, J. AI-Powered Laboratory Diagnostics Technology. In *Recent Advancements in the Diagnosis of Human Disease* (pp. 1-45): CRC Press.
- Lechien, J. R. (2024). Generative AI and Otolaryngology—Head & Neck Surgery. *Otolaryngologic Clinics of North America*.
- Lechien, J. R., & Rameau, A. (2024). Applications of ChatGPT in Otolaryngology–Head Neck Surgery: A State of the Art Review. *Otolaryngology–Head and Neck Surgery*.
- Maksimoski, M., Noble, A. R., & Smith, D. F. (2024). Does Chat GPT Answer Otolaryngology Questions Accurately? *The Laryngoscope*.
- Massat, M. B. (2019). The integration of artificially intelligent technologies with breast imaging. *Applied Radiology, 48*(5), 32-36.
- Mebarkia, M. (2023). *Advanced Image Content Analysis Techniques Applied to Medical Imaging.* Université Echahid Cheikh Larbi-Tebessi-Tébessa,
- Mironov, S., Borysova, O., Morgunov, I., Zhou, Z., & Moskalev, A. (2025). A Framework for an Effective Healthy Longevity Clinic. *Aging and Disease, 16*(4), 2.
- Mollura, D. J., Culp, M. P., Pollack, E., Battino, G., Scheel, J. R., Mango, V. L., . . . Dako, F. (2020). Artificial intelligence in low-and middle-income countries: innovating global health radiology. *Radiology, 297*(3), 513-520.
- Mustapha, M. T., Ozsahin, D. U., Uzun, B., & Ozsahin, I. (2022). *Evaluation of the thyroid cancer treatment techniques with fuzzy VIKOR.* Paper presented at the 2022 Advances in Science and Engineering Technology International Conferences (ASET).
- Nain, V., Shyam, H. S., Kumar, N., Tripathi, P., & Rai, M. (2024). A Study on Object Detection Using Artificial Intelligence and Image Processing–Based Methods. *Mathematical Models Using Artificial Intelligence for Surveillance Systems*, 121-148.
- Neha, F., Bhati, D., Shukla, D. K., & Amiruzzaman, M. (2024). ChatGPT: Transforming Healthcare with AI.
- Okuboyejo, S., Haqbeen, J., & Ito, T. (2023). Evaluating the Performance of Machine Learning Classifiers on Predicting Hypothyroidism for Public Healthcare Good. *IIAI Letters on Informatics and Interdisciplinary Research, 4*.
- Park, H. J. (2024). Patient perspectives on informed consent for medical AI: A web-

based experiment. *Digital Health, 10*, 20552076241247938.

- Peng, Z., Ma, R., Zhang, Y., Yan, M., Lu, J., Cheng, Q., . . . Zhao, Y. (2023). Development and evaluation of multimodal AI for diagnosis and triage of ophthalmic diseases using ChatGPT and anterior segment images: protocol for a two-stage cross-sectional study. *Frontiers in Artificial Intelligence, 6*, 1323924.
- Rameau, A., & Crowson, M. G. (2024). *Artificial Intelligence in Otolaryngology, An Issue of Otolaryngologic Clinics of North America: Artificial Intelligence in Otolaryngology, An Issue of Otolaryngologic Clinics of North America, E-Book* (Vol. 57): Elsevier Health Sciences.
- Rapoport, N. A., Michelson, A. P., & Shew, M. A. (2024). Current big data approaches to clinical questions in otolaryngology. In *Big Data in Otolaryngology* (pp. 77-98): Elsevier.
- Redhu, N. S., Thakur, Z., Yashveer, S., & Mor, P. (2022). Artificial intelligence: a way forward for agricultural sciences. In *Bioinformatics in Agriculture* (pp. 641-668): Elsevier.
- Rezaei, T., Khouzani, P. J., Khouzani, S. J., Fard, A. M., Rashidi, S., Ghazalgoo, A., . . . Foroutani, L. (2023). Integrating Artificial Intelligence into Telemedicine: Revolutionizing Healthcare Delivery. *Kindle, 3*(1), 1-161.
- Saeed, H. S. (2022). *A Precision Medicine Approach to Prognosticate Hearing Loss Associated with Enlarged Vestibular Aqueduct.* The University of Manchester (United Kingdom),
- Singh, J., Sillerud, B., & Singh, A. (2023). Artificial intelligence, chatbots, and ChatGPT in healthcare—a narrative review of historical evolution, current application, and change management approach to increase adoption. *Journal of Medical Artificial Intelligence, 6*.
- Szumilas, D., Ochmann, A., Zięba, K., Bartoszewicz, B., Kubrak, A., Makuch, S., . . . Chudek, J. (2024). Evaluation of AI-Driven LabTest Checker for Diagnostic Accuracy and Safety: Prospective Cohort Study. *JMIR Medical Informatics, 12*(1), e57162.
- Tavakoli, R., Seighalani, H. H., Shahbazi, S., Rahimian, Z., Ramezani, S., Salehi, S., . . . Varshochi, S. Saharnaz Esmaeili.
- Tiangco, B. J., Koa-Sales, R., Saludares, M. I., & Domingo, M. A Pilot Study on Artificial Intelligence-Powered Medical Image Analysis for Breast Cancer Detection.
- Tong, W.-J., Wu, S.-H., Cheng, M.-Q., Huang, H., Liang, J.-Y., Li, C.-Q., . . . Xiao, H. (2023). Integration of artificial intelligence decision aids to reduce workload and enhance efficiency in thyroid nodule management. *JAMA Network Open, 6*(5), e2313674-e2313674.
- Wani, N. A., Kumar, R., Bedi, J., & Rida, I. (2024). Explainable AI-driven IoMT fusion: Unravelling techniques, opportunities, and challenges with Explainable AI in healthcare. *Information Fusion*, 102472.
- Wu, S., Cao, W., Fu, S., Yao, B., Yang, Z., Yin, C., . . . Wang, D. (2024). Clinical Challenges and AI Opportunities in Decision-Making for Cancer Treatment-Induced Cardiotoxicity. *arXiv preprint arXiv:2408.03586*.
- Zadeh Shirazi, A., Tofighi, M., Gharavi, A., & Gomez, G. A. (2024). The Application of Artificial Intelligence to Cancer Research: A Comprehensive Guide. *Technology in Cancer Research & Treatment, 23*, 15330338241250324.