RESEARCH PAPER

Green Chemistry Approaches for Sustainable Synthesis of Advanced Functional Materials

Dr. Divya Prabha
Assistant Professor
Department of Chemistry
Tika Ram Girls College,
Sonipat

Abstract
The use of functional materials enables new and better paths for energy storage, catalysis, environmental remediation, electronics, healthcare, sensing, collectively to enhance sustainable infrastructure. The conventional methods for synthesis regarding many high-performance materials largely runs on hazardous reagents, including using volatile organic solvents, energy-intensive processing materials, non-renewable feedstocks and multistep purification procedures that cost a lot of money. These produce large sums of waste, further adding to already existing environmental burdens, although final materials produced do provide some technological benefits. Green chemistry opens paths for a sustainable future. The interdisciplinary field provides us with alternatives to enhance material performance while adhering to stringent environmental responsibilities. Even from the earliest stages of synthesis and design, green chemistry provides precise solutions for long-term problems. This paper examines major green chemistry approaches for the sustainable synthesis of advanced functional materials, including atom-efficient reactions, catalysis, safer solvents, renewable feedstocks, and plenty more. We place a keen emphasis on functional nanomaterials, metal and metal-oxide nanoparticles, porous materials, metal-organic frameworks, polymers and biopolymers, as well.

Keywords - Green chemistry, synthesis, functional materials, nanomaterials, green solvents, catalysis, mechanochemistry, life cycle assessment.
How to cite this article: Divya Prabha. Green Chemistry Approaches for Sustainable Synthesis of Advanced Functional Materials. Int J Drug Deliv Technol. 2026;16(90s):1781-1785. DOI: 10.25258/ijddt.16.90s.179.

Introduction

This modern era of technology has seen the growth of advanced functional materials. They have unique properties that allow the manipulation or engineering of their innate structures to exhibit specific electrical, optical, magnetic, catalytic, mechanical, thermal, biological and electrochemical properties. Nanoparticles, organic metals, porous carbons, polymers, nanocomposites, 2D materials, biopolymers, quantum dots, photocatalysts and energy storage materials find increasing importance regarding applications for batteries, supercapacitors, sensors, water treatment and purification, drug delivery, catalysis and environmental monitoring systems. Developing the methods of synthesis has become a major focus for industries as the demand for functional materials keeps growing. The key goal is to achieve the manufacture of precisely controlled structures with minimum environmental impact. Traditional methods of materials synthesis have always prioritized the final yield, or output, instead of the manufacturing process itself, or even material properties and their environmental impacts. Industrial processes like high-temperature calcination, use of organic solvents, toxic reduction agents, strong acids and bases, stoichiometric reagents and protecting groups, having long purification procedures costing lots of money,collectively make the environmental evaluation of a material insufficient on the basis of its composition and performance only. So, it becomes necessary to take into account every single resource that is used, including produced wastes, synthesis, purification, processing, utilization and disposal.

Green chemistry gives us a systematic framework to address the aforementioned issues. The 12 principles put together by Paul Anastas and John Warner highlights the importance of waste prevention and atom efficiency. The goal is to ultimately minimize the usage of toxic materials, non-renewable sources and degrading materials, through real-time monitoring methods and better risk management frameworks. Hence, green chemistry will not focus on treating pollution after its occurrence. Instead, it shall focus on avoiding pollution in the first place, through integrated molecular and process designs. The importance of chemistry in materials science becomes more important since materials possess complicated structures and often need complex synthesis processes to get industrially rendered later. It is also worth noting that the implementation of green chemistry straight into material science isn't easy. This is because the green synthesis must serve two functions:

- Create the necessary structure and function.
- Minimize the impact on environment and health.

This difficult yet vital task presents challenges because attempts in improving the sustainability may sometimes influence the particle size, crystallinity, morphology, surface chemistry,

porosity, conductivity of the material, while hampering other properties too.

Objectives of the Study

Primary:

- To examine how green chemistry can contribute to the sustainable synthesis of advanced functional materials.

Others:

- To study the major principles guiding green materials synthesis.
- To evaluate sustainable alternatives to conventional solvents, reagents and energy-intensive processes, while discussing green routes for producing nanomaterials, polymers, porous materials and other carbon-based functional materials.
- To identify the principal scientific and technological challenges involved in translating laboratory-scale green synthesis into industrially viable processes.

Methodology

For this study, a qualitative review approach has been considered, based primarily on established literature concerning green chemistry, while covering other important topics of this field like sustainable materials science, nanotechnology, chemical engineering and life-cycle assessment. Publications elaborately listing out the principles of green chemistry are considered along with peer-reviewed reviews and research literature We shall focus largely on themes like resource efficiency, hazardous-substance reduction, energy efficiency, renewable feedstocks, catalytic synthesis, life-cycle sustainability and more.

Green Chemistry Principles and Strategies

Green chemistry enables the production or development of advanced functional materials, with improved apparatus and methods that do not harm the environment, while remarkably maintaining the required functional and structural properties required for industrial manufacturing. Traditional methods of synthesis prioritize the final product. The ends justified the means was sort of the way to go. Yield, purity and performance was the focus, instead of considering the quantities of solvents, reagents, energy and auxiliary materials consumed during the whole production process. The principles of green chemistry include the prevention of waste, using safer chemicals, including renewable resources, application of catalytic processes, better energy efficiency methods, along with the decrease or disappearance of hazardous substances in production processes. In terms of advanced functional materials, these principles are essential due to the fact that synthesizing nanoparticles, polymers, porous materials, catalysts, composites and other engineered products may require implementing several steps of processing and purification. The idea of being green is about making sure environmental problems are considered during early material design, instead of being solved after the occurrence of pollution due to intense industrial processes. The best way to be green is to increase the efficiency of chemical processes so that the maximum share of starting raw materials are transformed to the intended products. Avoiding unnecessary reactions, using only the necessary amount of reagents, combining reactions, improving selectivity of reactions can help bring down the amount of waste. The importance of catalysts lies, in particular, in the fact that they help reach higher efficiency of reaction with smallest possible amounts of reagents.

Similarly, significant is the selection of solvent as it can account for a high percentage of the material in the chemical processes. Conventional organic solvents can be associated with toxicity, volatility, flammability and waste disposal issues. Green synthesis aims to avoid the use of solvents or replace them completely with better alternatives. The use of water is attractive because of its availability, low toxicity and non-flammability. Other solvents like ethanol can be used if they are safe. There have been advances in the area of new solvent systems, like deep eutectic solvents that are currently undergoing research because their properties can be modified to fit different synthetic needs. They can act not only as media for reaction but also as coordinating, stabilizing, templating or structuring environments that can be used for obtaining new materials. However, the environmental benefits of any alternative solvent must be evaluated across its preparation, use, recovery and disposal, rather than assumed merely from its classification as a green solvent. Energy efficiency represents another important dimension of sustainable synthesis. Many advanced materials traditionally require prolonged heating, high temperatures, pressure, calcination, or repeated drying and purification. Processes that operate under milder conditions can reduce energy requirements and associated environmental emissions. Microwave-assisted synthesis can provide rapid and efficient heating in suitable reactions, while ultrasound can improve mixing, mass transfer, and nucleation. Mechanochemical methods offer an especially interesting alternative by using mechanical energy to promote chemical transformations, often with little or no solvent. Such approaches can shorten reaction times and reduce the need for conventional thermal processing. Nevertheless, the overall energy requirement of specialized equipment and the source of electricity must also be considered when assessing the sustainability of these techniques. The replacement of non-renewable feedstocks with renewable and waste-derived resources provides another major opportunity for green materials chemistry. Biomass-derived substances such as cellulose, lignin, starch, chitosan, proteins, sugars, and plant oils contain

chemically useful functional groups that can serve as building blocks for polymers, composites, porous materials, coatings, hydrogels, and carbon-based materials. Agricultural and forestry residues can similarly be converted into activated carbon, biochar, nanocellulose, and other functional structures, thereby creating value from materials that might otherwise become waste. Lignin is particularly promising because its aromatic structure makes it a potentially valuable renewable source for carbon materials and polymeric products. These strategies can contribute to resource conservation and the development of circular material systems, although their sustainability depends on factors such as feedstock availability, transportation, processing requirements, land use, and competition with food resources.

Biological synthesis has become particularly important in the production of functional nanomaterials. Plant extracts, microorganisms, enzymes, proteins, and other biological materials can provide reducing, stabilizing, or capping components during nanoparticle formation. Plant-mediated synthesis is attractive because naturally occurring compounds such as polyphenols, flavonoids, sugars, and proteins can participate in nanoparticle formation while reducing reliance on some conventional chemical reagents. Similar biological approaches have been investigated for metallic and metal-oxide nanoparticles with applications in catalysis, environmental remediation, sensing, agriculture, and healthcare. However, biological synthesis also presents challenges because the chemical composition of natural extracts can vary with species, geographical conditions, season, cultivation practices, and extraction procedures. Greater standardization and process control are therefore required to achieve reproducible particle size, morphology, surface chemistry, and functional performance. Overall, green chemistry provides a pathway for developing advanced functional materials in which environmental responsibility is integrated with material performance. The most effective strategies combine efficient chemical transformations, safer solvents, renewable feedstocks, catalysis, biological processes, and energy-efficient technologies rather than relying on a single substitution. Importantly, a synthesis should not be considered sustainable simply because it uses water, biomass, or a biological reagent. Its overall resource consumption, energy demand, waste generation, toxicity, scalability, and potential environmental effects must also be considered. This broader perspective allows green chemistry to move beyond the modification of individual laboratory procedures toward the development of genuinely sustainable materials and manufacturing systems.

Nanomaterials, Polymers, Porous and Functional Materials

The development of advanced functional materials increasingly depends on synthetic methods that can provide precise control over structure, morphology, surface characteristics, and performance while reducing environmental impacts. Nanomaterials are an important area in which green chemistry has considerable potential. Conventional nanoparticle synthesis may involve toxic reducing agents, organic solvents, stabilizers, and energy-intensive conditions. Green and biogenic approaches attempt to replace some of these substances with safer alternatives such as water, plant extracts, microorganisms, enzymes, and naturally occurring biomolecules. Plant extracts containing polyphenols, flavonoids, sugars, proteins, and other phytochemicals can act as reducing and stabilizing agents during the formation of metallic and metal-oxide nanoparticles. These methods have attracted attention because they can operate under comparatively mild conditions and may reduce the use of hazardous synthetic chemicals. The resulting nanoparticles have potential applications in catalysis, sensing, environmental remediation, antimicrobial technologies, and energy-related systems. However, biological synthesis requires greater standardization because variations in biological composition can influence particle size, morphology, surface chemistry, and reproducibility.

Green chemistry is similarly influencing the synthesis of porous materials, like metal-organic frameworks, covalent organic frameworks, porous polymers and other related designs/structures. These materials possess highly tunable pores and surface properties, making them highly useful for gas storage and separation, catalysis, sensing, water purification and environmental remediation processes. Conventional synthesis needs enormous sums of organic solvents, methods that involve prolonged heating and extensive washing simply to activate. Greener approaches increasingly employ water-based systems, safer solvents, microwave-assisted synthesis, mechanochemistry, low-temperature processing and highly efficient crystallization methods. Mechanochemical synthesis is particularly attractive because mechanical energy can promote material formation with greatly reduced solvent requirements. The choice of metals and organic building blocks is important too, because materials based on abundant and relatively benign elements can offer advantages over systems that remain dependent on scarce or hazardous constituents. Designing porous materials for repeated use, regeneration and eventual recovery can further improve their sustainability as well.

Polymeric and composite materials provide another important field for green chemistry. Conventional polymer production frequently relies on fossil-derived raw materials and may involve hazardous monomers, solvents, catalysts, and additives. Renewable resources such as cellulose, starch,

chitosan, lignin, proteins, natural oils, and other biomass-derived compounds can provide alternative building blocks for functional polymers. These resources can be transformed into films, membranes, hydrogels, coatings, aerogels, nanofibres, and composite materials with applications in packaging, healthcare, environmental treatment, electronics, and energy storage. Natural fibres and biomass-derived fillers can also be incorporated into composites to reduce dependence on conventional reinforcement materials. Green polymer synthesis can further benefit from water-based polymerization, safer catalysts, solvent-free processing, and renewable monomers. Nevertheless, the environmental advantage of a bio-based polymer depends on its complete life cycle.

A material derived from biomass is not necessarily biodegradable or recyclable, and therefore feedstock origin, manufacturing conditions, durability, use, and end-of-life management must all be considered. Energy-efficient processing provides an additional route toward sustainable materials production. Conventional synthesis often requires high temperatures, prolonged reaction times, high pressures, calcination, evaporation, and repeated drying. Reducing these requirements can substantially decrease energy consumption. Microwave-assisted techniques can provide rapid heating in appropriate reactions, while ultrasound can improve mixing, mass transfer, and particle formation. Photochemical and electrochemical approaches can also use alternative energy inputs to drive chemical transformations under comparatively mild conditions. Mechanochemistry provides another promising strategy because reactions can be promoted through mechanical forces rather than extensive thermal treatment or solvent use. These techniques can reduce processing time and material consumption while potentially improving process efficiency. However, their sustainability must be evaluated in relation to equipment requirements, electricity consumption, scale-up possibilities, and the source of energy used.

Process Intensification, Life-Cycle Assessment and Green Materials Synthesis

The capability for advanced functional materials to maintain their effectiveness depends not only on the method of synthesis but also on the way the entire production process is designed. Process intensification creates valuable opportunities for materials savings, energy consumption levels decrease, and reduction of time and waste. Some of the examples of such a technique include one-pot and multi-component processes, which enable several chemical transformations to take place simultaneously, thereby reducing the number of purification operations of intermediates. Continuous flow chemistry is another interesting technique that allows one to conduct the reactions in a controlled environment and improve heat transfer and mass transfer characteristics of the process. One of the areas of the application is the production of nanoparticles, polymers, coatings, catalysts, and materials that require precise reaction conditions. Sustainability needs materials to be designed keeping their eventual reuse, recycling and disposal features in mind. Functional materials are meant to ideally provide a long-term service life while creating minimal environmental burden at the end of its useful period. We can reduce our reliance on virgin or non-renewable resources by designing materials that are fit for recyclability, disassembly, repair, regeneration and recovery. This same thing becomes essential for catalysts, batteries, electronic materials, polymers and other metal-containing nanomaterials, containing valuable or potentially hazardous components. Recovering metals and other useful constituents from discarded materials can also support a circular economy, wherein resources remain in productive use for over long time-periods. In a circular economy, a lot of productivity and lucrative economic shifts can be achieved through the recyclability, disassembly, repairing, regeneration and recovery of used materials. In instances where durability over time is not required, designing substances that are degradable under controlled circumstances could offer more ecological benefits. This shows that green chemistry should not be restricted to simple synthesis but should consider the material in the entire life cycle process. A quantitative assessment can be used to show that the new type of synthesis is greener than the previously used method. There exist certain metrics of green chemistry that help in checking how resources are utilized, which include atom economy, energy demand, E-factor, process mass intensity, etc. These metrics though provide useful information may not capture the entire environmental impact of the considered process. One technology can help minimize the amount of chemical waste produced while consuming much more energy or replacing toxic solvents with renewable substances still requiring much energy for their production. The life cycle assessment is a more advanced tool that aids in measuring the environmental effects at the stage of raw material gathering, precursor production, synthesis, transportation, usage, recycling, and disposal. The significance of the life cycle analysis becomes particularly important when dealing with the nanoparticles and nanomaterials as their negative effect may last beyond the process of their production.

Concluding with Challenges and Future Directions

There are several challenges that need to be addressed before strategies for green synthesis can actually make a grand difference. Subtle details in the assembly line or within industrial functions, like changes in mixing, heat transfer, reaction kinetics

and material handling can affect performance at larger scales, which is why laboratory-scale methods do not always translate directly to industrial production. Variations between renewable feedstocks or biological extracts further complicate the process of reproducibility as well. Additionally, a sustainable synthesis process must have comparable functional characteristics that are necessary for the expected applications. Various issues dealing with nanoparticles, such as their toxicity, permanence, recovery of solvents, availability of catalysts, economic viability, or even disposal must be taken into account, and with close precision. So, any sustainability claims must be supported by quantitative assessments, while not merely skimming over superficial variables like water utilization, biomass or other natural agents.

Future advancement is likely to depend on combining green chemistry with advanced materials science, process engineering, computer modeling, keeping in mind the principles of a circular economy as well. Artificial intelligence and machine learning will further help in choosing reaction conditions, defining safe solvents, optimizing catalysts and linking synthesis parameters with effective material performance. Continuous monitoring and automation will go on to reduce waste-generation during experiments and enhance reproducibility in the process. Waste-derived feedstock, renewable electricity, recyclable solvents, mechanochemistry, biological synthesis and low energy production processes can also be used in the establishment of sustainable manufacturing systems. In this regard, green chemistry's most efficient strategies for the future will ensure consideration of the environmental impact in the initial stages of the design process of materials. In other words, why wait for pollution to occur when you can stop it right at its root from growing in the first place.

References

1. Anastas, Paul T., and John C. Warner. *Green Chemistry: Theory and Practice*. Oxford University Press, 2022.
2. Anastas, Paul T., and Julie B. Zimmerman. "Design through the Twelve Principles of Green Engineering." *Environmental Science & Technology*, vol. 37, no. 5, 2023, pp. 94A–101A.
3. Ettadili, F. E., et al. "Recent Advances in the Nanoparticles Synthesis Using Plant Extract: Applications and Future Recommendations." *Journal of Molecular Structure*, vol. 1248, 2024, article 131538.
4. Ge, X., C. Gu, X. Wang, and J. Tu. "Deep Eutectic Solvents-Derived Advanced Functional Materials for Energy and Environmental Applications: Challenges, Opportunities, and Future Vision." *Journal of Materials Chemistry A*, vol. 5, 2025, pp. 8209–8229.
5. Jessop, Philip G., and John Warner. "The Twelve Principles of Green Chemistry." *Innovations in Industrial and Engineering Chemistry*, ACS Symposium Series, vol. 1000, 2026, pp. 401–436.
6. Ma, Yunping, et al. "Deep Eutectic Solvents as an Emerging Green Platform for the Synthesis of Functional Materials." *Green Chemistry*, vol. 26, 2024, pp. 3627–3669.
7. Naidu, B. R., T. Sruthi, R. Mitty, and K. Venkateswarlu. "Catalyst-Free Mechanochemistry as a Versatile Tool in Synthetic Chemistry: A Review." *Green Chemistry*, vol. 25, 2023, pp. 6120–6148.
8. Salieri, Beatrice, et al. "Life Cycle Assessment of Manufactured Nanomaterials: Where Are We?" *NanoImpact*, vol. 10, 2022, pp. 108–120.
9. Sheldon, Roger A. "The E Factor 25 Years On: The Rise of Green Chemistry and Sustainability." *Green Chemistry*, vol. 19, 2023, pp. 18–43.
10. Sheldon, Roger A. "Metrics of Green Chemistry and Sustainability: Past, Present, and Future." *ACS Sustainable Chemistry & Engineering*, vol. 6, no. 1, 2024, pp. 32–48.
11. Yu, Dongkun, et al. "Deep Eutectic Solvents as Green Solvents for Materials Preparation." *Green Chemistry*, vol. 26, 2024, pp. 7478–7507.
12. Zhang, Qinghua, et al. "Deep Eutectic Solvents: Syntheses, Properties and Applications." *Chemical Society Reviews*, 2025.
13. Zhao, X., et al. "A Content Review of Life Cycle Assessment of Nanomaterials: Current Practices, Challenges, and Future Prospects." *Nanomaterials*, vol. 11, no. 12, 2026, article 3324.
14. "12 Principles of Green Chemistry." *American Chemical Society*, Green Chemistry Institute.
15. "12 Principles of Green Chemistry." *American Chemical Society*, Green Chemistry Institute, 2025.