RESEARCH PAPER

Graha Roga in Ravana-krita *Kumar Tantram* and Modern Pediatric Neuro-Infectious Correlations: A Narrative Review

[*]Vinod Kumar Swami[1], S. D. Sharma[2], Amit Kataria[3], Vikas Kumar Sharma[4]

1. PhD Scholar, Institute for Ayurveda studies & Research, Shri Krishna Ayush University, Kurukshetra (Haryana)
2. Professor & HOD Department of Kaumarbhritya, Institute for Ayurveda studies & Research, Shri Krishna Ayush University, Kurukshetra (Haryana)
3. Professor & Chairperson, Department of Kaumarbhritya, Institute for Ayurveda studies & Research, Kurukshetra, Shri Krishna Ayush University, Kurukshetra (Haryana)
4. Professor & HOD Samhita & Siddhanta, Kunwar Shekhar Vijendra Ayurved Medical College and Hospital, Gangoh (UP).

[*]**Corresponding Author**: Vinod Kumar Swami, PhD Scholar, PG Department of Kaumarbhritya, Institute for Ayurveda studies & Research, Kurukshetra, Shri Krishna Ayush University, Kurukshetra (Haryana), Mail ID: dr.vkswami@gmail.com

Abstract

Background: Pediatric neuro-infections, acute encephalopathies, and fulminant systemic neonatal syndromes remain leading causes of global infant morbidity and mortality. Classical Ayurvedic literature categorizes acute, idiopathic pediatric conditions under *Graha Roga* (or *Bala Graha*). Among classical texts, the *Kumar Tantram* attributed to King Ravana provides a chronologically arranged clinical framework detailing daily, monthly, and yearly afflictions in infants. Historically contextualized within metaphysical and demonological frameworks, close semiological scrutiny indicates that these descriptions correlate closely with acute microbial, toxic, and neurological pathologies of childhood.

Objective: To critically review and evaluate the clinical manifestations, chronological susceptibility, and therapeutic modalities of *Graha Roga* described in the *Ravana-krita Kumar Tantram*, mapping them to contemporary pediatric neuro-infectious syndromes, critical care pathologies, and modern pharmacological mechanisms.

Methods: Classical verses of *Ravana-krita Kumar Tantram* were analyzed alongside foundational pediatric treatises in *Kashyapa Samhita*, *Sushruta Samhita* (Uttaratantra), and *Ashtanga Hridaya*. Symptom clusters, age-dependent timelines, and non-pharmacological/pharmacological regimens (*Dhoopana*, *Snana*, and *Parisheka*) were extracted and cross-referenced with modern pediatric clinical criteria (ICD-11, Brighton Collaboration encephalopathy guidelines, and neonatal sepsis criteria).

Results: The first twelve clinical entities of *Kumar Tantram*—spanning day 1 to Year 12—align with modern entities including early- and late-onset neonatal sepsis, tetanus neonatorum, acute bacterial meningitis, viral meningoencephalitis, acute toxic gastroenteritis with hypovolemic shock, and status epilepticus. Furthermore, the external therapies—combining medicated decoction washes (*Parisheka*), transdermal lipid barriers (*Taila/Ghruta*), and antimicrobial fumigation (*Dhoopana*) using volatile resins (*Guggulu*, *Sarshapa*, *Vacha*, *Nimba*)—represent a structured empirical protocol for surface antisepsis, environmental disinfection, and neuro-protective supportive care.

Conclusion: *Bala Grahas* in *Ravana-krita Kumar Tantram* represent acute pediatric neuro-infections and critical states framed within classical observational idiom. Translating these entities using modern semiology demystifies classical pediatric texts and identifies botanical formulations with potential utility in modern supportive care and antimicrobial exploration.

Keywords: *Bala Graha*, *Kumar Tantram*, *Ravana*, Pediatric Encephalopathy, Neonatal Sepsis, Tetanus Neonatorum, Dhoopana, Neuro-infections.

How to cite this article: *Vinod Kumar Swami1 S. D. Sharma2 Amit Kataria3 Vikas Kumar Sharma4. Graha Roga in Ravana-krita Kumar Tantram and Modern Pediatric Neuro-Infectious Correlations: A Narrative Review. Int J Drug Deliv Technol. 2026;16(90s):2068-2073. DOI: 10.25258/ijddt.16.90s.206.

1. Introduction

Pediatric neuro-infections, including bacterial meningitis, viral meningoencephalitis, and post-infectious acute encephalopathies, remain critical clinical emergencies associated with substantial mortality and neurodevelopmental sequelae worldwide [1]. In classical Ayurvedic medicine, acute disorders that arise abruptly in infants without apparent dietary or behavioral errors (*Apathyaja*) are historically classified under *Bhutavidya* or *Graha Rogas* [2].

While major classical texts such as *Caraka Samhita* prioritize adult internal medicine (*Kayachikitsa*) and *Sushruta Samhita* divides *Graha Rogas* into nine distinct typologies [3], the *Kumar Tantram* attributed

to Ravana (*Ravana-krita Kumar Tantram*) holds a unique position in ancient pediatric nosology [4]. Preserved in diverse Sanskrit manuscript traditions and brought to modern scholarly attention through Jean Filliozat's critical edition and comparative translations [5], the treatise organizes acute infantile crises along a precise chronological axis: Day 1 through Day 12, followed by Month 1 through Month 12, and Year 1 through Year 12 [4,5].

Historically, early biomedical evaluations dismissed *Graha Roga* as folklore or superstition [5]. However, contemporary translational medicine increasingly recognizes that ancient cultures used symbolic frameworks to codify sub-microscopic, invisible, and rapidly fatal pathogens [2,6]. The Sanskrit root *Grah* means "to seize," "to grip," or "to possess suddenly," reflecting the hyperacute presentation of pediatric seizure disorders, septic shock, and fulminant infectious encephalopathy [2,7].

This review provides a textual and clinical bridge between the twelve sequential manifestations in *Ravana-krita Kumar Tantram* and contemporary pediatric neuro-infectious syndromes, detailing their nosology, semiology, and pharmacotherapeutic rationale.

2. Textual Structure and Nosological Framework

The *Ravana-krita Kumar Tantram* structures infant vulnerability around developmental windows. Classical Ayurvedic pediatrics considers the neonate and infant to have unformed bodily tissues (*Apari-pakva-dhatu*), delicate physical constitutions (*Sukumara*), and an immature vital immune reserve (*Alpa Ojas* or *Alpa Bala*) [2,8].

In contemporary immunology, this state corresponds to the transient hypogammaglobulinemia of infancy, reduced complement cascade activation, and an immature blood-brain barrier (BBB) that facilitates hematogenous neuro-invasion [1,9].

Classical Pathway:

Agantuja Hetu (Exogenous Influx / Graha Agent)

⟶ Immediate Srotorodha (Micro-vascular / Neural Obstruction)

⟶ Vata-Pitta Prakopa (Central Neuro-vascular Hyper-reactivity)

⟶ Graha Lakshana (Convulsion, Stupor, Opisthotonos, Dehydration)

Contemporary Parallel:

Environmental Pathogen Exposure (Bacterial / Viral / Toxin)

⟶ Systemic Inflammatory Cascade (Cytokines / Lipopolysaccharides)

⟶ Blood-Brain Barrier Breakdown & Neuro-inflammation

⟶ Clinical Sepsis / Meningismus / Status Epilepticus

3. Semiological and Clinical Mapping: Day 1 to 12 Year

Below is a systematic correlation of the first twelve clinical entities described in *Ravana-krita Kumar Tantram* with contemporary pediatric diagnoses and neuro-infectious pathobiology [2,4,5,7,10].

Chronological Presentation (*Kumar Tantram*)	**Classical Name & Dominant Symptoms**	**Core Pathological Signs**	**Modern Biomedical Correlation**	**Putative Neurological / Infectious Mechanism**
Day 1 / Month 1/ 1Year	*Nanda* (or *Pratham a*) Continuous crying, refusal of feeds, cold extremities, trembling, sudden cyanosis.	Feed refusal (*Stana-dvesha*), hypothermia, acute irritability.	**Early-Onset Neonatal Sepsis (EONS)**	Systemic bacteremia (e.g., *Group B Streptococcus*, *Escherichia coli*) leading to endotoxemia, impaired peripheral perfusion, and early septic shock [10].
Day 2 / Month 2 / 2 Year	*Sunanda* Fever, closed eyelids, abdominal distension, rolling upward of eyeballs	Gaze paresis/dysconjugate gaze, tympanites, continuous crying.	**Acute Neonatal Meningitis with Cranial Nerve Involvement**	Leptomeningeal inflammation producing elevated intracranial pressure (ICP), causing oculomotor/abducens irritation and autonomic

	(*Urdhva-drishti*).			dysfunction [1].
Day 3 / Month 3 / 3 Year	*Putana* Foul body odor (cadaveric/raw meat), watery green diarrhea, vomiting, arching of the back.	Severe emesis, watery stools, hypertonia, hypovolemia.	**Acute Enteric Sepsis / Severe Infantile Gastroenteritis with Neurotoxin/ Dehydration**	Enteropathogenic invasion (Rotavirus, *Salmonella*, enterotoxigenic *E. coli*) inducing hypovolemic shock, prerenal azotemia, and metabolic encephalopathy [10].
Day 4 / Month 4 / 4 Year	*Mukhamandika* Facial flushing, pale extremities, emaciation of limbs with abdominal fullness, venous prominence.	Cutaneous mottling, localized edema, prominent superficial veins.	**Protein-Energy Malnutrition Sepsis / Subacute Bacterial Peritonitis**	Capillary leak syndrome, severe nutritional edema, or intra-abdominal focal infection causing mesenteric venous engorgement [8].
Day 5 / Month 5 / 5 Year	*Kataputana* Foul odor resembling urine/excreta, severe thirst, sudden convulsions, rigid posture.	Involuntary muscle spasms, intense thirst, oliguria/dysuria.	**Neonatal Urinary Tract Sepsis (Urosepsis) / Acute Encephalopathy**	Ascending gram-negative pyelonephritis causing hyperpyrexia, systemic inflammation, and lower seizure threshold [7].
Day 6 / Month 6 / 6 Year	*Shakuni* Oral ulcerations, blistering of skin, flaccidity followed by sudden spasticity, loss of voice.	Stomatitis, vesicular eruptions, pharyngeal dysfunction, motor spasms.	**Herpes Simplex Encephalitis (HSE) or Enterovirus (EV71) Infection**	Neurotropic viral invasion involving mucosal entry points, bulbar dysfunction, and focal neurological deficits [1].
Day 7 / Month 7 / 7 Year	*Shushka-Revati* Progressive emaciation, sunken eyes, dry tongue, pale skin, weakness of neck muscles.	Extreme muscle wasting, anterior fontanelle depression, loss of head control.	**Infantile Marasmus / Late Infantile Tuberculous Meningitis (TBM) Stage 2**	Chronic subacute basilar meningitis, microvascular ischemia, hydrocephalus, and terminal cachexia [2].
Day 8 / Month 8 / 8 Year	*Aryaka* (or *Revati*)	Tonic-clonic movements, trismus, sialorrhea, involuntar	**Febrile Status Epilepticus / Post-Infectious**	Prolonged seizure activity provoked by acute pyrexia,

	Episodic fever, involuntary biting of tongue/lips, frothing at the mouth, clenched fists.	y clenched hands.	**Encephalopathy**	cortical dysrhythmia, and central autonomic excitation [7].
Day 9 / Month 9 / 9 Year	*Kotara* (or *Shukari*) Grunting respiration, sternal retractions, cyanotic attacks, hoarse cry.	Stridor, tachypnea, intercostal indrawing, respiratory failure.	**Severe Acute Bronchiolitis / Pneumonia with Hypoxic Encephalopathy**	Viral lower respiratory tract infection (RSV, Metapneumovirus) with secondary hypoxic-ischemic cerebral dysfunction [10].
Day 10 / Month 10 / 10 Year	*Rakshasi* Extreme agitation, photophobia, high-pitched shrill cry (*Kriya-vishesha*), rigid neck.	Meningismus, nuchal rigidity, opisthotonic posturing, cerebral cry.	**Acute Purulent Meningitis (Pneumococcal / Meningococcal)**	Marked basilar exudates, meningeal stretch signs, severe intracranial hypertension triggering high-pitched neuro-cry [1].
Day 11 / Month 11 / 11 Year	*Ghantali* Restlessness, tremors of limbs, sudden loss of consciousness, alternating flaccidity and rigidity.	Choreoathetosis, alternating muscle tone, altered sensorium (stupor).	**Acute Necrotizing Encephalopathy of Childhood (ANEC) / Viral Encephalitis**	Thalamic and brainstem inflammation (e.g., Influenza-associated, Japanese Encephalitis) disrupting extrapyramidal pathways [1,9].
Day 12 / Month 12 / 12 Year	*Revati* (Chronic Phase) Apathy, unresponsiveness to surroundings, regression of motor milestones, continuous drooling.	Developmental regression, stupor/vegetative state, persistent neurological deficit.	**Post-Encephalitic Neurological Sequelae / Infantile Cerebral Palsy**	Irreversible cortical necrosis, periventricular leukomalacia, or post-infectious structural brain injury [1,2].

4. Pathophysiological Insights from Semiology

4.1 The High-Pitched Cry and Intracranial Pressure

Ravana-krita Kumar Tantram frequently highlights abrupt changes in vocal patterns, notably *Satata-rodana* (incessant, irritable weeping) alternating with stupor [4,5]. In modern clinical pediatrics, this presentation corresponds to the classical **high-pitched cerebral cry**, an established physical sign of meningeal irritation, kernicterus, or elevated intracranial pressure [1,10].

4.2 Postural Rigidity and Opisthotonos

References across multiple chapters to *Dhanuh-stambha* (bow-like spinal rigidity), *Griva-stambha* (nuchal rigidity), and *Mushti-bandhana* (persistent clenching of fists) correspond to:

- Meningismus (Kernig's and Brudzinski's neuro-vascular signs) [1].


- Decorticate or decerebrate posturing secondary to cortical and midbrain irritation.
- Tetanus neonatorum caused by *Clostridium tetani* neurotoxin following unsterile cord handling [2,3].

4.3 Enteric-Cerebral Manifestations

The text describes an acute succession of severe gastrointestinal distress (*Atisara*, *Chardi*) rapidly followed by central nervous system depression [4]. This reflects an acute pediatric vulnerability: rapid extracellular fluid loss, severe dyselectrolytemia (hyponatremic or hypernatremic dehydration), and metabolic acidosis precipitating lethargy, convulsions, and coma [10].

5. Critical Appraisal of Therapeutic Interventions

Management in *Kumar Tantram* follows a tripartite division: *Daivavyapashraya* (spiritual/symbolic rituals), *Yukti-vyapashraya* (rational pharmacology/dietetics), and *Sattvavajaya* (psychological reassurance for caregivers) [2,8]. Evaluating the physical components reveals structured, non-invasive therapeutic rationales:



5.1 Fumigation Therapy (*Dhoopana*) as Aerosolized Antisepsis

Every chapter of *Kumar Tantram* details specific *Dhoopana* formulations to purge the infant's room [4,5].

- **Botanical constituents:** *Nimba* (*Azadirachta indica*), *Sarshapa* (*Brassica nigra*), *Guggulu* (*Commiphora mukul*), *Vacha* (*Acorus calamus*), and *Ghruta* (clarified butter).
- **Biomedical rationale:**
  1. *Aerosolized Disinfection:* Experimental validation of traditional Indian medicinal smoke formulations has demonstrated up to a 94% reduction in airborne bacterial counts within 60 minutes, maintaining cleaner environments for up to 24 hours in closed spaces [11]. The combustion of sulfur-rich *Sarshapa* and resins such as *Guggulu* releases volatile monoterpenes and allyl isothiocyanates with broad-spectrum antimicrobial activity [11,12].
  2. *Inhalation Delivery:* Volatile organic compounds cross the nasal mucosa directly via olfactory pathways, allowing active botanical components (e.g., asarone isomers from *Vacha*) to exert mild central sedative and anticonvulsant effects [13].

5.2 Medicated Baths (*Snana*) and Washes (*Parisheka*)

Decoctions (*Kwatha*) prepared from astringent barks (*Panchavalkala* / *Ficus* species) and bitter leaves (*Tikta Patra*) are prescribed for washing:

- **Controlled Antipyresis:** Tepid sponge washing provides safe, gradual heat dissipation without inducing the intense shivering and reflex vasoconstriction associated with cold water [10].
- **Cutaneous Barrier Protection:** Astringent decoctions rich in tannins and polyphenols cross-link surface proteins, forming a protective barrier that reduces bacterial colonization on compromised skin [12].

5.3 Medicated Lipids (*Taila* and *Ghruta*)

Topical applications of medicated fats serve as protective skin barriers. In neonates and low-birth-weight infants, topical emollient therapy prevents hypothermia, reduces transepidermal water loss, and reduces the incidence of systemic nosocomial infections [14].

6. Methodological Considerations and Limitations

1. **Textual Variants and Recensions:** *Ravana-krita Kumar Tantram* exists across multiple geographic recensions (Devanagari, Grantha, and Tibetan translations) [4,5]. Minor textual

discrepancies exist in the naming and exact sequence of the *Graha Matrikas*.

2. **Semiological Ambiguity:** Classical external clinical observation cannot definitively distinguish between primary metabolic encephalopathies (e.g., inborn errors of metabolism), primary bacterial meningitis, and electrolyte crises without modern laboratory assays (cerebrospinal fluid analysis, blood cultures, neuroimaging) [1,9].
3. **Smoke Inhalation Hazards:** While *Dhoopana* has documented airborne bactericidal properties [11], burning biomass can produce particulate matter (PM2.5) and carbon monoxide that can irritate immature neonatal respiratory tracts. Modern translational research must prioritize isolated essential oil nebulization or purified extracts over raw combustion.

7. Conclusions

The *Graha Roga* descriptions in *Ravana-krita Kumar Tantram* provide a clinically coherent, chronological record of acute pediatric neuro-infections, sepsis, and metabolic crises. Interpreting these classical descriptions through contemporary pediatric semiology bridges traditional Indian medical history with modern pediatric critical care.

Future investigative directions include:

1. Analytical characterization of volatile fractions in classical *Dhoopana* formulations to isolate active antimicrobial agents suitable for non-combustion aerosolization.
2. Philological and clinical comparative studies between regional recensions of *Kumar Tantram* and the *Kashyapa Samhita*.
3. Preclinical evaluation of neuro-protective botanicals like *Acorus calamus* and *Commiphora mukul* in neuro-inflammatory animal models.

References

1. Sepehri G, Hosseini M, Derakhshan M. Central nervous system infections in pediatric critical care: Clinical spectrum and diagnostic challenges. *Pediatr Crit Care Med*. 2014;15(4):312-321.
2. Bagde AB, Sawant RS. Critical review on Bala Graha and their modern correlates. *Int Ayur Med J*. 2013;1(4):1-7.
3. Srikantha Murthy KR, translator. *Susruta Samhita: Text with English Translation*. Uttaratantra, Chapters 27-37 (Balagraha Pratishedha). Varanasi: Chaukhambha Orientalia; 2014.
4. Bagchi PC. *Kumar Tantram* of Ravana. *Calcutta Sanskrit Series No. 24*. Calcutta: Metropolitan Printing and Publishing House; 1941.
5. Filliozat J. *Le Kumar Tantram de Ravana et les textes paralleles indiens, tibetains, chinois, cambodgien et arabe*. Paris: Imprimerie Nationale; 1937.
6. Sharma PV, editor. *Kasyapa Samhita (Vriddha Jivakiya Tantra)*. Khila Sthana, Balagraha Cikitsita Adhyaya. Varanasi: Chaukhambha Visvabharati; 2018.
7. Tewari PV. *Ayurvediya Prasuti Tantra Evam Kaumarbhritya*. Part II (Kaumarbhritya). Varanasi: Chaukhambha Orientalia; 2016.
8. Valiathan MS. *The Legacy of Vagbhata*. Hyderabad: Universities Press; 2009.
9. Tunkel AR, Glaser CA, Bloch KC, et al. The management of encephalitis: Clinical practice guidelines by the Infectious Diseases Society of America. *Clin Infect Dis*. 2008;47(3):303-327.
10. World Health Organization. *Pocket Book of Hospital Care for Children: Guidelines for the Management of Common Childhood Illnesses*. 2nd ed. Geneva: World Health Organization; 2013.
11. Nautiyal CS, Chauhan PS, Nene YL. Medicinal smoke reduces airborne bacteria. *J Ethnopharmacol*. 2007;114(3):446-451.
12. Goyal PK, Sharma A. Evaluation of antimicrobial activity of some medicinal plant extracts against clinical pathogens. *Asian J Pharm Clin Res*. 2014;7(2):49-53.
13. Mukherjee PK, Kumar V, Mal M, Houghton PJ. Acorus calamus: Scientific validation of Ayurvedic tradition from natural resources. *Phytother Res*. 2007;21(7):653-660.
14. Darmstadt GL, Saha SK, Ahmed AS, et al. Effect of topical treatment with skin barrier-enhancing emollients on nosocomial infections in preterm infants in Bangladesh: A randomised controlled trial. *Lancet*. 2005;365(9464):1039-1045.